


PA-1



PA-1

KENTUCKY DEPARTMENT OF EDUCATION
2015 SCHOOL BUS PURCHASE AUTHORIZATION
TYPE A, TYPE C, AND TYPE D SCHOOL BUSES


The Board of Education of Spencer County, Kentucky, on September 22, 2014, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure. This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2015 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed _____, Chairman
_____, Secretary
Of _____, Superintendent
Date _____, Board of Education

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

2151, 2152

ATTACH ADDITIONAL INFORMATION IF NECESSARY




2015

PA-1

TYPE A AND TYPE C SCHOOL BUSES

SPENCER COUNTY BOARD OF EDUCATION

Item #	No. To Be Purchased	Capacity	Engine & Chassis Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
1		22	6.5 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	COLLINS	82"	60,796
2		22	6.5 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	158"	BLUEBIRD	47"	67,325
3		22	6.5 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	THOMAS	74"	61,617
4		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	169"	BLUEBIRD	96"	79,365
5		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	81,842
6		34	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	169"	IC CORP	93"	80,123
7		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	83,551
8		52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	81,520
9		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	83,703
10		52	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	217"	IC CORP	128"	81,479
11		52	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	85,413
12		52	CUMMINS ISB, FREIGHTLINER	250	2500PTS	AB	Center rear	219"	THOMAS	128"	86,263
13		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	139 "	81,890
14		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	141"	85,272
15		66	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276"	IC CORP	141"	83,094
16		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148"	86,083
17		66	CUMMINS ISB, FREIGHTLINER	250	2500PTS	AB	Center rear	279"	THOMAS	148"	86,933
18		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	139"	85,830
19		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	141"	89,478
20		66	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276"	IC CORP	141"	86,844
21		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	90,125
22		66	CUMMINS ISB, FREIGHTLINER	250	3000PTS	AB	Center rear	279"	THOMAS	148"	90,975



PA-1


TYPE A AND TYPE C SCHOOL BUSES

SPENCER COUNTY BOARD OF EDUCATION

23		72	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	160"	82,835
24	2	72	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	160"	86,830
25		72	MAXFORCE DT, INTERNATIONAL	230	2500PTS	AB	Center rear	276"	IC CORP	158"	86,076
26		72	CUMMINS ISB, INTERNATIONAL	220	2500PTS	ab	Center rear	276"	IC CORP	158"	83,442
27		72	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	158"	89,826
28		72	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276"	IC CORP	158"	87,192
29		72	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148'	86,372
30		72	CUMMINS ISB, FREIGHTLINER	250	2500PTS	AB	Center rear	279"	THOMAS	148"	87,222
31		72	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	90,914
32		72	CUMMINS ISB, FREIGHTLINER	250	3000PTS	AB	Center rear	279"	THOMAS	148"	91,764

KEY: Engines

Engine and Transmission	Transmissions and Brakes	Fuel Tank Location
MAXFORCE DT	AUTO	Center Rear- Behind the rear axle between the frame rails
466CID TURBO ELECTRONIC I-6, DIESEL	Type A automatic	Right side- Attached to the right frame rail between the axles
CUMMINS ISB	2500PTS	Center -Between the frame rails, between the axles
6.6 GM	3000PTS	
400CID TURBO ELECTRONIC I-6, DIESEL	Allison 5 speed automatic	
400CID TURBO ELECTRONIC V8, DIESEL	Allison severe service automatic	
	AB	Air brakes



2015

PA - 1

TYPE D NON-CONVENTIONAL SCHOOL BUSES

SPENCER COUNTY

BOARD OF EDUCATION

FORWARD CONTROL



Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
33		70	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	153"	96,135
34		70	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212"	THOMAS	155"	99,477
35		74	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	153"	96,360
36		74	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212"	THOMAS	155"	99,633
37		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	160"	96,990
38		78	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	231"	THOMAS	155"	100,461

REAR ENGINE

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
39		78	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center	276"	IC CORP	120"	104,296
40		78	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center	267"	THOMAS	115"	107,344
41		78	MAXFORCE DT, INTERNATIONAL	260	3000PTS	AB	Center	276"	IC CORP	120"	104,961
42		78	CUMMINS ISB, FREIGHTLINER	280	3000PTS	AB	Center	267"	THOMAS	115"	108,196
43		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center	273"	BLUEBIRD	122"	105,900
44		84	CUMMINS ISB, FREIGHTLINER	280	3000PTS	AB	Center	277"	THOMAS	115"	110,695

KEY: Engines

	Transmissions and Brakes	Fuel Tank Location
MAXFORCE DT	AUTO	Center Rear- Behind the rear axle between the frame rails
CUMMINS ISB	2500PTS	Right side- Attached to the right frame rail between the axles
6.6 GM	3000PTS	Center -Between the frame rails, between the axles
	AB	
	AB	
	Allison 5 speed automatic	
	Allison severe service automatic	
	Air brakes	



PA-2

PA-2

KENTUCKY DEPARTMENT OF EDUCATION
2015 SCHOOL BUS PURCHASE AUTHORIZATION
(HANDICAPPED UNITS)

The Board of Education _____ of SPENCER COUNTY
purchase school buses through the Kentucky State Contract price procedure.

_____, Kentucky, on September 22, 2014, in a legally called and constituted meeting, did vote to

This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2015 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.


Signed _____, Chairman
_____, Secretary
Of _____, Superintendent
Date _____, Board of Education

BODY SIDE NUMBERS:

Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

2153


ATTACH ADDITIONAL INFORMATION IF NECESSARY



Buses listed by shell size (For actual capacity see enclosed floor plans) 2015

PA-2 TYPE A AND TYPE C HANDICAP EQUIPPED SCHOOL BUSES SPENCER COUNTY BOARD OF EDUCATION

Item #	No. To Be Purchased	Shell Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
45		22	6.5 GM Lift behind the rear axle	155	AUT0	H	Center rear	139"	COLLINS	82"	67,073
46		22	6.5 GM Lift behind the rear axle	155	AUT0	H	Center rear	158"	BLUEBIRD	47"	71,780
47		24	6.5 GM Lift behind the rear axle	155	AUTO	H	Center rear	158"	THOMAS	74"	67,212
48		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	189"	BLUEBIRD	125"	84,910
49		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	86,017
50		34	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	169"	IC CORP	93"	84,322
51		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	88,010
52	1	52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	86,840
53		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	89,542
54		52	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	217"	IC CORP	128"	87,319
55		52	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	90,355
56		52	CUMMINS ISB, FREIGHTLINER	250	2500PTS	AB	Center rear	219"	THOMAS	128"	91,205
57		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	153"	88,520
58		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	149"	91,436
59		66	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276"	IC CORP	149"	89,300
60		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	158"	92,285
61		66	CUMMINS ISB, FREIGHTLINER	250	2500PTS	AB	Center rear	279"	THOMAS	158"	93,135
62		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	153"	94,030
63		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	149"	96,455
64		66	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276"	IC CORP	149"	93,840
65		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	158"	97,297
66		66	CUMMINS ISB, FREIGHTLINER	250	3000PTS	AB	Center rear	279"	THOMAS	158"	98,147



PA - 3

2015

PROPANE POWERED SCHOOL BUSES

SPENCER COUNTY

BOARD OF EDUCATION

TYPE A and C PROPANE CONVENTIONAL

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
67		22	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	H	Center rear	158"	BLUEBIRD	47"	75,935
68		22	6.0L GM Python V-8 LPG THOMAS	332	GM	H	Center rear	139"	THOMAS	74"	77,574
69		34	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	189"	BLUEBIRD	125"	88,300
70		52	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	217"	BLUEBIRD	132"	89,870
71		52	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	219"	THOMAS	128"	96,913
72		66	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273"	BLUEBIRD	139"	90,860
73		66	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	279"	THOMAS	158"	97,583
74		72	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273"	BLUEBIRD	160"	91,145
75		72	8.0L GM Python V-8 LPG, THOMAS	339	Allison2300	AB	Center rear	279	THOMAS	158"	97,872

TYPE A and C PROPANE, SPECIAL NEEDS, LIFT EQUIPTED

Item #	No. To Be Purchased	Shell Size	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
76		22	6.8LRough LPG, BLUEBIRD	362	FORD	H	Center rear	158"	BLUEBIRD	77"	88,995
77		34	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	189"	BLUEBIRD	125"	93,725
78		52	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	217"	BLUEBIRD	132"	95,150
79		52	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	219"	THOMAS	129"	101,855
80		66	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273"	BLUEBIRD	139"	100,805
81		66	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	279"	THOMAS	148"	103,785

KEY: Engines

MAXFORCE DT
CUMMINS ISB
6.6 GM

466CID TURBO ELECTRONIC I-6, DIESEL
410CID TURBO ELECTRONIC I-6, DIESEL
400CID TURBO ELECTRONIC V8, DIESEL

AUTO
2500PTS
3000PTS
AB

Type A automatic
Allison 5 speed automatic
Allison severe service automatic
Air brakes

Transmissions and Brakes

Fuel Tank Location

Center Rear- Behind the rear axle between the frame rails
Right side- Attached to the right frame rail between the axles
Center -Between the frame rails, between the axles