

Quote # 487879-1 Rev 0

Fort Thomas Independant Schools
Gene Kirchner
28 N. Fort Thomas Ave
Ft Thomas, KY USA 41075-1517
Phone: 859-815-2020
Fax: 859-442-4016
Email: Gene.Kirchner@fortthomas.kyschools.us

4/Jun/2013
Quote valid for: 90 days
Terms: 30% W/ORDER, 60% PBS, 10% N 30
FOB: DAKTRONICS
Delivery: Call for production time

Reference: All Pricing in accordance with Unified Purchasing Cooperative (UPC); member of Ohio Council of Educational Purchasing Consortia (OCEPC) Contract #AEPA IFB #012-H

Item No.	Model	Description	Qty	Price
1	FB-2021-A-PV-120-F	Football Scoreboard; Amber Digits; All Sport 5010 Controller; Scoreboard Color: _____ Caption Color: _____ Cabinet Dimensions: 8' 0" H X 25' 0" W X 0' 6" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: AMBER Max Power: 600 watts/display Weight: Unpackaged 785 lbs per display; Packaged 1250 lbs per display	1	\$123,296.00
	Stripe; 0A-1407-0045 / 0A-1647-0078	1" Perimeter Border Stripe for FB-2021 Scoreboards; Color: WHITE #7725-10	1	
	Team Name Outdoor	Team Name Caption in place of HOME caption; Name: BLUEBIRDS	1	
	Radio Transmitter	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	18" PanaView Time Outs Left Option	For FB-2021 Scoreboards	1	
	12VDC Trumpet Horn	For Outdoor Scoreboards	1	
	DVX-103-20MT-HC-144x252-120BU-LT-MR-CNTLRM-None	LED Video Display Matrix: 144 lines by 252 columns Line Spacing: 20mm LED Color: RGB- Cabinet Dimensions: 9' 11" H X 17' 1" W X 0' 11" D (Approx. Dimensions) Max Power: 6192 watts/display Weight: Unpackaged 1876 lbs per display; Packaged 2912 lbs per display	1	
	Project Management	Technician - (Termination of signal fiber into video display and control equipment, set up, test and train of video display equipment)	1	
	Daktronics System Installation Drawings >100	Attachment support system drawings	1	
	Daktronics System Electrical Drawings >100	Power and control system drawings	1	
	Daktronics System Certified Structural Drawings >100	Engineered stamped drawings for footing and beams	1	
	Control-1 video input	Standard Definition; 1 video input	1	

Quote # 487879-1 Rev 0

W-2121	Fiber Optic Cable; 50 µm Multimode; 4 Fiber with non-terminated ends	1500	
CUSTOM SEPARATE AD PANELS TO MATCH SCOREBOARD LENGTH	Non-backlit ad panel 9.93'h x 3.94'w - artwork pricing included with logos provided in the correct vector format from customer at time of order	2	
DA-1001-25 w/50% Lettering/Logo and Screen Backing	Arch Truss; Alum, 4 ft tall x 25 ft long w/ 50% Lettering/Logo & Screen Backing.	1	
ID_36x300_O	3' x 25' non-backlit sponsor/identification panel - artwork pricing included with logos provided in the correct vector format from customer at time of order	2	
2 FREIGHT	Shipping to site	1	\$3,115.00
Services			
3 G5C5-W	Five Year Warranty - Parts Coverage - G5G5	1	
G1C1-W	One Year Warranty - Parts Coverage - G1G1	1	
Standard Video with SCS One-on-One Webinar Training		1	
On-site Labor	One Year Extended Service for on-site labor coverage	1	

Total Price Excluding Sales Tax: \$126,411.00
--

Please reference listed sales literature: DD1569120 for On-site Labor, DD1628383 for G5C5-W, DD1896076 for DVX-103-20MT-HC-144x252-120BU-LT-MR-CNTLRM-None, DD1896076 for DVX-103-20MT-HC-162x288-120BU-LT-MR-CNTLRM-None, DD1923154 for Control-1 video input, DD2167297 for FB-2021-A-PV-120-F, DD2167297 for FB-2021-R-PV-120-F, SL-02374 for G1C1-W, SL-04370 for Radio Receiver, SL-04370 for Radio Transmitter, SL-08028 for DA-1001-25 w/50% Lettering/Logo and Screen Backing

Quote # 487879-1 Rev 0

Alternate Equipment: 1

Item No.	Model	Description	Qty	Price
1	FB-2021-R-PV-120-F	Football Scoreboard; Amber Digits; All Sport 5010 Controller; Scoreboard Color: _____ Caption Color: _____ Cabinet Dimensions: 8' 0" H X 25' 0" W X 0' 6" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: RED Max Power: 600 watts/display Weight: Unpackaged 785 lbs per display; Packaged 1250 lbs per display	1	\$143,440.00
	Stripe; 0A-1407-0045 / 0A-1647-0078	1" Perimeter Border Stripe for FB-2021 Scoreboards; Color: WHITE #7725-10	1	
	Team Name Outdoor	Team Name Caption in place of HOME caption; Name: BLUEBIRDS	1	
	Radio Transmitter	Frequency of 2.4 GHz	1	
	Radio Receiver	Frequency of 2.4 GHz	1	
	18" PanaView Time Outs Left Option	For FB-2021 Scoreboards	1	
	12VDC Trumpet Horn	For Outdoor Scoreboards	1	
	DVX-103-20MT-HC-162x288-120BU-LT-MR-CNTLRM-None	LED Video Display Matrix: 162 lines by 288 columns Line Spacing: 20mm LED Color: RGB- Cabinet Dimensions: 11' 1" H X 19' 6" W X 0' 11" D (Approx. Dimensions) Max Power: 8064 watts/display Weight: Unpackaged 2412 lbs per display; Packaged 3744 lbs per display	1	
	Project Management	Technician - (Termination of signal fiber into video display and control equipment, set up, test and train of video display equipment)	1	
	Daktronics System Installation Drawings >100	Attachment support system drawings	1	
	Daktronics System Electrical Drawings >100	Power and control system drawings	1	
	Daktronics System Certified Structural Drawings >100	Engineered stamped drawings for footing and beams	1	
	Control-1 video input	Standard Definition; 1 video input	1	
	W-2121	Fiber Optic Cable; 50 µm Multimode; 4 Fiber with non-terminated ends	1500	
	CUSTOM SEPARATE AD PANELS TO MATCH SCOREBOARD LENGTH	Non-backlit ad panels 11.13'h x 2.74'w - artwork pricing included with logos provided in the correct vector format from customer at time of order	2	
	DA-1001-25 w/50% Lettering/Logo and Screen Backing	Arch Truss; Alum, 4 ft tall x 25 ft long w/ 50% Lettering/Logo & Screen Backing.	1	

Quote # 487879-1 Rev 0

ID_48x300_O		4' x 25' non-backlit sponsor/identification panel - artwork pricing included with logos provided in the correct vector format from customer at time of order	2	
2	FREIGHT	Shipping to site	1	\$3,115.00
Services				
3	G5C5-W	Five Year Warranty - Parts Coverage - G5G5	1	
	G1C1-W	One Year Warranty - Parts Coverage - G1G1	1	
	Standard Video with SCS One-on-One Webinar Training		1	
	On-site Labor	One Year Extended Service for on-site labor coverage	1	

Total Price Excluding Sales Tax: \$146,555.00
--

Please reference listed sales literature: DD1569120 for On-site Labor, DD1628383 for G5C5-W, DD1896076 for DVX-103-20MT-HC-144x252-120BU-LT-MR-CNTLRM-None, DD1896076 for DVX-103-20MT-HC-162x288-120BU-LT-MR-CNTLRM-None, DD1923154 for Control-1 video input, DD2167297 for FB-2021-A-PV-120-F, DD2167297 for FB-2021-R-PV-120-F, SL-02374 for G1C1-W, SL-04370 for Radio Receiver, SL-04370 for Radio Transmitter, SL-08028 for DA-1001-25 w/50% Lettering/Logo and Screen Backing

Notes: This quote is for equipment only. Daktronics is not responsible for un-loading the equipment off the delivery truck.

Exclusions:

- | | |
|--|------------------------------------|
| - Electrical Installation | - Physical/Mechanical Installation |
| - Structure | - Foundation |
| - Power | - Hoist |
| - Signal Conduit | - Labor to Pull Signal Cable |
| - Applicable Permits | - Taxes |
| - Electrical Switch Gear or Distribution Equipment | - Front End Equipment |


Unless expressly stated otherwise in this Quote # 487879-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Installation Responsibilities:


If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Daktronics will process your proofs on orders that include advertising and identification panels. Your digital files and copy layouts should conform to graphic file standards document, SL-04116. The digital data files and copy layouts must be submitted at the time of your order and our proofs need to be approved two weeks prior to your initial anticipated ship date. Advertising and identification panels not receiving proof approvals in time will be shipped without copy in our standard finish.



Angela Pucher
PHONE: 614-905-9009
FAX: 605-697-4746
EMAIL: Angela.Pucher@daktronics.com



Lacey Ward
PHONE: 605-692-0200
FAX:
EMAIL: Lacey.Ward@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

SL-02375 Standard Terms and Conditions of Sale	www.daktronics.com/terms_conditions/SL-02375.pdf
SL-02374 Standard Warranty and Limitation of Seller's Liability	www.daktronics.com/terms_conditions/SL-02374.pdf
SL-07862 Software License Agreement	www.daktronics.com/terms_conditions/SL-07862.pdf
SL-04116 Graphic File Standards	www.daktronics.com/terms_conditions/SL-04116.pdf

Acceptance:

The Undersigned has actual authority to execute this document and Daktronics, Inc is relying upon such authority.

The parties hereby acknowledge and agree that the terms and conditions contained within this Quote along with the terms and conditions of the Daktronics Standard Terms and Conditions, the Standard Warranty and Limitations of Liability, and/or the Software License Agreement (together, the "Terms and Conditions") constitute the full and final understanding of the parties regarding the sale of equipment and/or the provision of services and entirely replace and supersede any previous understanding or agreement between the parties. By executing this agreement, Purchaser acknowledges that it has had opportunity and means to review the Terms and Conditions as provided in the website addresses above. In the alternative, hardcopy of these Terms and Conditions will be provided upon request. Further it is acknowledged and agreed that the price of the equipment and/or the provision of services contained within this agreement are expressly conditioned upon Purchaser's acceptance of the Terms and Conditions without change. Any modification of the Terms and Conditions may require a corresponding change in price. Accordingly, the Purchaser acknowledges and agrees to these Terms and Conditions as evidenced by its attestation below.

Customer Signature

Date

Print Name

Title

Purchase Order Information:

Fort Thomas Independant Schools

PO# _____

PO Date _____

Purchaser hereby confirms that the equipment is to be delivered to, and may be installed by Purchaser or Daktronics (as indicated elsewhere herein) at the address indicated on page one (1) of the agreement unless otherwise specified below:

☐ Same as Bill to**Ship To:**_____
Company_____
Contact Person_____
Address_____
City_____
State Zip_____
Telephone_____
Fax_____
Email☐ Same as Ship to**End User:**_____
*Company_____
Contact Person_____
Address_____
*City_____
*State *Zip_____
Telephone_____
Fax_____
Email

*Required Information

BILL TO (if different from quoted address):_____
Company_____
Contact Person_____
Address_____
City_____
State Zip_____
Telephone_____
Fax_____
Email

ATTACHMENT A
INSTALLATION RESPONSIBILITIES CHECKLIST: OUTDOOR

Responsible Party:		Description
Daktronics	Customer	
	X	1. Removal and disposal of existing equipment and structure (excluding footings).
X		2. Generate and issue site specific electrical and signal riser diagram submittals for video, scoring, audio, control room, front-end production, TV monitors, LCDs, IPTV.
X		3. Generate and issue site specific equipment shop drawing and attachment detail submittals.
	X	4. Provide approval of all engineering drawings, riser diagrams, shop drawings, equipment locations, color renderings, and ad copy layouts.
X		5. Engineering design and certification stamp for new support structure design.
	X	6. Unobstructed access to equipment and control room installation site until display is 100%.
	X	7. Provide payment and performance Bond and construction permits if necessary.
	X	8. Locate underground utilities.
	X	9. Provide camera-ready artwork for ad panels, speaker mesh and logos at time of order.
X		10. Crating and shipping of all equipment to facility via common or independent carrier.
	X	11. Accept, lift, unload, and inspect all video, scoring, and control equipment from carrier.
	X	12. Digging of footings including dirt removal. Provide and install steel cages, re-bar, or bolt attachments. Pouring and finishing of concrete for footings. (Note: Daktronics assumes class 3 soil per the International Building Code to determine footing / structure estimates included in this quotation. In the event rock, water, or if soil conditions other than class 3 soil are encountered (including bedrock, shale, soft soils, unstable or collapsing soils, expansive soils, organic materials, or anything unexpected condition is encountered, the Customer will be responsible for any additional costs, plus overhead and profit of 20%).
	X	13. Steel fabrication and install support structure
	X	14. Lift and mount equipment listed in this quotation.
	X	15. Provide and install all required floor and wall boxes as per provided system riser diagram – provide written verification that all deck/wall boxes are installed and all cable has been pulled prior to technicians arrival.
	X	16. Provide primary power feed up to and including demarcation point in the form of distribution panel per NEC. Note: Maximum voltage of 120 volts line to neutral for all display systems.
	X	17. Provide secondary power conduits, power cable and power hook-up from the demarcation point to all Daktronics supplied load centers/termination panel at/within the equipment.
	X	18. Provide and install signal cable conduit from control location to each equipment location. Conduit to be located five (5) feet off grade on the structure, as delineated in riser diagrams.
	X	19. Provide and install signal cable conduit from five (5) feet off grade on structure to equipment signal termination points, as delineated in riser diagrams.
	X	20. Communication responsibility (DSL line, Network, Static IP address and associated monthly fees) as necessary for this system. Supply static IP address five (5) days prior to installation.
X		21. Furnish signal cable as delineated on quote.
	X	22. Labor to pull all new signal cable (and remove existing cable, if required).
	X	23. Interface cabling with audio system including conduit, cabling, and installation of cabling.
	X	24. Low voltage electrical contactors and wiring.
X		25. Terminate signal cable at control equipment and video, scoring, audio equipment. Mount and install fiber patch panel as required by riser diagram. Location of fiber patch panel to be (base of structure, catwalk, other).

	X	26. Required power outlets on clean dedicated power for all control systems
X		27. Unpack, set-up, hook-up, and testing of control system.
X		28. Set-up and testing of results/statistics/timing system including portable cabling and Daktronics software installation.
X	X	29. Provide personnel for maintenance and operator training.
X		30. Perform final systems testing and commissioning.