

Jefferson County Public Schools

Bid Tabulation
Event Name: Large Lunchroom Equipment (Line Item)
Event ID: JCP5-8498
Approval Date: Decemeber 9, 2025
Date Bids Received: November 11, 2025
Contract Period: December 9, 2025 through December 8, 2026
Renewals: No renewal option
Comments: All items awarded to lowest bid meeting product specifications.

Item Number	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer Part Number	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
1	Steamer / Microwave, 2100 watts.	Holds two 4" tall full size steam table pans with covers. Stainless steel cabinet and cavity, see through oven door, digital display. NSF Certified. Panasonic NE-2180 or approved equal.	4450865-1026071	Commonwealth Food Service	1 - Each Purchase	Panasonic NE-2180	\$3,450.0000		Awarded	
1	Steamer / Microwave, 2100 watts.	Holds two 4" tall full size steam table pans with covers. Stainless steel cabinet and cavity, see through oven door, digital display. NSF Certified. Panasonic NE-2180 or approved equal.	4450865-1026071	Dine Co.	1 - Each Purchase	NE-2180	\$3,634.1600			
1	Steamer / Microwave, 2100 watts.	Holds two 4" tall full size steam table pans with covers. Stainless steel cabinet and cavity, see through oven door, digital display. NSF Certified. Panasonic NE-2180 or approved equal.	4450865-1026071	C&T Design	1 - Each Purchase	Panasonic - NE-2180	\$3,709.2300			
1	Steamer / Microwave, 2100 watts.	Holds two 4" tall full size steam table pans with covers. Stainless steel cabinet and cavity, see through oven door, digital display. NSF Certified. Panasonic NE-2180 or approved equal.	4450865-1026071	CPG	1 - Each Purchase	Panasonic NE-2180	\$5,278.0100			
2	Ice Machine, self contained, under counter.	Approx. 153 lbs. Production capacity = 137 lb. / 24 hours. Air cooled, half-dice size cubes, full bin, service indicators, sealed food zone with removable water trough, includes cord. NEMA 5-15P 115-120V, NSF. Manitowoc UYF0140A or approved equal.	1120620-1026091	Dine Co.	1 - Each Purchase	UYF0140A	\$2,415.2800		Awarded	
2	Ice Machine, self contained, under counter.	Approx. 153 lbs. Production capacity = 137 lb. / 24 hours. Air cooled, half-dice size cubes, full bin, service indicators, sealed food zone with removable water trough, includes cord. NEMA 5-15P 115-120V, NSF. Manitowoc UYF0140A or approved equal.	1120620-1026091	Commonwealth Food Service	1 - Each Purchase	Manitowoc UYF0140A	\$2,475.0000			
2	Ice Machine, self contained, under counter.	Approx. 153 lbs. Production capacity = 137 lb. / 24 hours. Air cooled, half-dice size cubes, full bin, service indicators, sealed food zone with removable water trough, includes cord. NEMA 5-15P 115-120V, NSF. Manitowoc UYF0140A or approved equal.	1120620-1026091	C&T Design	1 - Each Purchase	Manitowoc - UYP0140A	\$2,766.7600			
2	Ice Machine, self contained, under counter.	Approx. 153 lbs. Production capacity = 137 lb. / 24 hours. Air cooled, half-dice size cubes, full bin, service indicators, sealed food zone with removable water trough, includes cord. NEMA 5-15P 115-120V, NSF. Manitowoc UYF0140A or approved equal.	1120620-1026091	CPG	1 - Each Purchase	Manitowoc UYF140A	\$2,936.7000			
3	Cooler, Milk, Portable. Cold.	Holds minimum 4 crates of milk, with handle, with got milk logo or plain. Uses frozen cooling panels, approx. 37" x 22" x 34". 2 locking caster, 2 non locking. Holds milk 41° F or below. Cold-Sell 4 crate, non-electric portable milk cooler or approved equal.	4450182-1026100	C&T Design	1 - Each Purchase	Cold-Sell - 4-CRATE "GOT MILK"	\$2,553.0000		Awarded	
3	Cooler, Milk, Portable. Cold.	Holds minimum 4 crates of milk, with handle, with got milk logo or plain. Uses frozen cooling panels, approx. 37" x 22" x 34". 2 locking caster, 2 non locking. Holds milk 41° F or below. Cold-Sell 4 crate, non-electric portable milk cooler or approved equal.	4450182-1026100	CPG	1 - Each Purchase	PFO-3382	\$3,342.0000			
3	Cooler, Milk, Portable. Cold.	Holds minimum 4 crates of milk, with handle, with got milk logo or plain. Uses frozen cooling panels, approx. 37" x 22" x 34". 2 locking caster, 2 non locking. Holds milk 41° F or below. Cold-Sell 4 crate, non-electric portable milk cooler or approved equal.	4450182-1026100	Dine Co.	1 - Each Purchase	PFO-3382	\$3,392.4800			

3	Cooler, Milk, Portable. Cold.	Holds minimum 4 crates of milk, with handle, with got milk logo or plain. Uses frozen cooling panels, approx. 37" x 22" x 34". 2 locking caster, 2 non locking. Holds milk 41° F or below. Cold-Sell 4 crate, non-electric portable milk cooler or approved equal.	4450182-1026100	Commonwealth Food Service	1 - Each Purchase	Hubert Company LLC PFO-3382	\$3,400.0000			
4	Hot Cart Mobile - low profile.	Low profiled insulated server that can actively heat carefully prepared meals. Hot electric module heats between 150°-165°F (65,5°-74°C) when plugged in and keeps hot food at safe temperatures for 4+ hours without electricity. Cambro PCULH615 or approved equal.	4450241-1026730	Dine Co.	1 - Each Purchase	PCULH615	\$3,312.7700		Awarded	
4	Hot Cart Mobile - low profile.	Low profiled insulated server that can actively heat carefully prepared meals. Hot electric module heats between 150°-165°F (65,5°-74°C) when plugged in and keeps hot food at safe temperatures for 4+ hours without electricity. Cambro PCULH615 or approved equal.	4450241-1026730	Commonwealth Food Service	1 - Each Purchase	Cambro PCULH615	\$3,495.0000			
4	Hot Cart Mobile - low profile.	Low profiled insulated server that can actively heat carefully prepared meals. Hot electric module heats between 150°-165°F (65,5°-74°C) when plugged in and keeps hot food at safe temperatures for 4+ hours without electricity. Cambro PCULH615 or approved equal.	4450241-1026730	C&T Design	1 - Each Purchase	Cambro - PCULH615	\$3,543.7500			
4	Hot Cart Mobile - low profile.	Low profiled insulated server that can actively heat carefully prepared meals. Hot electric module heats between 150°-165°F (65,5°-74°C) when plugged in and keeps hot food at safe temperatures for 4+ hours without electricity. Cambro PCULH615 or approved equal.	4450241-1026730	CPG	1 - Each Purchase	Cambro PCULH615	\$4,062.8900			
5	Prep Table with 1 comp sink.	WORK TABLE, STAINLESS STEEL TOP & RISER, 30" WIDE TOP, 10"H RISER WITH MARINE EDGE, 120" LONG, WITH STAINLESS STEEL UNDERSHELF & POSTS, 36" HIGH, 16/300 STAINLESS STEEL, NSF DUKE 316S-30120-10R OR EQUAL TABLE TO INCLUDE: 1 COMPARTMENT SINK, 20" X 20" X 14" DEEP, WITH CRUMB-CUP DRAIN, NSF RIGHT END DUKE 181SP OR EQUAL - 3 DRAWERS 1, STAINLESS STEEL FRONT, WITH STAINLESS STEEL LINER, ON BALL-BEARING ROLLER SLIDES NSF -EASY INSTALL PRE-RINSE UNIT, SINGLE HOLE DECK MOUNT, ADD ON FAUCET 12" TEE SWIVEL NOZZLE, CERAMA CARTRIDGES WITH CHECK VALVES, LEVER HANDLES, 24" RISER, 44" FLEXIBLE STAINLESS STEEL HOSE, 1.07 GPM SPRAY VALVE (B-0107-J), ACCESSORY FITTING, 6" WALL BRACKET, LOW LEAD, 2019 DOE PRSV - CLASS II T&S BRASS 1 B-0113-12CRBJST OR EQUAL.	4450241-1026715	Commonwealth Food Service	1 - Each Purchase	Duke Manufacturing 181SP	\$2,310.0000			
5	Prep Table with 1 comp sink.	WORK TABLE, STAINLESS STEEL TOP & RISER, 30" WIDE TOP, 10"H RISER WITH MARINE EDGE, 120" LONG, WITH STAINLESS STEEL UNDERSHELF & POSTS, 36" HIGH, 16/300 STAINLESS STEEL, NSF DUKE 316S-30120-10R OR EQUAL TABLE TO INCLUDE: 1 COMPARTMENT SINK, 20" X 20" X 14" DEEP, WITH CRUMB-CUP DRAIN, NSF RIGHT END DUKE 181SP OR EQUAL - 3 DRAWERS 1, STAINLESS STEEL FRONT, WITH STAINLESS STEEL LINER, ON BALL-BEARING ROLLER SLIDES NSF -EASY INSTALL PRE-RINSE UNIT, SINGLE HOLE DECK MOUNT, ADD ON FAUCET 12" TEE SWIVEL NOZZLE, CERAMA CARTRIDGES WITH CHECK VALVES, LEVER HANDLES, 24" RISER, 44" FLEXIBLE STAINLESS STEEL HOSE, 1.07 GPM SPRAY VALVE (B-0107-J), ACCESSORY FITTING, 6" WALL BRACKET, LOW LEAD, 2019 DOE PRSV - CLASS II T&S BRASS 1 B-0113-12CRBJST OR EQUAL.	4450241-1026715	Dine Co.	1 - Each Purchase	T30120SEB-10BS-E11 / 181SP / B-0113-12	\$5,001.4100		Awarded	
5	Prep Table with 1 comp sink.	WORK TABLE, STAINLESS STEEL TOP & RISER, 30" WIDE TOP, 10"H RISER WITH MARINE EDGE, 120" LONG, WITH STAINLESS STEEL UNDERSHELF & POSTS, 36" HIGH, 16/300 STAINLESS STEEL, NSF DUKE 316S-30120-10R OR EQUAL TABLE TO INCLUDE: 1 COMPARTMENT SINK, 20" X 20" X 14" DEEP, WITH CRUMB-CUP DRAIN, NSF RIGHT END DUKE 181SP OR EQUAL - 3 DRAWERS 1, STAINLESS STEEL FRONT, WITH STAINLESS STEEL LINER, ON BALL-BEARING ROLLER SLIDES NSF -EASY INSTALL PRE-RINSE UNIT, SINGLE HOLE DECK MOUNT, ADD ON FAUCET 12" TEE SWIVEL NOZZLE, CERAMA CARTRIDGES WITH CHECK VALVES, LEVER HANDLES, 24" RISER, 44" FLEXIBLE STAINLESS STEEL HOSE, 1.07 GPM SPRAY VALVE (B-0107-J), ACCESSORY FITTING, 6" WALL BRACKET, LOW LEAD, 2019 DOE PRSV - CLASS II T&S BRASS 1 B-0113-12CRBJST OR EQUAL.	4450241-1026715	C&T Design	1 - Each Purchase	Duke - 316S-30120-10R	\$6,941.0200			
6	Prep Table with 1 comp sink.	72"W x 30"D x 40-3/4"H worktable w/ prep sink, sink bowl on left, 5"H backsplash, 10" swing spout faucet 4" O.C., twist handle waste valve, s/s top, legs and undershelf with bullet feet. Include 15"W x 20" drawer with roller bearing slides. Also include a 5" deep x 20" left to right x 9 ft. tall s/s chase, John Boos EPT6R5-3072SSK- or approved equal.	4450241-1026716	C&T Design	1 - Each Purchase	John Boos - EPT6R5-3072SSK-L-X	\$1,645.5600		Awarded	
6	Prep Table with 1 comp sink.	72"W x 30"D x 40-3/4"H worktable w/ prep sink, sink bowl on left, 5"H backsplash, 10" swing spout faucet 4" O.C., twist handle waste valve, s/s top, legs and undershelf with bullet feet. Include 15"W x 20" drawer with roller bearing slides. Also include a 5" deep x 20" left to right x 9 ft. tall s/s chase, John Boos EPT6R5-3072SSK- or approved equal.	4450241-1026716	Dine Co.	1 - Each Purchase	EPT6R5-3072SSK-L	\$1,646.0400			
6	Prep Table with 1 comp sink.	72"W x 30"D x 40-3/4"H worktable w/ prep sink, sink bowl on left, 5"H backsplash, 10" swing spout faucet 4" O.C., twist handle waste valve, s/s top, legs and undershelf with bullet feet. Include 15"W x 20" drawer with roller bearing slides. Also include a 5" deep x 20" left to right x 9 ft. tall s/s chase, John Boos EPT6R5-3072SSK- or approved equal.	4450241-1026716	Commonwealth Food Service	1 - Each Purchase	John Boos EPT6R5-3072SSK-L	\$2,077.0000			
7	Prep Table with 2 comp sink.	10' ft. x 30" worktable with 10" backsplash and (2) bowl sink (18"x20"x12"D) LTI INC CLT120-SINK or approved equal (Advanced Tabco, Duke Johns Boos) to include Easy Install Pre-Rinse Unit, mixing faucet, 8" wall mount, 14" add-on 063X swing nozzle, 18" riser, overhead spring, lever handles, 56" flex hose, Eterna cartridges, spray valve (B-0107), 9" wall support (B-0109-02), 1/2" male NPT, EPact2005 Compliant T&S Brass B-0133-01 or approved equal.	4450241-1026717	Commonwealth Food Service	1 - Each Purchase	Advance Tabco 9-22-40-24RL	\$3,971.0000			

7	Prep Table with 2 comp sink.	10' ft. x 30" worktable with 10" backplash and (2) bowl sink (18"x20"x12"D) LTI INC CLT120-SINK or approved equal (Advanced Tabco, Duke Johns Boos) to include Easy Install Pre-Rinse Unit, mixing faucet, 8" wall mount, 14" add-on 063X swing nozzle, 18" riser, overhead spring, lever handles, 56" flex hose, Eterna cartridges, spray valve (B-0107), 9" wall support (B-0109-02), 1/2" male NPT, EPAct2005 Compliant T&S Brass B-0133-01 or approved equal.	4450241-1026717	Dine Co.	1 - Each Purchase	SMPT30120 / B-0133-01	\$7,077.3500		Awarded	
7	Prep Table with 2 comp sink.	10' ft. x 30" worktable with 10" backplash and (2) bowl sink (18"x20"x12"D) LTI INC CLT120-SINK or approved equal (Advanced Tabco, Duke Johns Boos) to include Easy Install Pre-Rinse Unit, mixing faucet, 8" wall mount, 14" add-on 063X swing nozzle, 18" riser, overhead spring, lever handles, 56" flex hose, Eterna cartridges, spray valve (B-0107), 9" wall support (B-0109-02), 1/2" male NPT, EPAct2005 Compliant T&S Brass B-0133-01 or approved equal.	4450241-1026717	C&T Design	1 - Each Purchase	LTI - Custom	\$7,078.0400	Includes T&S Brass		
8	Prep Table with 2 comp sink.	Stainless Steel prep table with a 2-compartment sink located on the right end, 16"W x 20"D, 10"H backplash, 10" swing spout with 4" centers, a poly sliding cutting board and a s/s drawer on left end, undershelf and 1" adjustable bullet feet. Include a T&S Brass 8" wall mounted pre-rinse unit with add on faucet and (2) twist handle waste valves. Also include one stainless steel chase 6" deep x 42" wide x 9'-4" tall. Must go from floor to finished ceiling. Mount to floor and provide trim to seal at finished ceiling. Have one side that can be removable. Must be able to support faucets. Provide stainless steel cap to join the two worktable back splashes. John Boos EPT6R10-DL2B-72R or approved equal (Advanced Tabco, Duke, LTI).	4450241-1026718	Commonwealth Food Service	1 - Each Purchase	John Boos EPT6R10-DL2B-72R	\$4,536.0000		Awarded	
8	Prep Table with 2 comp sink.	Stainless Steel prep table with a 2-compartment sink located on the right end, 16"W x 20"D, 10"H backplash, 10" swing spout with 4" centers, a poly sliding cutting board and a s/s drawer on left end, undershelf and 1" adjustable bullet feet. Include a T&S Brass 8" wall mounted pre-rinse unit with add on faucet and (2) twist handle waste valves. Also include one stainless steel chase 6" deep x 42" wide x 9'-4" tall. Must go from floor to finished ceiling. Mount to floor and provide trim to seal at finished ceiling. Have one side that can be removable. Must be able to support faucets. Provide stainless steel cap to join the two worktable back splashes. John Boos EPT6R10-DL2B-72R or approved equal (Advanced Tabco, Duke, LTI).	4450241-1026718	C&T Design	1 - Each Purchase	John Boos - EPT6R10-DL2B-72R-X	\$4,619.7100			
8	Prep Table with 2 comp sink.	Stainless Steel prep table with a 2-compartment sink located on the right end, 16"W x 20"D, 10"H backplash, 10" swing spout with 4" centers, a poly sliding cutting board and a s/s drawer on left end, undershelf and 1" adjustable bullet feet. Include a T&S Brass 8" wall mounted pre-rinse unit with add on faucet and (2) twist handle waste valves. Also include one stainless steel chase 6" deep x 42" wide x 9'-4" tall. Must go from floor to finished ceiling. Mount to floor and provide trim to seal at finished ceiling. Have one side that can be removable. Must be able to support faucets. Provide stainless steel cap to join the two worktable back splashes. John Boos EPT6R10-DL2B-72R or approved equal (Advanced Tabco, Duke, LTI).	4450241-1026718	Dine Co.	1 - Each Purchase	EPT6R10-DL2B-72R-X	\$5,289.0000			
9	Turbo wash pot washer, sink wall mounted.	Early Childhood project- see drawings 169" long Left to right operations. See drawing for detailed specification. - 20" Scrapper table with drain. - End Splash 2 1/2" solid end. - 16" Soiled End drain board. - 48" Wash sink. - 24" Rinse Sink. - 20" Sanitizer sink. - 36" clean drainboard. - w/ Sheet pan holder. - w/Utensil basket. - 208-240v, 60HZ, 3-phase. - Includes below faucets: - Qty-2 Big-Flo Mixing Faucet, wall mount, 8" adjustable centers, 16" swing nozzle with plain end outlet, lever handles with color coded indexes, low-lead, 3/4" female NPT, ANSI, NSF, ADA Compliant T&S Brass 2 B-0290-01 or approved equal. - Qty 1- Easy Install Pre-Rinse Unit, 8" wall mount, add on faucet 12" swivel nozzle, Cerama cartridges with check valves, lever handles, 18" riser, 44" flexible stainless steel hose 1.07 GPM, accessory fitting, wall bracket, low lead, NSF (B-0230-KJB-0133-12CRBJST or approved equal. - QTY-2 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter & overflow assembly (replaces B-3926-01) T&S Brass 2 B-3970-01 or approved equal. - QTY-1 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3922, B-3926) B-3970 or approved equal. - Site visit and final drawing approved by owner required before order are placed. Hobart TURBOWASH or approved equal.	4450241-1026719	C&T Design	1 - Each Purchase	Hobart - TWII+Buildup	\$32,521.9400	Includes T&S Brass	Awarded	
9	Turbo wash pot washer, sink wall mounted.	Early Childhood project- see drawings 169" long Left to right operations. See drawing for detailed specification. - 20" Scrapper table with drain. - End Splash 2 1/2" solid end. - 16" Soiled End drain board. - 48" Wash sink. - 24" Rinse Sink. - 20" Sanitizer sink. - 36" clean drainboard. - w/ Sheet pan holder. - w/Utensil basket. - 208-240v, 60HZ, 3-phase. - Includes below faucets: - Qty-2 Big-Flo Mixing Faucet, wall mount, 8" adjustable centers, 16" swing nozzle with plain end outlet, lever handles with color coded indexes, low-lead, 3/4" female NPT, ANSI, NSF, ADA Compliant T&S Brass 2 B-0290-01 or approved equal. - Qty 1- Easy Install Pre-Rinse Unit, 8" wall mount, add on faucet 12" swivel nozzle, Cerama cartridges with check valves, lever handles, 18" riser, 44" flexible stainless steel hose 1.07 GPM, accessory fitting, wall bracket, low lead, NSF (B-0230-KJB-0133-12CRBJST or approved equal. - QTY-2 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter & overflow assembly (replaces B-3926-01) T&S Brass 2 B-3970-01 or approved equal. - QTY-1 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3922, B-3926) B-3970 or approved equal. - Site visit and final drawing approved by owner required before order are placed. Hobart TURBOWASH or approved equal.	4450241-1026719	Commonwealth Food Service	1 - Each Purchase	Hobart Technical Specialty TWII+BUILDUP	\$40,384.0000			

9	Turbo wash pot washer, sink wall mounted.	Early Childhood project- see drawings 169" long Left to right operations. See drawing for detailed specification. - 20" Scrapper table with drain. - End Splash 2 ½" solid end. - 16" Soiled End drain board. - 48" Wash sink. - 24" Rinse Sink. - 20" Sanitizer sink. - 36" clean drainboard. - w/ Sheet pan holder. - w/Utensil basket. - 208-240v, 60HZ, 3-phase. - Includes below faucets: - Qty-2 Big-Flo Mixing Faucet, wall mount, 8" adjustable centers, 16" swing nozzle with plain end outlet, lever handles with color coded indexes, low- lead, 3/4" female NPT, ANSI, NSF, ADA Compliant T&S Brass 2 B-0290-01 or approved equal. - Qty 1- Easy Install Pre-Rinse Unit, 8" wall mount, add on faucet 12" swivel nozzle, Cerama cartridges with check valves, lever handles, 18" riser, 44" flexible stainless steel hose 1.07 GPM, accessory fitting, wall bracket, low lead, NSF (B-0230-KJB-0133-12CRBIST or approved equal. - QTY-2 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter & overflow assembly (replaces B-3926-01) T&S Brass 2 B-3970-01 or approved equal. - QTY-1 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3922, B-3926) B-3970 or approved equal. - Site visit and final drawing approved by owner required before order are placed. Hobart TURBOWASH or approved equal.	4450241-1026719	Dine Co.	1 - Each Purchase	TURBOWASH	\$41,619.3900			
10	Turbo wash pot washer, sink wall mounted.	Web Dubois project- see drawings 166" long Left to Right operations. See drawing for detailed specification. - 20" Scrapper table with drain. - End Splash 2 ½" solid end. - 15" Soiled End drain board. - 48" Wash sink. - 24" Rinse Sink. - 20" Sanitizer sink. - 34" clean drainboard. - w/ Sheet pan holder. - w/Utensil basket. - 208-240v, 60HZ, 3-phase. - Includes below faucets: - Qty-2 Big-Flo Mixing Faucet, wall mount, 8" adjustable centers, 16" swing nozzle with plain end outlet, lever handles with color coded indexes, low- lead, 3/4" female NPT, ANSI, NSF, ADA Compliant T&S Brass 2 B-0290-01 or approved equal. - Qty 1- Easy Install Pre-Rinse Unit, 8" wall mount, add on faucet 12" swivel nozzle, Cerama cartridges with check valves, lever handles, 18" riser, 44" flexible stainless steel hose 1.07 GPM, accessory fitting, wall bracket, low lead, NSF (B-0230-KJB-0133-12CRBIST or approved equal. - QTY-2 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter & overflow assembly (replaces B-3926-01) T&S Brass 2 B-3970-01 or approved equal. - QTY-1 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3922, B-3926) B-3970 or approved equal. - Site visit and final drawing approved by owner required before order are placed. Hobart TURBOWASH or approved equal.	4450241-1026720	C&T Design	1 - Each Purchase	Hobart - TWII+Buildup	\$32,499.7900	Includes T&S Brass	Awarded	
10	Turbo wash pot washer, sink wall mounted.	Web Dubois project- see drawings 166" long Left to Right operations. See drawing for detailed specification. - 20" Scrapper table with drain. - End Splash 2 ½" solid end. - 15" Soiled End drain board. - 48" Wash sink. - 24" Rinse Sink. - 20" Sanitizer sink. - 34" clean drainboard. - w/ Sheet pan holder. - w/Utensil basket. - 208-240v, 60HZ, 3-phase. - Includes below faucets: - Qty-2 Big-Flo Mixing Faucet, wall mount, 8" adjustable centers, 16" swing nozzle with plain end outlet, lever handles with color coded indexes, low- lead, 3/4" female NPT, ANSI, NSF, ADA Compliant T&S Brass 2 B-0290-01 or approved equal. - Qty 1- Easy Install Pre-Rinse Unit, 8" wall mount, add on faucet 12" swivel nozzle, Cerama cartridges with check valves, lever handles, 18" riser, 44" flexible stainless steel hose 1.07 GPM, accessory fitting, wall bracket, low lead, NSF (B-0230-KJB-0133-12CRBIST or approved equal. - QTY-2 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter & overflow assembly (replaces B-3926-01) T&S Brass 2 B-3970-01 or approved equal. - QTY-1 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3922, B-3926) B-3970 or approved equal. - Site visit and final drawing approved by owner required before order are placed. Hobart TURBOWASH or approved equal.	4450241-1026720	Commonwealth Food Service	1 - Each Purchase	Hobart Technical Specialty TWII+BUILDUP	\$40,384.0000			
10	Turbo wash pot washer, sink wall mounted.	Web Dubois project- see drawings 166" long Left to Right operations. See drawing for detailed specification. - 20" Scrapper table with drain. - End Splash 2 ½" solid end. - 15" Soiled End drain board. - 48" Wash sink. - 24" Rinse Sink. - 20" Sanitizer sink. - 34" clean drainboard. - w/ Sheet pan holder. - w/Utensil basket. - 208-240v, 60HZ, 3-phase. - Includes below faucets: - Qty-2 Big-Flo Mixing Faucet, wall mount, 8" adjustable centers, 16" swing nozzle with plain end outlet, lever handles with color coded indexes, low- lead, 3/4" female NPT, ANSI, NSF, ADA Compliant T&S Brass 2 B-0290-01 or approved equal. - Qty 1- Easy Install Pre-Rinse Unit, 8" wall mount, add on faucet 12" swivel nozzle, Cerama cartridges with check valves, lever handles, 18" riser, 44" flexible stainless steel hose 1.07 GPM, accessory fitting, wall bracket, low lead, NSF (B-0230-KJB-0133-12CRBIST or approved equal. - QTY-2 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter & overflow assembly (replaces B-3926-01) T&S Brass 2 B-3970-01 or approved equal. - QTY-1 Waste Valve, lever handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3922, B-3926) B-3970 or approved equal. - Site visit and final drawing approved by owner required before order are placed. Hobart TURBOWASH or approved equal.	4450241-1026720	Dine Co.	1 - Each Purchase	TURBOWASH	\$41,619.3900			
Lot Item Nos. 11-13	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
11	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 120/1/60. Right hinged door. No filter system required, JCPS handles water filtration internally. Contact manufacturer rep for questions. Convotherm C4 ET 10.20GB-N Maxx-Pro UL Gas or approved equal.	4451560-1026055	Commonwealth Food Service	1 - Each Purchase	Convotherm C4 ET 10.20GB-N	\$19,658.0000			
12	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 208-240/3/60. Right hinged door. No filter system required, JCPS handles water filtration internally, contact Manufacturer rep for questions. Convotherm C4 ET 10.20EB-N Maxx-Pro UL Electric or approved equal.	4451560-1026056	Commonwealth Food Service	1 - Each Purchase	Convotherm C4 ET 10.20EB-N	\$16,321.0000			

13	Oven, Combi.	A 10-full size combi oven, natural gas, (10) 18" x 26" sheet pans, (5) s/s steel grids, digital color display screen, (3) manual operating modes, steam, convection and combination, core temperature probe, 5-speed fan, and (4) automatic cleaning programs. 208/240v/60/1-ph, 1.5 kW, 6 ft. cord. Stationary oven stand included and 10 extra s/s grid shelves, 2/1. Include a 3M HF65-CL water filter, head with gauge and a T&S Brass K" gas connection hose. Rational ICC 10-FULL NG or approved equal.	4451560-1026707	Commonwealth Food Service	1 - Each Purchase	RATIONAL ICP 6-FULL NG 208/240V 1 PH (LM100CG)	\$19,616.0000			
11	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 120/1/60. Right hinged door. No filter system required, JCPS handles water filtration internally. Contact manufacturer rep for questions. Convothorm C4 ET 10.20GB-N Maxx-Pro UL Gas or approved equal.	4451560-1026055	C&T Design	1 - Each Purchase	Convothorm - C4 ET 10.20GB-N	\$20,496.3200		Awarded	
12	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 208-240/3/60. Right hinged door. No filter system required, JCPS handles water filtration internally, contact Manufacturer rep for questions. Convothorm C4 ET 10.20EB-N Maxx-Pro UL Electric or approved equal.	4451560-1026056	C&T Design	1 - Each Purchase	Convothorm - C4 ET 10.20EB-N	\$17,113.9500		Awarded	
13	Oven, Combi.	A 10-full size combi oven, natural gas, (10) 18" x 26" sheet pans, (5) s/s steel grids, digital color display screen, (3) manual operating modes, steam, convection and combination, core temperature probe, 5-speed fan, and (4) automatic cleaning programs. 208/240v/60/1-ph, 1.5 kW, 6 ft. cord. Stationary oven stand included and 10 extra s/s grid shelves, 2/1. Include a 3M HF65-CL water filter, head with gauge and a T&S Brass K" gas connection hose. Rational ICC 10-FULL NG or approved equal.	4451560-1026707	C&T Design	1 - Each Purchase	Rational - ICC 10-FULL NG 208/240V 1 PH (LM200EG)	\$22,939.4400		Awarded	
11	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 120/1/60. Right hinged door. No filter system required, JCPS handles water filtration internally. Contact manufacturer rep for questions. Convothorm C4 ET 10.20GB-N Maxx-Pro UL Gas or approved equal.	4451560-1026055	Dine Co.	1 - Each Purchase	C4 ET 10.20GB-N	\$22,558.0400			
12	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 208-240/3/60. Right hinged door. No filter system required, JCPS handles water filtration internally, contact Manufacturer rep for questions. Convothorm C4 ET 10.20EB-N Maxx-Pro UL Electric or approved equal.	4451560-1026056	Dine Co.	1 - Each Purchase	C4 ET 10.20EB-N	\$18,728.7100			
13	Oven, Combi.	A 10-full size combi oven, natural gas, (10) 18" x 26" sheet pans, (5) s/s steel grids, digital color display screen, (3) manual operating modes, steam, convection and combination, core temperature probe, 5-speed fan, and (4) automatic cleaning programs. 208/240v/60/1-ph, 1.5 kW, 6 ft. cord. Stationary oven stand included and 10 extra s/s grid shelves, 2/1. Include a 3M HF65-CL water filter, head with gauge and a T&S Brass K" gas connection hose. Rational ICC 10-FULL NG or approved equal.	4451560-1026707	Dine Co.	1 - Each Purchase	ICC 10-FULL NG	\$21,642.4300			
11	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 120/1/60. Right hinged door. No filter system required, JCPS handles water filtration internally. Contact manufacturer rep for questions. Convothorm C4 ET 10.20GB-N Maxx-Pro UL Gas or approved equal.	4451560-1026055	CPG	1 - Each Purchase	C4 ET 10.20GB-N	\$25,874.3500			
12	Oven, Combi.	Full size 10 pan capacity. Include 10 racks total, cleaning chemical starter kit, open equipment stand and in person startup training for kitchen personnel and maintenance technicians as requested. Combination oven to include boiler, steam, combi/steam, hot air easy touch modes, closed system, self cleaning capability, hand shower 208-240/3/60. Right hinged door. No filter system required, JCPS handles water filtration internally, contact Manufacturer rep for questions. Convothorm C4 ET 10.20EB-N Maxx-Pro UL Electric or approved equal.	4451560-1026056	CPG	1 - Each Purchase	C4 ET 10.20EB-N	\$21,612.8500			
13	Oven, Combi.	A 10-full size combi oven, natural gas, (10) 18" x 26" sheet pans, (5) s/s steel grids, digital color display screen, (3) manual operating modes, steam, convection and combination, core temperature probe, 5-speed fan, and (4) automatic cleaning programs. 208/240v/60/1-ph, 1.5 kW, 6 ft. cord. Stationary oven stand included and 10 extra s/s grid shelves, 2/1. Include a 3M HF65-CL water filter, head with gauge and a T&S Brass K" gas connection hose. Rational ICC 10-FULL NG or approved equal.	4451560-1026707	CPG	1 - Each Purchase	ICC 10-FULL NG	\$27,419.5200			
Lot Item Nos. 14-17	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
14	Warmer / Proofer. Standard solid door.	Mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026057	Dine Co.	1 - Each Purchase	HOV3-14UV	\$5,646.9800		Awarded	

15	Warmer / Proofer. Pass Thru solid door on back.	Windows on front, mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026058	Dine Co.	1 - Each Purchase	HOV3-14UV	\$5,887.7400		Awarded	
16	Warmer, Solid Dutch Doors.	Insulated heated holding warming cabinet. Dutch doors Stainless steel 304, 20 gauge top mounted controls, forced convection, full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C549-ASDS-U or approved equal.	4450924-1026708	Dine Co.	1 - Each Purchase	C549-ASDS-U	\$4,320.5400		Awarded	
17	Warmer, Solid Dutch Doors.	Insulated combination hot holding/proofing cabinet. Dutch doors Stainless steel 304, 20 gauge full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C539-CSDS-U or approved equal.	4450924-1026709	Dine Co.	1 - Each Purchase	C539-CDS-U	\$3,246.0500	Model Provided Does Not Exist. Model Quoted Has Aluminum Doors Instead	Awarded	
14	Warmer / Proofer. Standard solid door.	Mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026057	C&T Design	1 - Each Purchase	Winston - HOV3-14UV	\$5,466.3800			
15	Warmer / Proofer. Pass Thru solid door on back.	Windows on front, mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026058	C&T Design	1 - Each Purchase	Winston - HOV3-14UV	\$6,023.2600			
16	Warmer, Solid Dutch Doors.	Insulated heated holding warming cabinet. Dutch doors Stainless steel 304, 20 gauge top mounted controls, forced convection, full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C549-ASDS-U or approved equal.	4450924-1026708	C&T Design	1 - Each Purchase	Metro - C549-ASDS-U	\$4,459.6300			
17	Warmer, Solid Dutch Doors.	Insulated combination hot holding/proofing cabinet. Dutch doors Stainless steel 304, 20 gauge full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C539-CSDS-U or approved equal.	4450924-1026709	C&T Design	1 - Each Purchase	Metro - C539-CDS-U	\$3,592.0700			
14	Warmer / Proofer. Standard solid door.	Mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026057	CPG	1 - Each Purchase	Winston HOV314UV	\$7,846.4500			
15	Warmer / Proofer. Pass Thru solid door on back.	Windows on front, mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026058	CPG	1 - Each Purchase	Winston HOV314UV	\$8,946.0000			
16	Warmer, Solid Dutch Doors.	Insulated heated holding warming cabinet. Dutch doors Stainless steel 304, 20 gauge top mounted controls, forced convection, full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C549-ASDS-U or approved equal.	4450924-1026708	CPG	1 - Each Purchase	Metro C549-ASDS-U	\$6,473.7500			
17	Warmer, Solid Dutch Doors.	Insulated combination hot holding/proofing cabinet. Dutch doors Stainless steel 304, 20 gauge full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C539-CSDS-U or approved equal.	4450924-1026709	CPG	1 - Each Purchase	Metro C539-CLDS-U	\$4,463.7500			
14	Warmer / Proofer. Standard solid door.	Mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026057	Commonwealth Food Service	1 - Each Purchase	Winston Foodservice HOV3-14UV	\$6,527.0000	Additional K-12 Warranty on Parts & Labor		
15	Warmer / Proofer. Pass Thru solid door on back.	Windows on front, mobile, 14 full size sheet pans, 120V/60/1-ph. Winston HOV3-14UV Cvap holding cabinet or approved equal.	4450924-1026058	Commonwealth Food Service	1 - Each Purchase	Winston Foodservice HOV3-14UV	\$7,725.0000	Additional K-12 Warranty on Parts & Labor		
16	Warmer, Solid Dutch Doors.	Insulated heated holding warming cabinet. Dutch doors Stainless steel 304, 20 gauge top mounted controls, forced convection, full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C549-ASDS-U or approved equal.	4450924-1026708	Commonwealth Food Service	1 - Each Purchase	Metro C549-ASDS-U	\$5,574.0000			
17	Warmer, Solid Dutch Doors.	Insulated combination hot holding/proofing cabinet. Dutch doors Stainless steel 304, 20 gauge full size, universal slides, 5" casters 2 swivel, 2 brake 120V. 60HZ Metro C539-CSDS-U or approved equal.	4450924-1026709	Commonwealth Food Service	1 - Each Purchase	Metro C539-CDS-U	\$3,929.0000			
Lot Item Nos. 18-21	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
18	Cooler, Milk. 8 Crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning. Lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non-cfc foam, heavy duty removable dunnage rack. Traulsen RMC34S4 or approved equal.	4450182-1026059	Dine Co.	1 - Each Purchase	RMC34S4	\$4,724.3100		Awarded	
19	Cooler, Milk. 12 crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49s4 or approved equal.	4450182-1026060	Dine Co.	1 - Each Purchase	RMC49S4	\$5,612.7200		Awarded	

20	Cooler, Milk. 8 crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC34D4 or approved equal.	4450182-1026061	Dine Co.	1 - Each Purchase	RMC34D4	\$7,003.0700		Awarded	
21	Cooler, Milk. 12 Crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49D4 or approved equal.	4450182-1026062	Dine Co.	1 - Each Purchase	RMC49D4	\$7,828.4900		Awarded	
18	Cooler, Milk. 8 Crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non-cfc foam, heavy duty removable dunnage rack. Traulsen RMC34S4 or approved equal.	4450182-1026059	C&T Design	1 - Each Purchase	Traulsen - RMC34S4	\$4,829.2900			
19	Cooler, Milk. 12 crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49S4 or approved equal.	4450182-1026060	C&T Design	1 - Each Purchase	Traulsen - RMC49S4	\$5,716.6600			
20	Cooler, Milk. 8 crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC34D4 or approved equal.	4450182-1026061	C&T Design	1 - Each Purchase	Traulsen - RMC34D4	\$7,067.9100			
21	Cooler, Milk. 12 Crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49D4 or approved equal.	4450182-1026062	C&T Design	1 - Each Purchase	Traulsen - RMC49D4	\$7,900.9700			
18	Cooler, Milk. 8 Crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non-cfc foam, heavy duty removable dunnage rack. Traulsen RMC34S4 or approved equal.	4450182-1026059	Commonwealth Food Service	1 - Each Purchase	Traulsen RMC34S4	\$5,654.0000			
19	Cooler, Milk. 12 crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49S4 or approved equal.	4450182-1026060	Commonwealth Food Service	1 - Each Purchase	Traulsen RMC49S4	\$6,717.0000			
20	Cooler, Milk. 8 crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC34D4 or approved equal.	4450182-1026061	Commonwealth Food Service	1 - Each Purchase	Traulsen RMC34D4	\$8,381.0000			
21	Cooler, Milk. 12 Crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49D4 or approved equal.	4450182-1026062	Commonwealth Food Service	1 - Each Purchase	Traulsen RMC49D4	\$9,369.0000			
18	Cooler, Milk. 8 Crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non-cfc foam, heavy duty removable dunnage rack. Traulsen RMC34S4 or approved equal.	4450182-1026059	CPG	1 - Each Purchase	Traulsen RMC34S4	\$7,819.1800			
19	Cooler, Milk. 12 crate, Single Door.	Single door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49S4 or approved equal.	4450182-1026060	CPG	1 - Each Purchase	Traulsen RMC49S4	\$9,289.5700			
20	Cooler, Milk. 8 crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC34D4 or approved equal.	4450182-1026061	CPG	1 - Each Purchase	Traulsen RMC34D4	\$11,590.7200			
21	Cooler, Milk. 12 Crate, Double Door.	Double door, stainless steel exterior & interior. Top mounted removable refrigeration system, forced air refrigeration system. Durable caster rail system for flexible positioning, lockable insulated doors, floor drain with plug. Four 4" mounted adjustable casters. 115/60/1 non cfc foam, heavy duty removable dunnage rack. Traulsen RMC49D4 or approved equal.	4450182-1026062	CPG	1 - Each Purchase	Traulsen RMC49D4	\$12,956.8800			
Lot Item Nos. 22-27	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
22	Cooler, Reach In. 9 shelves.	Full height, single door with 9 shelves included. Solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters. 115/60/1. Traulsen G10010 or approved equal.	4450280-1026063	Commonwealth Food Service	1 - Each Purchase	Traulsen G10010	5302		Awarded	
23	Cooler, Reach In. 18 shelves.	Full height, 2 doors with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20010 or approved equal.	4450280-1026064	Commonwealth Food Service	1 - Each Purchase	Traulsen G20010	6502		Awarded	

24	Cooler, Reach Through. 18 shelves.	Full height, 2 door pass through with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20014P or approved equal.	4450280-1026065	Commonwealth Food Service	1 - Each Purchase	Traulsen G20014P	9464		Awarded	
25	Cooler, Reach In. 27 shelves.	Full height, 3 Door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G30010 or approved equal.	4450280-1026066	Commonwealth Food Service	1 - Each Purchase	Traulsen G30010	8786		Awarded	
26	Freezer, Reach In. 18 Shelves.	Full height, 2 door with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G22010 or approved equal.	4450280-1026067	Commonwealth Food Service	1 - Each Purchase	Traulsen G22010	7992		Awarded	
27	Freezer, Reach In. 27 Shelves.	Full height, 3 door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G31010 or approved equal.	4450280-1026068	Commonwealth Food Service	1 - Each Purchase	Traulsen G31010	11159		Awarded	
22	Cooler, Reach In. 9 shelves.	Full height, single door with 9 shelves included. Solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters. 115/60/1. Traulsen G10010 or approved equal.	4450280-1026063	C&T Design	1 - Each Purchase	Traulsen - G10010	\$5,341.2000			
23	Cooler, Reach In. 18 shelves.	Full height, 2 doors with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20010 or approved equal.	4450280-1026064	C&T Design	1 - Each Purchase	Traulsen - G20010	\$6,807.3100			
24	Cooler, Reach Through. 18 shelves.	Full height, 2 door pass through with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20014P or approved equal.	4450280-1026065	C&T Design	1 - Each Purchase	Traulsen - G20014P	\$9,517.0900			
25	Cooler, Reach In. 27 shelves.	Full height, 3 Door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G30010 or approved equal.	4450280-1026066	C&T Design	1 - Each Purchase	Traulsen - G30010	\$9,225.8000			
26	Freezer, Reach In. 18 Shelves.	Full height, 2 door with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G22010 or approved equal.	4450280-1026067	C&T Design	1 - Each Purchase	Traulsen - G22010	\$8,142.6300			
27	Freezer, Reach In. 27 Shelves.	Full height, 3 door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G31010 or approved equal.	4450280-1026068	C&T Design	1 - Each Purchase	Traulsen - G31010	\$10,944.2800			
22	Cooler, Reach In. 9 shelves.	Full height, single door with 9 shelves included. Solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters. 115/60/1. Traulsen G10010 or approved equal.	4450280-1026063	CPG	1 - Each Purchase	Traulsen G10010	\$7,580.6600			
23	Cooler, Reach In. 18 shelves.	Full height, 2 doors with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20010 or approved equal.	4450280-1026064	CPG	1 - Each Purchase	Traulsen G20010	\$8,939.7000			
24	Cooler, Reach Through. 18 shelves.	Full height, 2 door pass through with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20014P or approved equal.	4450280-1026065	CPG	1 - Each Purchase	Traulsen G20014P	\$13,012.6500			
25	Cooler, Reach In. 27 shelves.	Full height, 3 Door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G30010 or approved equal.	4450280-1026066	CPG	1 - Each Purchase	Traulsen G30010	\$12,080.2500			
26	Freezer, Reach In. 18 Shelves.	Full height, 2 door with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G22010 or approved equal.	4450280-1026067	CPG	1 - Each Purchase	Traulsen G22010	\$11,427.5100			
27	Freezer, Reach In. 27 Shelves.	Full height, 3 door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G31010 or approved equal.	4450280-1026068	CPG	1 - Each Purchase	Traulsen G31010	\$14,727.6000			
22	Cooler, Reach In. 9 shelves.	Full height, single door with 9 shelves included. Solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters. 115/60/1. Traulsen G10010 or approved equal.	4450280-1026063	Dine Co.	1 - Each Purchase	G10010	\$6,399.8100			
23	Cooler, Reach In. 18 shelves.	Full height, 2 doors with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20010 or approved equal.	4450280-1026064	Dine Co.	1 - Each Purchase	G20010	\$8,171.5500			

24	Cooler, Reach Through. 18 shelves.	Full height, 2 door pass through with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G20014P or approved equal.	4450280-1026065	Dine Co.	1 - Each Purchase	G20014P	\$11,514.6200			
25	Cooler, Reach In. 27 shelves.	Full height, 3 Door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G30010 or approved equal.	4450280-1026066	Dine Co.	1 - Each Purchase	G30010	\$11,166.2300			
26	Freezer, Reach In. 18 Shelves.	Full height, 2 door with 18 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G22010 or approved equal.	4450280-1026067	Dine Co.	1 - Each Purchase	G20012P	\$11,514.6200			
27	Freezer, Reach In. 27 Shelves.	Full height, 3 door with 27 shelves included, solid door, top mounted, self contained, front facing coil system. Stainless steel front & doors, Anodized aluminum sides & interior. 6" high locking casters 115/60/1. Traulsen G31010 or approved equal.	4450280-1026068	Dine Co.	1 - Each Purchase	G22010	\$9,852.7800	Description Provided Does Not Match Model. Model Was Quoted With 18 Shelves		
Lot Item Nos. 28-29	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
28	Oven, Convection. Gas.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs, 120v/60/1-ph. NEMA 5-15P, standard, include Safe-T-Link gas connector kit. Southbend PCG1405/SD or approved equal.	4450574-1026069	C&T Design	1 - Each Purchase	Southbend - PCG1405/SD	\$10,708.9100		Awarded	
29	Oven, Convection. Electric.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs. 120v/60/1-ph. NEMA 5-15P, standard. Southbend PCE225/SD or approved equal.	4450574-1026070	C&T Design	1 - Each Purchase	Southbend - PCE225/SD	\$10,579.2000		Awarded	
28	Oven, Convection. Gas.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs, 120v/60/1-ph. NEMA 5-15P, standard, include Safe-T-Link gas connector kit. Southbend PCG1405/SD or approved equal.	4450574-1026069	Commonwealth Food Service	1 - Each Purchase	Southbend (Middleby) PCG1405/SD	\$11,414.0000			
29	Oven, Convection. Electric.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs. 120v/60/1-ph. NEMA 5-15P, standard. Southbend PCE225/SD or approved equal.	4450574-1026070	Commonwealth Food Service	1 - Each Purchase	Southbend (Middleby) PCE225/SD	\$10,852.0000			
28	Oven, Convection. Gas.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs, 120v/60/1-ph. NEMA 5-15P, standard, include Safe-T-Link gas connector kit. Southbend PCG1405/SD or approved equal.	4450574-1026069	CPG	1 - Each Purchase	Southbend PCG1405/SD	\$15,380.0000			
29	Oven, Convection. Electric.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs. 120v/60/1-ph. NEMA 5-15P, standard. Southbend PCE225/SD or approved equal.	4450574-1026070	CPG	1 - Each Purchase	Southbend PCE225/SD	\$15,380.0000			
28	Oven, Convection. Gas.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs, 120v/60/1-ph. NEMA 5-15P, standard, include Safe-T-Link gas connector kit. Southbend PCG1405/SD or approved equal.	4450574-1026069	Dine Co.	1 - Each Purchase	PCG1405/SD / HG-4D-48K	\$13,046.2000			
29	Oven, Convection. Electric.	Stainless steel front, top & sides. Aluminized steel rear, 60/40 dependent doors, stainless steel legs. 120v/60/1-ph. NEMA 5-15P, standard. Southbend PCE225/SD or approved equal.	4450574-1026070	Dine Co.	1 - Each Purchase	PCE225/SD	\$12,832.5400			
Lot Item Nos. 30-34	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
30	Table, Work. 36" x 30".	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco No. KMSLAG-303-X or approved equal.	4460825-1026072	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-303-X	734		Awarded	
31	Table, Work. 48" x 30".	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-304-X or approved equal.	4460825-1026073	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-304-X	821		Awarded	
32	Table, Work. 60" x 30".	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-305-X or approved equal.	4460825-1026074	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-305-X	939		Awarded	
33	Table, Work. 72" x 30".	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-306-X or approved equal.	4460825-1026075	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-306-X	1056		Awarded	
34	Table, Work. 84" x 30".	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-307-X or approved equal.	4460825-1026076	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-307-X	1346		Awarded	
35	Table, Work. 96" x 30".	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-308-X or approved equal.	4460825-1026077	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-308-X	1412		Awarded	
36	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-303-X or approved equal.	4460825-1026078	Commonwealth Food Service	1 - Each Purchase	Advance Tabco TMSLAG-303-X	595		Awarded	

37	Table, Work. 48" x 30". Flat, without under shelf.	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF.Advance Tabco No. TMSLAG-304-X or approved equal.	4460825-1026080	Commonwealth Food Service	1 - Each Purchase	Advance Tabco TMSLAG-304-X	684		Awarded	
38	Table, Work. 60" x 30". Flat, without under shelf.	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-305-X or approved equal.	4460825-1026080	Commonwealth Food Service	1 - Each Purchase	Advance Tabco TMSLAG-308-X	1181		Awarded	
39	Table, Work. 72" x 30". Flat, without under shelf.	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF . Advance Tabco No. TMSLAG-306-X or approved equal.	4460825-1026081	Commonwealth Food Service	1 - Each Purchase	Advance Tabco TMSLAG-306-X	900		Awarded	
40	Table, Work. 84" x 30". Flat, without under shelf.	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-307-X or approved equal.	4460825-1026082	Commonwealth Food Service	1 - Each Purchase	Advance Tabco TMSLAG-307-X	1140		Awarded	
41	Table, Work. 96" x 30". Flat, without under shelf.	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF. Advance Tabco No. TMSLAG-308-X or approved equal.	4460825-1026083	Commonwealth Food Service	1 - Each Purchase	Advance Tabco TMSLAG-308-X	1181		Awarded	
42	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-303-X or equal	4460825-1026084	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-303-X	595		Awarded	
43	Table, Work. 48" x 30". Flat, w/ undershelf	Work Table, 48"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-304-X or approved equal.	4460825-1026085	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-304-X	684		Awarded	
44	Table, Work. 60" x 30". Flat w/ undershelf	special Value Work Table, 60"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet. Advanced Tabco MSLAG-305-X or approved equal.	4460825-1026086	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-305-X	783		Awarded	
45	Table, Work. 72" x 30". Flat, w/ under shelf.	Work Table, 72"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-306-X or approved equal	4460825-1026087	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-306-X	900		Awarded	
46	Table, Work. 84" x 30". Flat, w/ under shelf.	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-307-X or equal	4460825-1026088	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-307-X	1140		Awarded	
47	Table, Work. 96" x 30". Flat, w/ under shelf.	Work Table, 96"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-308-X or approved equal	4460825-1026089	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-308-X	1181		Awarded	
48	Table, Work. Accessory. Drawer, 15" x 20" x 5".	Drawer, 15"W x 20"D x 5" deep drawer pan insert, heavy duty, self-closing, stainless steel, lockable NSF. Must be able to fit table brand quoted and added as an accessory to tables. Advanced Tabco SHD-1520 or approved equal.	4460825-1026090	Commonwealth Food Service	1 - Each Purchase			Advance Tabco SHD-1520 \$524.00	Awarded	
49	Table, Work. 24" x 24". Flat, w/ under shelf.	Work Table, 24"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-242-X or approved equal.	4450241-1026710	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-242-X	546		Awarded	
50	Table, Work. 30" x 24". Flat, w/ under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-240-X or equal.	4450241-1026711	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-240-X	559		Awarded	
51	Table, Work. 60" x 30". Flat, w/ under shelf and casters	Work Table, mobile, 60"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs, casters NSF. Advance Tabco MSLAG-306C-X or approved equal.	4450241-1026712	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-306C-X	1164		Awarded	
52	Table, Work. 30"W x 24"D.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top with 5"H backplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF. Advanced Tabco KMSLAG-240-X or approved equal.	4450241-1026713	Commonwealth Food Service	1 - Each Purchase	Advance Tabco KMSLAG-240-X	678		Awarded	
53	Table, Work. 60"W x 24"D.	work Table, 60"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-245-X or approved equal.	4450241-1026714	Commonwealth Food Service	1 - Each Purchase	Advance Tabco MSLAG-245-X	782		Awarded	
54	Shelving, Lunchroom, Wall shelf. 36" length.	Shelf, wall-mounted, 36"W x 12"D, 1-5/8" bullnose front edge, 11/2"H rear up-turn, 16/304 satin finish stainless steel, NSF Advance Tabco No. WS-12-36-16-X or approved equal	4450755-1026132	Commonwealth Food Service	1 - Each Purchase	Advance Tabco WS-12-36-16-X	249		Awarded	
30	Table, Work. 36" x 30".	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top with 5"H backplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco No. KMSLAG-303-X or approved equal.	4460825-1026072	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-303-X	\$900.4500			
31	Table, Work. 48" x 30".	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top with 5"H backplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-304-X or approved equal.	4460825-1026073	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-304-X	\$1,007.1000			

32	Table, Work. 60" x 30".	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-305-X or approved equal.	4460825-1026074	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-305-X	\$1,152.9000			
33	Table, Work. 72" x 30".	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-306-X or approved equal.	4460825-1026075	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-306-X	\$1,286.4000			
34	Table, Work. 84" x 30".	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-307-X or approved equal.	4460825-1026076	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-307-X	\$1,591.2000			
35	Table, Work. 96" x 30".	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-308-X or approved equal.	4460825-1026077	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-308-X	\$1,669.2000			
36	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-303-X or approved equal.	4460825-1026078	C&T Design	1 - Each Purchase	Advance Tabco - TMSLAG-303-X	\$724.9400			
37	Table, Work. 48" x 30". Flat, without under shelf.	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-304-X or approved equal.	4460825-1026080	C&T Design	1 - Each Purchase	Advance Tabco - TMSLAG-304-X	\$858.3600			
38	Table, Work. 60" x 30". Flat, without under shelf.	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-305-X or approved equal.	4460825-1026080	C&T Design	1 - Each Purchase	Advance Tabco - TMSLAG-305-X	\$954.0800			
39	Table, Work. 72" x 30". Flat, without under shelf.	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-306-X or approved equal.	4460825-1026081	C&T Design	1 - Each Purchase	Advance Tabco - TMSLAG-306-X	\$1,096.1200			
40	Table, Work. 84" x 30". Flat, without under shelf.	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-307-X or approved equal.	4460825-1026082	C&T Design	1 - Each Purchase	Advance Tabco - TMSLAG-307-X	\$1,346.8000			
41	Table, Work. 96" x 30". Flat, without under shelf.	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-308-X or approved equal.	4460825-1026083	C&T Design	1 - Each Purchase	Advance Tabco - TMSLAG-308-X	\$1,449.9000			
42	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-303-X or equal.	4460825-1026084	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-303-X	\$741.1700			
43	Table, Work. 48" x 30". Flat, w/ undershelf	Work Table, 48"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-304-X or approved equal.	4460825-1026085	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-304-X	\$852.1400			
44	Table, Work. 60" x 30". Flat w/ undershelf	special Value Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet. Advanced Tabco MSLAG-305-X or approved equal.	4460825-1026086	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-305-X	\$975.4400			
45	Table, Work. 72" x 30". Flat, w/ under shelf.	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-306-X or approved equal.	4460825-1026087	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-306-X	\$1,096.1200			
46	Table, Work. 84" x 30". Flat, w/ under shelf.	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-307-X or equal.	4460825-1026088	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-307-X	\$1,388.2400			
47	Table, Work. 96" x 30". Flat, w/ under shelf.	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-308-X or approved equal.	4460825-1026089	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-308-X	\$1,439.1600			
48	Table, Work. Accessory. Drawer, 15" x 20" x 5".	Drawer, 15"W x 20"D x 5" deep drawer pan insert, heavy duty, self-closing, stainless steel, lockable NSF. Must be able to fit table brand quoted and added as an accessory to tables. Advanced Tabco SHD-1520 or approved equal.	4460825-1026090	C&T Design	1 - Each Purchase	Advance Tabco - SHD-1520	\$680.7800			
49	Table, Work. 24" x 24". Flat, w/ under shelf.	Work Table, 24"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-242-X or approved equal.	4450241-1026710	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-242-X	\$694.4000			
50	Table, Work. 30" x 24". Flat, w/ under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-240-X or equal.	4450241-1026711	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-202-X	\$721.3600			
51	Table, Work. 60" x 30". Flat, w/ under shelf and casters	Work Table, mobile, 60"W x 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs, casters NSF. Advance Tabco MSLAG-306C-X or approved equal.	4450241-1026712	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-306C-X	\$1,428.3000			

52	Table, Work. 30"W x 24"D.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF. Advanced Tabco KMSLAG-240-X or approved equal.	4450241-1026713	C&T Design	1 - Each Purchase	Advance Tabco - KMSLAG-240-X	\$874.7200			
53	Table, Work. 60"W x 24"D.	work Table, 60"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-245-X or approved equal.	4450241-1026714	C&T Design	1 - Each Purchase	Advance Tabco - MSLAG-245-X	\$959.8500			
54	Shelving, Lunchroom, Wall shelf. 36" length.	Shelf, wall-mounted, 36"W x 12"D, 1-5/8" bullnose front edge, 11/2"H rear up-turn, 16/304 satin finish stainless steel, NSF Advance Tabco No. WS-12-36-16-X or approved equal	4450755-1026132	C&T Design	1 - Each Purchase	Advance Tabco - WS-12-36-16X	\$339.0000			
30	Table, Work. 36" x 30".	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco No. KMSLAG-303-X or approved equal.	4460825-1026072	CPG	1 - Each Purchase	Advance Tabco KMSLAG-303-X	\$904.0300			
31	Table, Work. 48" x 30".	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-304-X or approved equal.	4460825-1026073	CPG	1 - Each Purchase	Advance Tabco KMSLAG-304-X	\$1,011.1100			
32	Table, Work. 60" x 30".	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-305-X or approved equal.	4460825-1026074	CPG	1 - Each Purchase	Advance Tabco KMSLAG-305-X	\$1,157.4900			
33	Table, Work. 72" x 30".	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-306-X or approved equal.	4460825-1026075	CPG	1 - Each Purchase	Advance Tabco KMSLAG-306-X	\$1,254.8300			
34	Table, Work. 84" x 30".	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-307-X or approved equal.	4460825-1026076	CPG	1 - Each Purchase	Advance Tabco KMSLAG-307-X	\$1,603.2900			
35	Table, Work. 96" x 30".	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-308-X or approved equal	4460825-1026077	CPG	1 - Each Purchase	Advance Tabco KMSLAG-308-X	\$1,626.0000			
36	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-303-X or approved equal	4460825-1026078	CPG	1 - Each Purchase	Advance Tabco TMSLAG-303-X	\$733.2700			
37	Table, Work. 48" x 30". Flat, without under shelf.	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-304-X or approved equal.	4460825-1026080	CPG	1 - Each Purchase	Advance Tabco TMSLAG-304-X	\$843.0500			
38	Table, Work. 60" x 30". Flat, without under shelf.	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-305-X or approved equal.	4460825-1026080	CPG	1 - Each Purchase	Advance Tabco TMSLAG-305-X	\$965.0300			
39	Table, Work. 72" x 30". Flat, without under shelf.	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF . Advance Tabco No. TMSLAG-306-X or approved equal.	4460825-1026081	CPG	1 - Each Purchase	Advance Tabco TMSLAG-306-X	\$1,108.7100			
40	Table, Work. 84" x 30". Flat, without under shelf.	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-307-X or approved equal.	4460825-1026082	CPG	1 - Each Purchase	Advance Tabco TMSLAG-307-X	\$1,404.1700			
41	Table, Work. 96" x 30". Flat, without under shelf.	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF. Advance Tabco No. TMSLAG-308-X or approved equal.	4460825-1026083	CPG	1 - Each Purchase	Advance Tabco TMSLAG-308-X	\$1,455.6800			
42	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-303-X or equal	4460825-1026084	CPG	1 - Each Purchase	Advance Tabco MSLAG-303-X	\$733.2700			
43	Table, Work. 48" x 30". Flat, w/ undershelf	Work Table, 48"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-304-X or approved equal.	4460825-1026085	CPG	1 - Each Purchase	Advance Tabco MSLAG-304-X	\$843.0500			
44	Table, Work. 60" x 30". Flat w/ undershelf	special Value Work Table, 60"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet. Advanced Tabco MSLAG-305-X or approved equal.	4460825-1026086	CPG	1 - Each Purchase	Advance Tabco MSLAG-305-X	\$965.0300			
45	Table, Work. 72" x 30". Flat, w/ under shelf.	Work Table, 72"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-306-X or approved equal	4460825-1026087	CPG	1 - Each Purchase	Advance Tabco MSLAG-306-X	\$1,108.7100			
46	Table, Work. 84" x 30". Flat, w/ under shelf.	Work Table, 84"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-307-X or equal	4460825-1026088	CPG	1 - Each Purchase	Advance Tabco MSLAG-307-X	\$1,404.1700			

47	Table, Work. 96" x 30". Flat, w/ under shelf.	Work Table, 96"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-308-X or approved equal	4460825-1026089	CPG	1 - Each Purchase	Advance Tabco MSLAG-308-X	\$1,410.1600			
48	Table, Work. Accessory. Drawer, 15" x 20" x 5".	Drawer, 15"W x 20"D x 5" deep drawer pan insert, heavy duty, self-closing, stainless steel, lockable NSF. Must be able to fit table brand quoted and added as an accessory to tables. Advanced Tabco SHD-1520 or approved equal.	4460825-1026090	CPG	1 - Each Purchase	Advance Tabco SHD-1520	\$667.4200			
49	Table, Work. 24" x 24". Flat, w/ under shelf.	Work Table, 24"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-242-X or approved equal.	4450241-1026710	CPG	1 - Each Purchase	Advance Tabco MSLAG-242-X	\$672.2700			
50	Table, Work. 30" x 24". Flat, w/ under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-240-X or equal.	4450241-1026711	CPG	1 - Each Purchase	Advance Tabco MSLAG-240-X \$688.53				
51	Table, Work. 60" x 30". Flat, w/ under shelf and casters	Work Table, mobile, 60"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs, casters NSF. Advance Tabco MSLAG-306C-X or approved equal.	4450241-1026712	CPG	1 - Each Purchase	Advance Tabco MSLAG-306C-X	\$1,378.8400			
52	Table, Work. 30"W x 24"D.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF. Advanced Tabco KMSLAG-240-X or approved equal.	4450241-1026713	CPG	1 - Each Purchase	Advance Tabco MSLAG-240-X \$688.53				
53	Table, Work. 60"W x 24"D.	work Table, 60"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-245-X or approved equal.	4450241-1026714	CPG	1 - Each Purchase	Advance Tabco MSLAG-245-X	\$963.6800			
54	Shelving, Lunchroom, Wall shelf. 36" length.	Shelf, wall-mounted, 36"W x 12"D, 1-5/8" bullnose front edge, 11/2"H rear up-turn, 16/304 satin finish stainless steel, NSF Advance Tabco No. WS-12-36-16-X or approved equal	4450755-1026132	CPG	1 - Each Purchase	Advance Tabco WS-12-36-16 \$306.32				
30	Table, Work. 36" x 30".	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco No. KMSLAG-303-X or approved equal.	4460825-1026072	Dine Co.	1 - Each Purchase	KMSLAG-303-X	\$767.0500			
31	Table, Work. 48" x 30".	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-304-X or approved equal.	4460825-1026073	Dine Co.	1 - Each Purchase	KMSLAG-304-X	\$857.9000			
32	Table, Work. 60" x 30".	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-305-X or approved equal.	4460825-1026074	Dine Co.	1 - Each Purchase	KMSLAG-305-X	\$982.1000			
33	Table, Work. 72" x 30".	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-306-X or approved equal.	4460825-1026075	Dine Co.	1 - Each Purchase	KMSLAG-306-X	\$1,104.0000			
34	Table, Work. 84" x 30".	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-307-X or approved equal.	4460825-1026076	Dine Co.	1 - Each Purchase	KMSLAG-307-X	\$1,407.6000			
35	Table, Work. 96" x 30".	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top with 5"H backsplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. KMSLAG-308-X or approved equal	4460825-1026077	Dine Co.	1 - Each Purchase	KMSLAG-308-X	\$1,476.6000			
36	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 36"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-303-X or approved equal	4460825-1026078	Dine Co.	1 - Each Purchase	TMSLAG-303-X	\$622.1500			
37	Table, Work. 48" x 30". Flat, without under shelf.	Work Table, 48"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF.Advance Tabco No. TMSLAG-304-X or approved equal.	4460825-1026080	Dine Co.	1 - Each Purchase	TMSLAG-304-X	\$715.3000			
38	Table, Work. 60" x 30". Flat, without under shelf.	Work Table, 60"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-305-X or approved equal.	4460825-1026080	Dine Co.	1 - Each Purchase	TMSLAG-305-X	\$818.8000			
39	Table, Work. 72" x 30". Flat, without under shelf.	Work Table, 72"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF . Advance Tabco No. TMSLAG-306-X or approved equal.	4460825-1026081	Dine Co.	1 - Each Purchase	TMSLAG-306-X	\$940.7000			
40	Table, Work. 84" x 30". Flat, without under shelf.	Work Table, 84"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF Advance Tabco No. TMSLAG-307-X or approved equal.	4460825-1026082	Dine Co.	1 - Each Purchase	TMSLAG-307-X	\$1,191.4000			
41	Table, Work. 96" x 30". Flat, without under shelf.	Work Table, 96"W x 30"D, 16 gauge 304 stainless steel top, stainless steel side & rear cross rails, stainless steel legs & adjustable bullet feet, NSF. Advance Tabco No. TMSLAG-308-X or approved equal.	4460825-1026083	Dine Co.	1 - Each Purchase	TMSLAG-308-X	\$1,235.1000			

42	Table, Work. 36" x 30". Flat, without under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-303-X or equal	4460825-1026084	Dine Co.	1 - Each Purchase	MSLAG-303-X	\$622.1500			
43	Table, Work. 48" x 30". Flat, w/ undershelf	Work Table, 48"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-304-X or approved equal.	4460825-1026085	Dine Co.	1 - Each Purchase	MSLAG-304-X	\$715.3000			
44	Table, Work. 60" x 30". Flat w/ undershelf	special Value Work Table, 60"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet. Advanced Tabco MSLAG-305-X or approved equal.	4460825-1026086	Dine Co.	1 - Each Purchase	MSLAG-305-X	\$818.8000			
45	Table, Work. 72" x 30". Flat, w/ under shelf.	Work Table, 72"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-306-X or approved equal	4460825-1026087	Dine Co.	1 - Each Purchase	MSLAG-306-X	\$940.7000			
46	Table, Work. 84" x 30". Flat, w/ under shelf.	Work Table, 84"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-307-X or equal	4460825-1026088	Dine Co.	1 - Each Purchase	MSLAG-307-X	\$1,191.4000			
47	Table, Work. 96" x 30". Flat, w/ under shelf.	Work Table, 96"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-308-X or approved equal	4460825-1026089	Dine Co.	1 - Each Purchase	MSLAG-308-X	\$1,235.1000			
48	Table, Work. Accessory. Drawer, 15" x 20" x 5".	Drawer, 15"W x 20"D x 5" deep drawer pan insert, heavy duty, self-closing, stainless steel, lockable NSF. Must be able to fit table brand quoted and added as an accessory to tables. Advanced Tabco SHD-1520 or approved equal.	4460825-1026090	Dine Co.	1 - Each Purchase	SHD-1520	\$637.1100			
49	Table, Work. 24" x 24". Flat, w/ under shelf.	Work Table, 24"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-242-X or approved equal.	4450241-1026710	Dine Co.	1 - Each Purchase	MSLAG-242-X	\$570.4000			
50	Table, Work. 30" x 24". Flat, w/ under shelf.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advanced Tabco MSLAG-240-X or equal.	4450241-1026711	Dine Co.	1 - Each Purchase	MSLAG-240-X	\$584.2000			
51	Table, Work. 60" x 30". Flat, w/ under shelf and casters	Work Table, mobile, 60"W X 30"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs, casters NSF. Advance Tabco MSLAG-306C-X or approved equal.	4450241-1026712	Dine Co.	1 - Each Purchase	MSLAG-306C-X	\$1,216.7000			
52	Table, Work. 30"W x 24"D.	Work Table, 30"W x 24"D, 16 gauge 304 stainless steel top with 5"H backplash, 18 gauge stainless steel adjustable undershelf, stainless steel legs & adjustable bullet feet, NSF. Advanced Tabco KMSLAG-240-X or approved equal.	4450241-1026713	Dine Co.	1 - Each Purchase	KMSLAG-240-X	\$708.4000			
53	Table, Work. 60"W x 24"D.	work Table, 60"W X 24"D, 16 gauge 304 stainless steel top, 18 gauge adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Advance Tabco MSLAG-245-X or approved equal.	4450241-1026714	Dine Co.	1 - Each Purchase	MSLAG-245-X	\$817.6500			
54	Shelving, Lunchroom, Wall shelf. 36" length.	Shelf, wall-mounted, 36"W x 12"D, 1-5/8" bullnose front edge, 11/2"H rear up-turn, 16/304 satin finish stainless steel, NSF Advance Tabco No. WS-12-36-16-X or approved equal	4450755-1026132	Dine Co.	1 - Each Purchase	WS-12-36-16-X	\$259.9000			
Lot Item Nos. 55-61	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
55	Rack, Pan, Sheet. 2"	2" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR30-2W or approved equal.	4450626-1026092	Commonwealth Food Service	1 - Each Purchase	Advance Tabco PR30-2W	610		Awarded	
56	Rack, Pan, Sheet. 4".	4" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advanced Tabco PR15-4W or approved equal.	4450626-1026093	Commonwealth Food Service	1 - Each Purchase	Advance Tabco PR15-4W	506		Awarded	
57	Rack, Pan, Sheet. 5".	5" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR12-5W or approved equal.	4450626-1026094	Commonwealth Food Service	1 - Each Purchase	Advance Tabco PR12-5W	500		Awarded	
58	Rack, Pan, Sheet. Full sized.	With plastic casters. 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP20 or approved equal.	4450626-1026103	Commonwealth Food Service	1 - Each Purchase	Cambro UPR1826FP20S80	495		Awarded	
59	Rack, Pan, Sheet. half sized.	With plastic casters 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP12 or approved equal.	4450626-1026104	Commonwealth Food Service	1 - Each Purchase	Cambro UPR1826HP12S80	364		Awarded	

60	Rack, Pan, Sheet. Full sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP40 or approved equal.	4450626-1026105	Commonwealth Food Service	1 - Each Purchase	Cambro UPR1826FP40580	502		Awarded	
61	Rack, Pan, Sheet. half sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP20 or approved equal.	4450626-1026106	Commonwealth Food Service	1 - Each Purchase	Cambro UPR1826HP20580	396		Awarded	
55	Rack, Pan, Sheet. 2"	2" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR30-2W or approved equal.	4450626-1026092	C&T Design	1 - Each Purchase	Advance Tabco - PR30-2W-X	\$731.4000			
56	Rack, Pan, Sheet. 4".	4" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advanced Tabco PR15-4W or approved equal.	4450626-1026093	C&T Design	1 - Each Purchase	Advance Tabco - PR15-4W	\$651.0200			
57	Rack, Pan, Sheet. 5".	5" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR12-5W or approved equal.	4450626-1026094	C&T Design	1 - Each Purchase	Advance Tabco - PR12-5W	\$642.7200			
58	Rack, Pan, Sheet. Full sized.	With plastic casters. 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP20 or approved equal.	4450626-1026103	C&T Design	1 - Each Purchase	Cambro -UPR1826FP20580	\$574.7400			
59	Rack, Pan, Sheet. half sized.	With plastic casters 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP12 or approved equal.	4450626-1026104	C&T Design	1 - Each Purchase	Cambro - UPR1826HP12580	\$421.2900			
60	Rack, Pan, Sheet. Full sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP40 or approved equal.	4450626-1026105	C&T Design	1 - Each Purchase	Cambro - UPR1826FP40580	\$585.9000			
61	Rack, Pan, Sheet. half sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP20 or approved equal.	4450626-1026106	C&T Design	1 - Each Purchase	Cambro - UPR1826HP20580	\$460.3500			
55	Rack, Pan, Sheet. 2"	2" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR30-2W or approved equal.	4450626-1026092	CPG	1 - Each Purchase	Advance Tabco PR30-2W	\$718.3500			
56	Rack, Pan, Sheet. 4".	4" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advanced Tabco PR15-4W or approved equal.	4450626-1026093	CPG	1 - Each Purchase	Advance Tabco PR15-4W	\$735.9300			
57	Rack, Pan, Sheet. 5".	5" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR12-5W or approved equal.	4450626-1026094	CPG	1 - Each Purchase	Advance Tabco PR12-5W	\$726.5700			
58	Rack, Pan, Sheet. Full sized.	With plastic casters. 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP20 or approved equal.	4450626-1026103	CPG	1 - Each Purchase	Cambro UPR1826FP20580	\$623.9900			
59	Rack, Pan, Sheet. half sized.	With plastic casters 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP12 or approved equal.	4450626-1026104	CPG	1 - Each Purchase	Cambro UPR1826HP12	\$454.9900			
60	Rack, Pan, Sheet. Full sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP40 or approved equal.	4450626-1026105	CPG	1 - Each Purchase	Cambro UPR1826FP40	\$627.8900			
61	Rack, Pan, Sheet. half sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP20 or approved equal.	4450626-1026106	CPG	1 - Each Purchase	Cambro UPR1826HP20	\$497.2400			
55	Rack, Pan, Sheet. 2"	2" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR30-2W or approved equal.	4450626-1026092	Dine Co.	1 - Each Purchase	PR30-2W	\$740.9500			

56	Rack, Pan, Sheet. 4".	4" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advanced Tabco PR15-4W or approved equal.	4450626-1026093	Dine Co.	1 - Each Purchase	PR15-4W	\$614.8500			
57	Rack, Pan, Sheet. 5".	5" Centers Curved top design. Heavy duty welded construction with 6 cross supports. Approx. 1" x 1 1/2" ribbed angles. END load pan rack holds 18" x 26" pans. Heavy duty 5" stem bolted swivel casters. 500 lb. capacity. Fully welded approx.. 1" square tubing ladder assembly. NSF. Advance Tabco PR12-5W or approved equal.	4450626-1026094	Dine Co.	1 - Each Purchase	PR12-5W	\$607.0300			
58	Rack, Pan, Sheet. Full sized.	With plastic casters. 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP20 or approved equal.	4450626-1026103	Dine Co.	1 - Each Purchase	UPR1826FP20580	\$1,080.0000			
59	Rack, Pan, Sheet. half sized.	With plastic casters 3" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP12 or approved equal.	4450626-1026104	Dine Co.	1 - Each Purchase	UPR1826HP12580	\$793.8000			
60	Rack, Pan, Sheet. Full sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826FP40 or approved equal.	4450626-1026105	Dine Co.	1 - Each Purchase	UPR1826FP40580	\$1,096.2000			
61	Rack, Pan, Sheet. half sized.	With plastic casters 1.5" spacing. Rust proof, heat resistant replaceable parts. Cambro UPR1826HP20 or approved equal.	4450626-1026106	Dine Co.	1 - Each Purchase	UPR1826HP20580	\$864.0000			
Lot Item Nos. 62-66	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
62	Cart, Lunchroom.	Three shelf. Approx. 37.5" x 25" x 35.5", 3 shelf, 4" swivel casters, 500 lb. capacity. Vollrath Caravell 97168 or approved equal.	4450133-1026095	Dine Co.	1 - Each Purchase	97168	912.97		Awarded	
63	Cart, Lunchroom.	Three-shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97208 or approved equal.	4450133-1026096	Dine Co.	1 - Each Purchase	97208	1381.26		Awarded	
64	Cart, Lunchroom.	Two -shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97207 or approved equal.	4450133-1026097	Dine Co.	1 - Each Purchase	97207	1311.23		Awarded	
65	Cart, Lunchroom.	Three -shelf heavy-duty, solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97206 or approved equal.	4450133-1026098	Dine Co.	1 - Each Purchase	97206	1099.2		Awarded	
66	Cart, Lunchroom.	Two -shelf heavy-duty solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97205 or approved equal.	4450133-1026099	Dine Co.	1 - Each Purchase	97205	965.62		Awarded	
62	Cart, Lunchroom.	Three shelf. Approx. 37.5" x 25" x 35.5", 3 shelf, 4" swivel casters, 500 lb. capacity. Vollrath Caravell 97168 or approved equal.	4450133-1026095	Commonwealth Food Service	1 - Each Purchase	Vollrath 97168	\$921.0000			
63	Cart, Lunchroom.	Three-shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97208 or approved equal.	4450133-1026096	Commonwealth Food Service	1 - Each Purchase	Vollrath 97208	\$1,394.0000			
64	Cart, Lunchroom.	Two -shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97207 or approved equal.	4450133-1026097	Commonwealth Food Service	1 - Each Purchase	Vollrath 97207	\$1,323.0000			
65	Cart, Lunchroom.	Three -shelf heavy-duty, solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97206 or approved equal.	4450133-1026098	Commonwealth Food Service	1 - Each Purchase	Vollrath 97206	\$1,109.0000			
66	Cart, Lunchroom.	Two -shelf heavy-duty solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97205 or approved equal.	4450133-1026099	Commonwealth Food Service	1 - Each Purchase	Vollrath 97205	\$974.0000			
62	Cart, Lunchroom.	Three shelf. Approx. 37.5" x 25" x 35.5", 3 shelf, 4" swivel casters, 500 lb. capacity. Vollrath Caravell 97168 or approved equal.	4450133-1026095	C&T Design	1 - Each Purchase	Vollrath - 97168	\$922.1900			
63	Cart, Lunchroom.	Three-shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97208 or approved equal.	4450133-1026096	C&T Design	1 - Each Purchase	Vollrath - 97208	\$1,395.2000			

64	Cart, Lunchroom.	Two -shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97207 or approved equal.	4450133-1026097	C&T Design	1 - Each Purchase	Vollrath - 97207	\$1,324.4700			
65	Cart, Lunchroom.	Three -shelf heavy-duty, solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97206 or approved equal.	4450133-1026098	C&T Design	1 - Each Purchase	Vollrath - 97206	\$1,110.2900			
66	Cart, Lunchroom.	Two -shelf heavy-duty solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97205 or approved equal.	4450133-1026099	C&T Design	1 - Each Purchase	Vollrath - 97205	\$975.3600			
62	Cart, Lunchroom.	Three shelf. Approx. 37.5" x 25" x 35.5", 3 shelf, 4" swivel casters, 500 lb. capacity. Vollrath Caravell 97168 or approved equal.	4450133-1026095	CPG	1 - Each Purchase	Vollrath 97168	\$1,163.3300			
63	Cart, Lunchroom.	Three-shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97208 or approved equal.	4450133-1026096	CPG	1 - Each Purchase	Vollrath 97208	\$1,830.4000			
64	Cart, Lunchroom.	Two -shelf heavy-duty, solid stainless steel standard cart. Approx. 23" x 35" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 900 lbs. Vollrath 97207 or approved equal.	4450133-1026097	CPG	1 - Each Purchase	Vollrath 97207	\$1,736.8000			
65	Cart, Lunchroom.	Three -shelf heavy-duty, solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97206 or approved equal.	4450133-1026098	CPG	1 - Each Purchase	Vollrath 97206	\$1,400.6100			
66	Cart, Lunchroom.	Two -shelf heavy-duty solid stainless steel standard cart. Approx. 20" x 30" shelves. Welded shelves and frame. Two 4-inch swivel casters and two 8-inch front wheels ensure swift maneuvering 16 ga, handle. 650 lbs. Vollrath 97205 or approved equal.	4450133-1026099	CPG	1 - Each Purchase	Vollrath 97205	\$1,279.6200			
Lot Item Nos. 67-68	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
67	Cart, Lunchroom.	Chrome Heavy-Duty Wire Cart - 60 x 24 x 41", 2 Shelf Uline H-1518 or equal.	4450133-1026101	Dine Co.	1 - Each Purchase	ZSPN55DC	\$341.5100		Awarded	
68	Cart, Lunchroom.	Chrome Heavy-Duty Wire Cart - 72 x 24 x 41", 2 Shelf Uline H-1755 or equal.	4450133-1026102	Dine Co.	1 - Each Purchase	ZSPN56DC	\$365.2200		Awarded	
67	Cart, Lunchroom.	Chrome Heavy-Duty Wire Cart - 60 x 24 x 41", 2 Shelf Uline H-1518 or equal.	4450133-1026101	CPG	1 - Each Purchase	Uline H-1518	\$517.5000			
68	Cart, Lunchroom.	Chrome Heavy-Duty Wire Cart - 72 x 24 x 41", 2 Shelf Uline H-1755 or equal.	4450133-1026102	CPG	1 - Each Purchase	Uline H-1755	\$517.5000			
67	Cart, Lunchroom.	Chrome Heavy-Duty Wire Cart - 60 x 24 x 41", 2 Shelf Uline H-1518 or equal.	4450133-1026101	C&T Design	1 - Each Purchase	Uline	\$525.0000			
68	Cart, Lunchroom.	Chrome Heavy-Duty Wire Cart - 72 x 24 x 41", 2 Shelf Uline H-1755 or equal.	4450133-1026102	C&T Design	1 - Each Purchase	Uline	\$565.0000			
Lot Item Nos. 69-77	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
69	Cart, Lunchroom.	Approx. 40" x 21 1/4" x 37 1/2", 3 Shelf, 400 lbs. ergonomic handles, swivel casters, stain resistant. Cambro BC340KD or approved equal.	4450133-1026120	Dine Co.	1 - Each Purchase	BC340KD110	201.2		Awarded	
70	Cart, Lunchroom.	Approx. 37" x 21 1/3" x 37 1/2", 3 Shelf, swivel casters, 600 lbs. capacity, ergonomic handles, swivel casters, stain resistant. Cambro SC230 or approved equal.	4450133-1026121	Dine Co.	1 - Each Purchase	SC230110	607.5		Awarded	
71	Cart, Lunchroom.	Approx. 41 1/2" x 235/8" x 371/4", 3 Shelf, Caster, 2 Rigid, 2 Swivel with Brake, 600 lbs. capacity, ergonomic handles, stain resistant. Cambro SC337 or approved equal.	4450133-1026122	Dine Co.	1 - Each Purchase	SC337110	643.95		Awarded	
72	Utility Truck with chrome handle.	Approx. 19 3/4" x 32 1/8" x 38 1/2", 3 Shelf, 37 1/2" x 22" x 37 1/4" open 200 lbs. per shelf, ergonomic handles, swivel casters, NSF. Cambro 2030UT or approved equal.	4450241-1026123	Dine Co.	1 - Each Purchase	2030UT110	483.57		Awarded	
73	Utility Truck with molded handle.	Approx. 24 7/8 x 41 3/4" x 36 3/4, 600 lb. capacity, durable, crack and dent resistant, Ergonomic handles, heavy duty casters 2 fixed, 2 swivel casters, 1 with brake, large platforms for convenient loading. Cambro 2436UTH or approved equal.	4450241-1026124	Dine Co.	1 - Each Purchase	2436UTH110	461.7		Awarded	

74	Dolly for sheet pans.	Approx. 23 1/2" x 32 1/4" x 36 1/2, 300 lb. capacity. Fits 18x26 sheet pans, dent, crack, rust, and corrosion proof/ rear big wheel, 2 front 12,7 cm swivel casters, one with brake ,upright handle for safe maneuvering, NSF. Cambro CD1826HB or approved equal.	4450241-1026125	Dine Co.	1 - Each Purchase	CD1826HB110	447.12		Awarded	
75	Dolly, standard dishrack, with handle.	Approx., 22 3/16" x 25 7/8" x 36 7/8, 50 lb. capacity. Fits full size dish rack, dent, crack, rust, and corrosion proof, ergonomic upright handle, Bid rear wheel, two fixed, two swivel 12,7 cm casters, one with brake, NSF. Cambro CD2020HB or approved equal.	4450241-1026126	Dine Co.	1 - Each Purchase	CD2020HB110	396.09		Awarded	
76	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1313 or approved equal.	4450241-1026130	Dine Co.	1 - Each Purchase	CD1313110	176.9		Awarded	
77	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1327 or approved equal.	4450241-1026131	Dine Co.	1 - Each Purchase	CD1327110	192.94		Awarded	
69	Cart, Lunchroom.	Approx. 40" x 21 1/4" x 37 1/2", 3 Shelf, 400 lbs. ergonomic handles, swivel casters, stain resistant. Cambro BC340KD or approved equal.	4450133-1026120	C&T Design	1 - Each Purchase	Cambro - BC340KD110	\$201.6200			
70	Cart, Lunchroom.	Approx. 37" x 21 1/3" x 37 1/2", 3 Shelf, swivel casters, 600 lbs. capacity, ergonomic handles, swivel casters, stain resistant. Cambro SC230 or approved equal.	4450133-1026121	C&T Design	1 - Each Purchase	Cambro - SC230110	\$621.0900			
71	Cart, Lunchroom.	Approx. 41 1/2" x 235/8" x 371/4", 3 Shelf, Caster, 2 Rigid, 2 Swivel with Brake, 600 lbs. capacity, ergonomic handles, stain resistant. Cambro SC337 or approved equal.	4450133-1026122	C&T Design	1 - Each Purchase	Cambro - SC337110	\$658.1700			
72	Utility Truck with chrome handle.	Approx. 19 3/4" x 32 1/8" x 38 1/2", 3 Shelf, 37 1/2" x 22" x 37 1/4" open 200 lbs. per shelf ,ergonomic handles, swivel casters, NSF. Cambro 2030UT or approved equal.	4450241-1026123	C&T Design	1 - Each Purchase	Cambro - 2030UT110	\$486.6800			
73	Utility Truck with molded handle.	Approx. 24 7/8 x 41 3/4" x 36 3/4, 600 lb. capacity, durable, crack and dent resistant, Ergonomic handles, heavy duty casters 2 fixed, 2 swivel casters, 1 with brake, large platforms for convenient loading. Cambro 2436UTH or approved equal.	4450241-1026124	C&T Design	1 - Each Purchase	Cambro - 2436UTH110	\$468.2400			
74	Dolly for sheet pans.	Approx. 23 1/2" x 32 1/4" x 36 1/2, 300 lb. capacity. Fits 18x26 sheet pans, dent, crack, rust, and corrosion proof/ rear big wheel, 2 front 12,7 cm swivel casters, one with brake ,upright handle for safe maneuvering, NSF. Cambro CD1826HB or approved equal.	4450241-1026125	C&T Design	1 - Each Purchase	Cambro - CB1826HB110	\$465.0800			
75	Dolly, standard dishrack, with handle.	Approx., 22 3/16" x 25 7/8" x 36 7/8, 50 lb. capacity. Fits full size dish rack, dent, crack, rust, and corrosion proof, ergonomic upright handle, Bid rear wheel, two fixed, two swivel 12,7 cm casters, one with brake, NSF. Cambro CD2020HB or approved equal.	4450241-1026126	C&T Design	1 - Each Purchase	Cambro - CD2020HB110	\$412.6100			
76	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1313 or approved equal.	4450241-1026130	C&T Design	1 - Each Purchase	Cambro - CD1313110	\$183.6500			
77	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1327 or approved equal.	4450241-1026131	C&T Design	1 - Each Purchase	Cambro - CD1327110	\$200.3400			
69	Cart, Lunchroom.	Approx. 40" x 21 1/4" x 37 1/2", 3 Shelf, 400 lbs. ergonomic handles, swivel casters, stain resistant. Cambro BC340KD or approved equal.	4450133-1026120	Commonwealth Food Service	1 - Each Purchase	Cambro BC340KD110	205			
70	Cart, Lunchroom.	Approx. 37" x 21 1/3" x 37 1/2", 3 Shelf, swivel casters, 600 lbs. capacity, ergonomic handles, swivel casters, stain resistant. Cambro SC230 or approved equal.	4450133-1026121	Commonwealth Food Service	1 - Each Purchase	Cambro SC230110	619			
71	Cart, Lunchroom.	Approx. 41 1/2" x 235/8" x 371/4", 3 Shelf, Caster, 2 Rigid, 2 Swivel with Brake, 600 lbs. capacity, ergonomic handles, stain resistant. Cambro SC337 or approved equal.	4450133-1026122	Commonwealth Food Service	1 - Each Purchase	Cambro SC337110	656			
72	Utility Truck with chrome handle.	Approx. 19 3/4" x 32 1/8" x 38 1/2", 3 Shelf, 37 1/2" x 22" x 37 1/4" open 200 lbs. per shelf ,ergonomic handles, swivel casters, NSF. Cambro 2030UT or approved equal.	4450241-1026123	Commonwealth Food Service	1 - Each Purchase	Cambro 2030UT110	493			
73	Utility Truck with molded handle.	Approx. 24 7/8 x 41 3/4" x 36 3/4, 600 lb. capacity, durable, crack and dent resistant, Ergonomic handles, heavy duty casters 2 fixed, 2 swivel casters, 1 with brake, large platforms for convenient loading. Cambro 2436UTH or approved equal.	4450241-1026124	Commonwealth Food Service	1 - Each Purchase	Cambro 2436UTH110	470			
74	Dolly for sheet pans.	Approx. 23 1/2" x 32 1/4" x 36 1/2, 300 lb. capacity. Fits 18x26 sheet pans, dent, crack, rust, and corrosion proof/ rear big wheel, 2 front 12,7 cm swivel casters, one with brake ,upright handle for safe maneuvering, NSF. Cambro CD1826HB or approved equal.	4450241-1026125	Commonwealth Food Service	1 - Each Purchase	Cambro CD1826HB110	455			

75	Dolly, standard dishrack, with handle.	Approx., 22 3/16" x 25 7/8" x 36 7/8", 50 lb. capacity. Fits full size dish rack, dent, crack, rust, and corrosion proof, ergonomic upright handle, Bid rear wheel, two fixed, two swivel 12.7 cm casters, one with brake, NSF. Cambro CD2020HB or approved equal.	4450241-1026126	Commonwealth Food Service	1 - Each Purchase	Cambro CD2020HB110	403			
76	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1313 or approved equal.	4450241-1026130	Commonwealth Food Service	1 - Each Purchase	Cambro CD1313110	180			
77	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1327 or approved equal.	4450241-1026131	Commonwealth Food Service	1 - Each Purchase	Cambro CD1327110	197			
69	Cart, Lunchroom.	Approx. 40" x 21 1/4" x 37 1/2", 3 Shelf, 400 lbs. ergonomic handles, swivel casters, stain resistant. Cambro BC340KD or approved equal.	4450133-1026120	CPG	1 - Each Purchase	Cambro BC340KD110	\$297.6900			
70	Cart, Lunchroom.	Approx. 37" x 21 1/3" x 37 1/2", 3 Shelf, swivel casters, 600 lbs. capacity, ergonomic handles, swivel casters, stain resistant. Cambro SC230 or approved equal.	4450133-1026121	CPG	1 - Each Purchase	Cambro SC230	\$1,045.0000			
71	Cart, Lunchroom.	Approx. 41 1/2" x 235/8" x 371/4", 3 Shelf, Caster, 2 Rigid, 2 Swivel with Brake, 600 lbs. capacity, ergonomic handles, stain resistant. Cambro SC337 or approved equal.	4450133-1026122	CPG	1 - Each Purchase	Cambro SC337	\$1,060.0000			
72	Utility Truck with chrome handle.	Approx. 19 3/4" x 32 1/8" x 38 1/2", 3 Shelf, 37 1/2" x 22" x 37 1/4" open 200 lbs. per shelf, ergonomic handles, swivel casters, NSF. Cambro 2030UT or approved equal.	4450241-1026123	CPG	1 - Each Purchase	Cambro 2030UT	\$616.8400			
73	Utility Truck with molded handle.	Approx. 24 7/8 x 41 3/4" x 36 3/4, 600 lb. capacity, durable, crack and dent resistant, Ergonomic handles, heavy duty casters 2 fixed, 2 swivel casters, 1 with brake, large platforms for convenient loading. Cambro 2436UTH or approved equal.	4450241-1026124	CPG	1 - Each Purchase	Cambro 2436UTH	\$869.7000			
74	Dolly for sheet pans.	Approx. 23 1/2" x 32 1/4" x 36 1/2, 300 lb. capacity, Fits 18x26 sheet pans, dent, crack, rust, and corrosion proof/ rear big wheel, 2 front 12.7 cm swivel casters, one with brake, upright handle for safe maneuvering, NSF. Cambro CD1826HB or approved equal.	4450241-1026125	CPG	1 - Each Purchase	Cambro CD1826HB	\$856.7000			
75	Dolly, standard dishrack, with handle.	Approx., 22 3/16" x 25 7/8" x 36 7/8", 50 lb. capacity. Fits full size dish rack, dent, crack, rust, and corrosion proof, ergonomic upright handle, Bid rear wheel, two fixed, two swivel 12.7 cm casters, one with brake, NSF. Cambro CD2020HB or approved equal.	4450241-1026126	CPG	1 - Each Purchase	Cambro CD2020HB	\$505.6900			
76	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1313 or approved equal.	4450241-1026130	CPG	1 - Each Purchase	Cambro CD1313110	\$353.9900			
77	Dolly, milk.	Crack, rust, and corrosion proof, swivel casters, NSF. Cambro CD1327 or approved equal.	4450241-1026131	CPG	1 - Each Purchase	Cambro CD1327110	\$394.6500			
Lot Item Nos. 78-98	Item/Service	Description	Commodity Code	Vendor Name	UOM	Manufacturer / Part No.	Unit Bid Price	Vendor Response Item Notes	Award Status	Award Notes
78	Rack, Drying.	3 Tier Approx.. 24" x 48" x 75" vertical, mobile with swivel casters and locking brakes Approx. 84 tray capacity. Cambro CPMU244875DRPKG or approved equal.	4450626-1026107	C&T Design	1 - Each Purchase	Cambro - CPMU244875DRPKG	\$850.3000		Awarded	
79	Rack, Dunnage.	30" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS300 or approved equal.	4450626-1026108	C&T Design	1 - Each Purchase	Cambro - DRS300480	\$158.4000		Awarded	
80	Rack, Dunnage.	36" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS360 or approved equal.	4450626-1026109	C&T Design	1 - Each Purchase	Cambro - DRS360480	\$153.7000		Awarded	

81	Rack, Dunnage.	48" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS480 or approved equal.	4450626-1026110	C&T Design	1 - Each Purchase	Cambro - DRS480480	\$187.1100		Awarded	
82	Rack, Dunnage.	60" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS600 or approved equal.	4450626-1026112	C&T Design	1 - Each Purchase	Cambro - DRS600480	\$211.0200		Awarded	
83	Storage, Flex Station Kiosk.	2 ea. Mobile Post Kits, 8 ea. Traverses, 4 ea. 5" Premium w/lock Casters, 36 ea. Angled Divider Bars, 24 ea. ID Tags Approx. 24" x 48" x 67". Cambro CPMU244867FXPKG or approved equal.	4460119-1026133	C&T Design	1 - Each Purchase	Cambro - CPM244867FX1480	\$553.4700		Awarded	
84	Shelving, Lunchroom.	24" x 72" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU247272V4 or approved equal.	4450755-1026115	C&T Design	1 - Each Purchase	Cambro - EXU247272V4480	\$448.4300		Awarded	
85	Shelving, Lunchroom.	24" x 60" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU246072V4 or approved equal.	4450755-1026116	C&T Design	1 - Each Purchase	Cambro - EXU246072V4480	\$395.9100		Awarded	
86	Shelving, Lunchroom.	24" x 54" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU245472V4 or approved equal.	4450755-1026117	C&T Design	1 - Each Purchase	Cambro - EXU245472V4480	\$373.7000		Awarded	
87	Shelving, Lunchroom.	24" x 48" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU244872V4 or approved equal.	4450755-1026118	C&T Design	1 - Each Purchase	Cambro - EXU244872V4480	\$343.3900		Awarded	
88	Shelving, Lunchroom.	24 x 36 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU243672V4 or approved equal.	4450755-1026119	C&T Design	1 - Each Purchase	Cambro - EXU243672V4480	\$288.8400		Awarded	
89	Shelving, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray, NSF or Cambro EXMU244270V4480 approved equal	4450755-1026115	C&T Design	1 - Each Purchase	Cambro - EXMU244270V4480	\$464.5900		Awarded	
90	Shelving, Lunchroom.	24 x 30 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU243072V4 or approved equal.	4450241-1026721	C&T Design	1 - Each Purchase	Cambro - EXU243072V4480	\$268.6500		Awarded	
91	Shelving, Lunchroom.	24 x 24 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU242472V4 or approved equal.	4450241-1026722	C&T Design	1 - Each Purchase	Cambro - EXU242472V4480	\$254.5200		Awarded	

92	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 24"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU242470V4 or approved equal.	4450241-1026723	C&T Design	1 - Each Purchase	Cambro - EXMPK2470480/EXSK2424 V1480	\$411.2000		Awarded	
93	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026724	C&T Design	1 - Each Purchase	Cambro - EXMU243670V4480	\$436.3100		Awarded	
94	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244270V4 or approved equal.	4450241-1026725	C&T Design	1 - Each Purchase	Cambro - EXMU244270V4480	\$464.5900		Awarded	
95	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 48"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244870V4480 or approved equal.	4450241-1026726	C&T Design	1 - Each Purchase	Cambro - EXMU244870V4480	\$488.8300		Awarded	
96	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 54"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU245470V4480 or approved equal.	4450241-1026727	C&T Design	1 - Each Purchase	Cambro - EXMU245470V4480	\$517.1000		Awarded	
97	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 60"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU246070V4480 or approved equal.	4450241-1026728	C&T Design	1 - Each Purchase	Cambro - EXMU246070V4480	\$537.3100		Awarded	
98	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 18"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026729	C&T Design	1 - Each Purchase	EXMU183670V4480	\$436.3100		Awarded	
78	Rack, Drying.	3 Tier Approx. 24" x 48" x 75" vertical, mobile with swivel casters and locking brakes Approx. 84 tray capacity. Cambro CPMU244875DRPKG or approved equal.	4450626-1026107	Commonwealth Food Service	1 - Each Purchase	Cambro CPMU244875DRPKG	\$938.0000			
79	Rack, Dunnage.	30" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS300 or approved equal.	4450626-1026108	Commonwealth Food Service	1 - Each Purchase	Cambro DRS300480	\$153.0000			
80	Rack, Dunnage.	36" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS360 or approved equal.	4450626-1026109	Commonwealth Food Service	1 - Each Purchase	Cambro DRS360480	\$167.0000			
81	Rack, Dunnage.	48" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS480 or approved equal.	4450626-1026110	Commonwealth Food Service	1 - Each Purchase	Cambro DRS480480	\$201.0000			

82	Rack, Dunnage.	60" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DR5600 or approved equal.	4450626-1026112	Commonwealth Food Service	1 - Each Purchase	Cambro DR5600480	\$229.0000			
83	Storage, Flex Station Kiosk.	2 ea. Mobile Post Kits, 8 ea. Traverses, 4 ea. 5" Premium w/lock Casters, 36 ea. Angled Divider Bars, 24 ea. ID Tags Approx. 24" x 48" x 67". Cambro CPMU244867FXPKG or approved equal.	4460119-1026133	Commonwealth Food Service	1 - Each Purchase	Cambro CPM244867FX1480	\$658.0000			
84	Shelving, Lunchroom.	24" x 72" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU247272V4 or approved equal.	4450755-1026115	Commonwealth Food Service	1 - Each Purchase	Cambro EXU247272V4480	\$532.0000			
85	Shelving, Lunchroom.	24" x 60" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU246072V4 or approved equal.	4450755-1026116	Commonwealth Food Service	1 - Each Purchase	Cambro EXU246072V4480	\$470.0000			
86	Shelving, Lunchroom.	24" x 54" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU245472V4 or approved equal.	4450755-1026117	Commonwealth Food Service	1 - Each Purchase	Cambro EXU245472V4480	\$446.0000			
87	Shelving, Lunchroom.	24" x 48" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU244872V4 or approved equal.	4450755-1026118	Commonwealth Food Service	1 - Each Purchase	Cambro EXU244872V4480	\$408.0000			
88	Shelving, Lunchroom.	24 x 36 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU243672V4 or approved equal.	4450755-1026119	Commonwealth Food Service	1 - Each Purchase	Cambro EXU243672V4480	\$344.0000			
89	Shelving, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray, NSF or Cambro EXMU244270V4480 approved equal	4450755-1026115	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU244270V4480	\$554.0000			
90	Shelving, Lunchroom.	24 x 30 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU243072V4 or approved equal.	4450241-1026721	Commonwealth Food Service	1 - Each Purchase	Cambro EXU243072V4480	\$319.0000			
91	Shelving, Lunchroom.	24 x 24 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic, -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU242472V4 or approved equal.	4450241-1026722	Commonwealth Food Service	1 - Each Purchase	Cambro EXU242472V4480	\$302.0000			
92	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 24"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU242470V4 or approved equal.	4450241-1026723	Commonwealth Food Service	1 - Each Purchase					

93	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026724	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU243670V4480	\$520.0000			
94	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244270V4 or approved equal.	4450241-1026725	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU244270V4480	\$554.0000			
95	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 48"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244870V4480 or approved equal.	4450241-1026726	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU244870V4480	\$582.0000			
96	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 54"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU245470V4480 or approved equal.	4450241-1026727	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU245470V4480	\$616.0000			
97	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 60"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU246070V4480 or approved equal.	4450241-1026728	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU246070V4480	\$641.0000			
98	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 18"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026729	Commonwealth Food Service	1 - Each Purchase	Cambro EXMU243670V4480	\$520.0000			
78	Rack, Drying.	3 Tier Approx.. 24" x 48" x 75" vertical, mobile with swivel casters and locking brakes Approx. 84 tray capacity. Cambro CPMU244875DRPKG or approved equal.	4450626-1026107	CPG	1 - Each Purchase	Cambro CPMU244875DRPKG	\$1,289.6700			
79	Rack, Dunnage.	30" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS300 or approved equal.	4450626-1026108	CPG	1 - Each Purchase	Cambro DRS300	\$185.8900			
80	Rack, Dunnage.	36" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS360 or approved equal.	4450626-1026109	CPG	1 - Each Purchase	Cambro DRS360	\$198.2300			
81	Rack, Dunnage.	48" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS480 or approved equal.	4450626-1026110	CPG	1 - Each Purchase	Cambro DRS480	\$239.8400			
82	Rack, Dunnage.	60" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS600 or approved equal.	4450626-1026112	CPG	1 - Each Purchase	Cambro DRS600	\$271.6900			

83	Storage, Flex Station Kiosk.	2 ea. Mobile Post Kits, 8 ea. Traverses, 4 ea. 5" Premium w/lock Casters, 36 ea. Angled Divider Bars, 24 ea. ID Tags Approx. 24" x 48" x 67" Cambro CPMU244867FXPKG or approved equal.	4460119-1026133	CPG	1 - Each Purchase	Cambro CPM244867FXPKG	\$988.0900			
84	Shelving, Lunchroom.	24" x 72" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU247272V4 or approved equal.	4450755-1026115	CPG	1 - Each Purchase	Cambro EXU247272V4	\$648.7000			
85	Shelving, Lunchroom.	24" x 60" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU246072V4 or approved equal.	4450755-1026116	CPG	1 - Each Purchase	Cambro EXU246072V4	\$583.0400			
86	Shelving, Lunchroom.	24" x 54" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU245472V4 or approved equal.	4450755-1026117	CPG	1 - Each Purchase	Cambro EXU245472V4	\$552.4900			
87	Shelving, Lunchroom.	24" x 48" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU244872V4 or approved equal.	4450755-1026118	CPG	1 - Each Purchase	Cambro EXU244872V4	\$510.8900			
88	Shelving, Lunchroom.	24 x 36 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU243672V4 or approved equal.	4450755-1026119	CPG	1 - Each Purchase	Cambro EXU243672V4	\$427.0400			
89	Shelving, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray, NSF or Cambro EXMU244270V4480 approved equal	4450755-1026115	CPG	1 - Each Purchase	Cambro EXMU244270V4480	\$687.7000			
90	Shelving, Lunchroom.	24 x 30 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU243072V4 or approved equal.	4450241-1026721	CPG	1 - Each Purchase	Cambro EXU243072V4	\$399.0900			
91	Shelving, Lunchroom.	24 x 24 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF . 4 vented shelves. Cambro Elements EXU242472V4 or approved equal.	4450241-1026722	CPG	1 - Each Purchase	Cambro EXU242472V4	\$375.0400			
92	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 24"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU242470V4 or approved equal.	4450241-1026723	CPG	1 - Each Purchase	Cambro EXMU242470V4	\$424.7500			
93	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026724	CPG	1 - Each Purchase	Cambro EXMU243670V4	\$648.7000			

94	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244270V4 or approved equal.	4450241-1026725	CPG	1 - Each Purchase	Cambro EXMU244270V4	\$687.7000			
95	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 48"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244870V480 or approved equal.	4450241-1026726	CPG	1 - Each Purchase	Cambro EXMU244870V4	\$726.7000			
96	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 54"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU245470V480 or approved equal.	4450241-1026727	CPG	1 - Each Purchase	Cambro EXMU245470V4	\$765.7000			
97	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 60"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU246070V480 or approved equal.	4450241-1026728	CPG	1 - Each Purchase	Cambro EXMU246070V4	\$791.7000			
98	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 18"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V480 or approved equal.	4450241-1026729	CPG	1 - Each Purchase	Cambro EXMU243670V4	\$648.7000			
78	Rack, Drying.	3 Tier Approx.. 24" x 48" x 75" vertical, mobile with swivel casters and locking brakes Approx. 84 tray capacity. Cambro CPMU244875DRPKG or approved equal.	4450626-1026107	Dine Co.	1 - Each Purchase	CPMU244875DRPKG	\$920.9700			
79	Rack, Dunnage.	30" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS300 or approved equal.	4450626-1026108	Dine Co.	1 - Each Purchase	DRS300480	\$150.6600			
80	Rack, Dunnage.	36" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS360 or approved equal.	4450626-1026109	Dine Co.	1 - Each Purchase	DRS360480	\$163.7800			
81	Rack, Dunnage.	48" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS480 or approved equal.	4450626-1026110	Dine Co.	1 - Each Purchase	DRS480480	\$197.8000			
82	Rack, Dunnage.	60" L slotted, constructed of durable, rust-proof material that never dents, corrodes, or bends. Stores food a minimum of 6" off the floor, NSF. Cambro DRS600 or approved equal.	4450626-1026112	Dine Co.	1 - Each Purchase	DRS600480	\$224.5300			
83	Storage, Flex Station Kiosk.	2 ea. Mobile Post Kits, 8 ea. Traverses, 4 ea. 5" Premium w/lock Casters, 36 ea. Angled Divider Bars, 24 ea. ID Tags Approx. 24" x 48" x 67". Cambro CPMU244867FXPKG or approved equal.	4460119-1026133	Dine Co.	1 - Each Purchase	CPMU244867FX1480	\$646.3800			

84	Shelving, Lunchroom.	24" x 72" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU247272V4 or approved equal.	4450755-1026115	Dine Co.	1 - Each Purchase	EXU247272V4480	\$522.4500			
85	Shelving, Lunchroom.	24" x 60" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU246072V4 or approved equal.	4450755-1026116	Dine Co.	1 - Each Purchase	EXU246072V4480	\$461.7000			
86	Shelving, Lunchroom.	24" x 54" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU245472V4 or approved equal.	4450755-1026117	Dine Co.	1 - Each Purchase	EXU245472V4480	\$437.4000			
87	Shelving, Lunchroom.	24" x 48" x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU244872V4 or approved equal.	4450755-1026118	Dine Co.	1 - Each Purchase	EXU244872V4480	\$400.9500			
88	Shelving, Lunchroom.	24 x 36 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves Cambro Elements EXU243672V4 or approved equal.	4450755-1026119	Dine Co.	1 - Each Purchase	EXU243672V4480	\$337.7700			
89	Shelving, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray, NSF or Cambro EXMU244270V4480 approved equal	4450755-1026115	Dine Co.	1 - Each Purchase	EXMU244270V4480	\$544.3200			
90	Shelving, Lunchroom.	24 x 30 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU243072V4 or approved equal.	4450241-1026721	Dine Co.	1 - Each Purchase	EXU243072V4480	\$313.4700			
91	Shelving, Lunchroom.	24 x 24 x 72" slotted shelves, Rust a corrosion free, anti microbial protection, composite plastic , -36 F to 190 F, Dishwasher safe, NSF. 4 vented shelves. Cambro Elements EXU242472V4 or approved equal.	4450241-1026722	Dine Co.	1 - Each Purchase	EXU242472V4480	\$296.4600			
92	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 24"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU242470V4 or approved equal.	4450241-1026723	Dine Co.	1 - Each Purchase	EXMPK2470480	\$445.1600			
93	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026724	Dine Co.	1 - Each Purchase	EXMU243670V4480	\$510.3000			
94	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 42"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244270V4 or approved equal.	4450241-1026725	Dine Co.	1 - Each Purchase	EXMU244270V4480	\$544.3200			

95	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 48"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU244870V4480 or approved equal.	4450241-1026726	Dine Co.	1 - Each Purchase	EXMU244870V4480	\$571.0500			
96	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 54"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU245470V4480 or approved equal.	4450241-1026727	Dine Co.	1 - Each Purchase	EXMU245470V4480	\$605.0700			
97	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 24"W x 60"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU246070V4480 or approved equal.	4450241-1026728	Dine Co.	1 - Each Purchase	EXMU246070V4480	\$629.3700			
98	Shelving Mobile, Lunchroom.	Camshelving® Elements XTRA Mobile Unit, 18"W x 36"L x 70-1/4"H, 4-tier, withstands temperature from -36°F (-38°C) to 190°F (88°C), includes: (4) vented reinforced polypropylene shelf plates with Camguard® antimicrobial protection, (4) composite posts, pre-assembled post connectors & wedges, (8) Universal Traverses & (4) bags of 4 dovetails (8 left, 8 right), (4) premium swivel casters with total locking brake, 750 lbs. max capacity, speckled gray. Cambro EXMU243670V4480 or approved equal.	4450241-1026729	Dine Co.	1 - Each Purchase	EXMU243670V4480	\$510.3000			