



# KENTUCKY DEPARTMENT OF EDUCATION 2012 SCHOOL BUS PURCHASE AUTHORIZATION (HANDICAPPED UNITS)

and constituted meeting, did vot took this official action in order this Board of Education on the a	to authorize the Chief State School above date, should be construed as e	the Kentucky, on September 23 the Kentucky State Contract price production of this Board of Contract agreements established in accordance of the September 23	bedure. This Board of Education  This action, as spread upon the minutes of the meeting of
	Signed		Chairman
			Secretary
			Superintendent
	Of		Board of Education
	Date		
BODY SIDE NUMBERS:	Match body side number to ind  Item #41, fourteen (14) eac  included per State specific \$9,651 per unit. Total cost  Bus numbers shall run from	ation), plus air conditioning. Base of purchase \$ 1,357,776. Bus not a 1401 through 1414. Extended (2 mased in conjunction with bus order	1 - Side number - 5, 6, 7, 8 capped lift buses (with (tinted glass & seat belts price \$87,333 per unit, plus air conditioning

ATTACH ADDITIONAL INFORMATION IF NECESSARY





(For the actual capacity see floor plans)

2014

#### TYPE A AND TYPE C HANDICAP EQUIPPED SCHOOL BUSES JEFFERSON COUNTY PA-2

**BOARD OF EDUCATION** 

THE PERSON NAMED IN	No. To Be Purchased	120,000,000,000,000	Engine & Manufacturer	HP	Trans.	SECTION AND SECTION ASSESSMENT	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	AND DESCRIPTION OF STREET
34		24	6.6 GM Lift behind the rear axle	155	AUT0	Н	Center rear	139"	COLLINS	82"	64,606
35		24	6.6 GM Lift behind the rear axle	155	AUTO	Н	Center rear	159"	THOMAS	74"	65,254
36		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	189"	BLUEBIRD	125"	85,995
37		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	87,713
38		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	85,066
39		52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	86,525
40		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	90,045
41	14	52	CUMMINS ISB,FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	87,333
42		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	153"	88,240
43		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	149"	91,941
44		66	CUMMINS ISB, FREIGHTLINER	230	2500PTS	AB	Center rear	279"	THOMAS	158"	89,198
45		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	153"	93,225
46		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	149"	96,661
47		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	158"	94,043

**KEY:** Engines

Transmissions and Brakes

**Fuel Tank Locations** 

MAXFORCE DT 466CID TURBO ELECTRONIC I-6, DIESEL CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL

6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

AUTO Type A automatic 2500PTS Allison 5 speed automatic 3000PTS Allison severe service automatic

H Hydraulic Brakes AB Air brakes

Center Rear Behind the rear axle between the frame rails Right side Attached to the right frame rail between the axles Center-Between the frame rails, between the axles





PA-1

# KENTUCKY DEPARTMENT OF EDUCATION 2012 SCHOOL BUS PURCHASE AUTHORIZATION TYPE A, TYPE C, AND TYPE D SCHOOL BUSES

Chief State School Officer	buses through the Kentucky State C to procure 2012 school buses. This ence of obligation of this Board of E	contract price procedure. This Bos action, as spread upon the minutes	oard of Edutes of the	, 20 13 , in a legally called and constituted meeting, ucation took this official action in order to authorize the meeting of this Board of Education on the above date, is through State Price Contract agreements established in
	Signed _		,	Chairman
	_		,	Secretary
	_		<u>,</u>	Superintendent
	Of			Board of Education
	Date		,	
BODY SIDE NUMBERS:	Indicate the body side number the E individual item numbers. Example:	•		ly side of each school bus. Match body side number to
	Item #8 twelve (12) each 52-pa	assenger Freightliner buses pl	us air con	nditioning, plus tinted glass, and seat belts.
	Base price \$82,556 per unit, pl	us air conditioning \$9,651 per	unit. Tota	l cost of \$ 1,106,484.
	Bus name: Jefferson County	Schools. Bus numbers shall	run from 1	<b>1415</b> through <b>1426</b> . Extended (2 year)
				rchased in conjunction with bus order.
	JCPS requires Goodyear Tires	: model 661 HSA 295/75R 22	-5 Long I	Range G Highway Tread.

ATTACH ADDITIONAL INFORMATION IF NECESSARY





#### 2014

TYPE A AND TYPE C SCHOOL BUSES JEFFERSON COUNTY PA-1

**BOARD OF EDUCATION** 

	No. To Be Purchased	Capacity	Engine & Chassis Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base		Rear axle overhang	
1		24	6.6 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	COLLINS	82"	58,798
2		22	6.6 GM, GENERAL MOTORS CORP.	155	AUTO	Н	Center rear	139"	THOMAS	74"	59,822
3		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	169"	BLUEBIRD	96"	77,990
4		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	82,021
5		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	80,756
5		52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	80,890
7		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	85,286
8	12	52	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	82,556
9		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	139 "	80,940
10		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	141"	85,967
11		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148"	83,204
12		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	139"	85,075
13		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	141"	89,471
14		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,110
15		72	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	160"	81,400
16		72	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	160"	85,375
17		72	MAXFORCE DT, INTERNATIONAL	230	2500PTS	AB	Center rear	276"	IC CORP	158"	86,078
18		72	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	158"	90,473
19		72	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148'	83,483
20		72	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,873

KEY: Engines

Transmissions and Brakes

Fuel Tank Locations

MAXFORCE DT 466CID TURBO ELECTRONIC I-6, DIESEL CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL 6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

Type A automatic 2500PTS Allison 5 speed automatic 3000PTS Allison severe service automatic

AB Air brakes Center Rear-Behind the rear axle between the frame rails Right side Attached to the right frame rail between the axles Center-Between the frame rails, between the axles





PA-1

# KENTUCKY DEPARTMENT OF EDUCATION 2012 SCHOOL BUS PURCHASE AUTHORIZATION TYPE A, TYPE C, AND TYPE D SCHOOL BUSES

Chief State School Officer	buses through the Kentucky State C to procure 2012 school buses. This ence of obligation of this Board of E	Contract price procedure s action, as spread upon	. This Board of Educate the minutes of the r	, 20_13, in a legally called and constituted meeting, cation took this official action in order to authorize the meeting of this Board of Education on the above date, through State Price Contract agreements established in
	Signed			Chairman
				Secretary
				Superintendent
	Of			Board of Education
	Date		·	
BODY SIDE NUMBERS:	Indicate the body side number the I individual item numbers. Example		-	side of <u>each</u> school bus. Match body side number to
	Item #11, twelve (12) each 66-	-passenger Freightline	r buses. Base unit	price \$83,204. Total cost \$ 998,448.
	Bus name: Jefferson County	Schools. Bus number	ers shall run from 14	427 through 1438. Extended (2 year)
	Body-Chassis bumper-to-bump	per warranties (\$650 r	oer bus) will be purc	chased in conjunction with bus order.
	JCPS requires Goodvear Tires	s: model 661 HSA 29!	5/75R 22-5 Long R	ange G Highway Tread.

ATTACH ADDITIONAL INFORMATION IF NECESSARY





#### 2014

PA-1

## TYPE A AND TYPE C SCHOOL BUSES JEFFERSON COUNTY

### **BOARD OF EDUCATION**

Item#	No. To Be	Capacity	Engine & Chassis Manufacturer	HP	Trans.	Brakes	Fuel Tank	Wheel	Body	Rear axle	le FOB KY
	Purchased				4		Location	base	Manufacturer	overhang	Price
1		24	6.6 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	COLLINS	82"	58,798
2		22	6.6 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	THOMAS	74"	59,822
3		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	169"	BLUEBIRD	96"	77,990
4		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	82,021
5		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	80,756
6		52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	80,890
7		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	85,286
8		52	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	82,556
9		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	139 "	80,940
10		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	141"	85,967
11	12	66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148"	83,204
12		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	139"	85,075
13		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	141"	89,471
14		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,110
15		72	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	160"	81,400
16		72	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	160"	85,375
17		72	MAXFORCE DT, INTERNATIONAL	230	2500PTS	AB	Center rear	276"	IC CORP	158"	86,078
18		72	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	158"	90,473
19		72	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148'	83,483
20		72	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,873

**KEY:** Engines

Transmissions and Brakes

Fuel Tank Locations

MAXFORCE DT 466CID TURBO ELECTRONIC I-6, DIESEL CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL

6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

AUTO Type A automatic 2500PTS Allison 5 speed automatic 3000PTS Allison severe service automatic

AB Air brakes

Center Rear-Behind the rear axle between the frame rails Right side Attached to the right frame rail between the axles Center-Between the frame rails, between the axles