

A 266.49



Lobo Table specifications

Lotz Armor Edge™ Tops:

The core material is 1-1/8" thick MDF (medium density fiberboard). MDF is a superior material for screw holding abilities exceeding 250 lbs., breaking strength and load tests. The back material is phenolic which prevents moisture penetration to core material. High pressure laminate is bonded to the MDF core. The edge material is Lotz Armor Edge™, a polyurea, which is extremely strong and durable. This edge will not separate from the MDF core material. Top surface choice of most Wilsonart matte finish laminates.

3mm Tops:

The core material is 1-1/8" thick particle board with a phenolic backer sheet and high pressure laminate on top. 3mm edge banding is applied to all four sides.

Epoxy Tops:

An optional 1" epoxy resin top with 1/8" eased edge is also available providing the greatest combination of physical and chemical resistance property as well as heat and flame resistance.

Lobo Frame:

The solid steel apron frame is 1" x 2", 16-gauge steel that is MIG welded using a 10-gauge reception plate with (1) 3/8" hole drilled for leg mounting with 5/16" bolt and locking washer and nut from leg. The frame has welded tabs at preset locations used for fastening the apron frame to the back of the table top. This apron frame is attached to the top prior to shipping (depending on quantity and top material ordered).

Standard 1-1/2" Diameter Legs:

The 29-1/2" fixed legs for the Lobo Series are 1-1/2" square, 14-gauge square tube with one (1) 3/8" bolt for attachment to the apron.

The adjustable leg option has a 1-1/2", 14-gauge square outside tube with two (2) holes for positive contact and safety with adjustability. The inner portion of the leg is a 1-1/4", 16-gauge square tube which is flow-drilled with tapped holes. The inner leg section is fabricated to fit into the upper leg assembly. The legs can adjust from 23-1/2" to 37-1/2", these adjustments are made through two (2) screws into the tapped holes of the lower leg. The button head machine screws are M6 allen head screws. Nylon adjustment glide with a 3/8" stud with a 1" travel path.

2" Diameter Legs:

The adjustable Lobo leg option has a 2", 14-gauge square outside tube with two (2) holes for positive contact and safety with adjustability. The inner portion of the leg is a 1-3/4", 16-gauge square tube which is flow-drilled with tapped holes. The inner leg section is fabricated to fit into the upper leg assembly. The legs can adjust from 23-1/2" to 37-1/2", these adjustments are made through two (2) screws into the tapped holes of the lower leg. The button head machine screws are M6 allen head screws. Nylon adjustment glide with a 3/8" stud with a 1" travel path.

Leg Option Designations:

- Fixed - 1-1/2" square, order -FX
- Adj. - 1-1/2" square, order -ADJ
- Adj. - 2" square Big Paw, order -ABP


Dual Wheel Casters, 2w/2wo Brakes:

- 50mm for Fixed and Adjustable Legs
- 60mm for Adjustable Big Paw Legs



SHAIN SOLUTIONS - STEEL WORKBENCH - 1-3/4" M - 60 X 3175 X 30

Item # 1295222



Classroom Select Contemporary Chair Series- 18 Seat Height- Soft Plastic Shell- Chrome Frame- Glides

Item # 1357323



Diversified Woodcrafts Oak Student Lab Table - Plastic Laminate Top - Plain Apron -
72" W x 18" D x 30" H *\$342.¹⁶*

Item # 1485678





Back to Product Family



Electric Air Compressor, 1 Stage

SPEEDAIRE

Price: \$749.50 / each

Typically in Stock
☐ Add Repair & Replacement Coverage for \$129.00 each.

Required Accessories

- ☐ Air Compressor Oil, 1 qt, 30 Product # 4ZF21 Price \$12.28
- ☐ Pad, Anti Vibration Product # 4C974 Price \$41.00

☆☆☆☆☆

Item # 4ME96 Mfr. Model # 4ME96 UNSPSC # 40151601
Catalog Page # 3996 Shipping Weight 257.0 lbs.

Country of Origin United States Of America Country of Origin is subject to change.

Technical Specs

Item	Electric Air Compressor	Tank Size	60 gal.
Compressor Type	Tank Mounted	Tank Type	Vertical
Number of Stages	1	ASME Tank	Yes
Lubrication Type	Splash Lubricated	(F)NPT Outlet	3/4"
HP	3	Pump Oil Capacity	12 oz.
Max. Pressure	135 psi	Off Pressure Switch Setting	135
Free Air CFM @ Max. Pressure	9	Motor Type	Thermally Protected
Voltage	230 1208	Overall Length	23"
Phase	1	Overall Width	25"
Amps	15	Overall Height	66"

Compliance and Restrictions

None



Back to Product Family



AC/DC TIG Welder, 5-155 A,
120/230 V, 1 Ph
LINCOLN ELECTRIC

Price: \$1,340.00 / each

Typically in Stock
☐ Add Repair & Replacement Coverage for \$199.00 each.



Item # 5JPJ6 Mfr. Model # K2605-1 UNSPSC # 23171519
Catalog Page # N/A Shipping Weight 23.41
lbs.

Country of Origin ItalyCountry of Origin is subject to change.



Technical Specs

Item	AC/DC TIG Welder
Series	Invertec
Phase	1
Output Range (Amps)	5 to 155
Rated Output	75A/23V/100%
Duty Cycle	100%
Input Voltage	120

OCV	75
Hz	50/60
Overall Height (In.)	11.3
Overall Width (In.)	6.2
Overall Depth (In.)	15.4
Includes	Stick Electrode Holder, With Cable Clamp And Plug, Adjustable Shoulder Strap, 120/230V Input Cord 6.6 ft, 120 V 15 And 20 Amp Plug

Compliance and Restrictions

None



View Product Family



TIG Welder, DC, 120-230, 1 PH, 5-150A

MILLER ELECTRIC

Price: \$1,687.00 / each

Typically in Stock

☐ AddRepair & Replacement Coverage for \$199.00 each.



Item # 5GWH2

Catalog Page # N/A

Mfr. Model # 907135

Shipping Weight 23.75 lbs.

UNSPSC # 23171519

Country of Origin United States Of AmericaCountry of Origin is subject to change.



Technical Specs

Item	TIG Welder	OCV	90 or 12-16
Type	DC	Hz	50/60
Series	Maxstar 150 STL	Overall Height (In.)	9
Phase	1	Overall Width (In.)	5-1/2
Output Range (Amps)	5 to 150	Overall Depth (In.)	13-1/4
Rated Output	150 A at 16 V	Features	Dc Inverter With Lift Arc
Duty Cycle	30%	Application	Stick, TIG
Input (Amps)	28-22	Includes	Power Source With 10 Ft Mvp Power Cord, Electrode Holder With 13 Ft Of Weld Cable, 10 Ft Work Cable With Clamp And Connectors, Shoulder Strap And Flow Thru Tig Torch Adapter.
Input Voltage	120-230		

Compliance and Restrictions

None

[Back to Product Family](#)

Plug, Industrial, 3/8 FNPT

SPEEDAIRE

Price: \$1.98 / each

Typically in Stock




Item # 30E699

Catalog Page # 3924

Mfr. Model # 30E699

Shipping Weight 0.005
lbs.

UNSPSC # 27131613

Country of Origin **China**Country of Origin is subject to change.

Technical Specs

Item	Coupler Plug	Max. Pressure (PSI)	300
Type	Industrial Interchange	Temp. Range	-40 to 250 F
Material	Steel	Seals	NBR
Finish	Nickel Plated	For Use With	Industrial Interchange Coupler
Hose Connection	(F)NPT	Weight Each (Oz.)	0.7
Connection Size NPT (In.)	3/8	Meets	ISO 6150, MIL-C-4109F
Body Size (In.)	1/4	Application	Used on End of Hose or Tool Inlet for Connection to Quick Coupler

Compliance and Restrictions

10 Each

This product contains a chemical that is regulated under California Proposition 65.

Warning: This product contains a chemical known to the State of California to cause cancer.

Warning: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.


[Back to Product Family](#)


Coupler, Industrial, 3/8 MNPT, 1/4 Body

SPEEDAIRE

Clearance Price:

\$5.65 / each

Price: \$48.40 / each

Clearance - Limited Quantity Available



Item # 2VDG7

Mfr. Model # 2VDG7

UNSPSC # 40141734

Catalog Page # N/A

Shipping Weight 0.15
lbs.

Country of Origin China Country of Origin is subject to change.

[click to call](#)
[click to chat](#)

Technical Specs

Item	Coupler Body	Max. Pressure (PSI)	300
Type	Industrial Interchange	Temp. Range	-40 to 250 F
Material	Aluminum	Seals	Buna-N
Finish	Plain	For Use With	Industrial Interchange Coupler
Hose Connection	(M)NPT	Weight Each (Oz.)	0.14
Connection Size NPT (In.)	3/8	Meets	ISO 6150
Body Size (In.)	1/4	Application	Used on End of Hose or Tool Inlet for Connection to Quick Coupler
Max. Air Flow (SCFM)	41		

Alternate Products

10 Each

Quick Coupler, 3/8 MNPT, 1/4
Body, Steel

Item # 1HUL2

LEGACY

Price: \$9.18

☐ Compare


Coupler, Industrial, 1/4 MNPT

Item # 30E609

SPEEDAIRE

Price: \$16.21

☐ Compare

Related Products



Send Orders & Correspondence
MANSFIELD FURNITURE
100 PARAGON PARKWAY
MANSFIELD, OH 44903

Toll Free Phone: (888) 388-3224
Toll Free Fax : (800) 775-8314

QUOTE

Page 1 of 1

Quote Number : 7775807276 (Ver. 1)
Effective Date : 23-JAN-2014
Expiration Date : 23-APR-2014
Account Manager : GOSSOM, JONATHAN
Phone : 502 721-5299
Email : jonathan.gossom@schoolspecialty.com
Customer No. : 406521
Ship To : SPENCER COUNTY SCHOOL DISTRICT
207 W MAIN ST
TAYLORSVILLE KY 40071-8619
Ship To Attn :
Bill To : SPENCER COUNTY SCHOOL DISTRICT
207 W MAIN ST
TAYLORSVILLE KY 40071-8619

Supplier Lead Time :
Invoice Terms : 30 NET
Free Shipping : Yes
Delivery Method : Tail Gate
Location : One Location
Installation : By Customer

Notes:

Qty	Ordered Item Number	SSI Item Number	Description	Net Price	Ext. Price
4		1295222	STEEL WORKBENCH - 1-3/4" M - 60 X 3175 X 30	542.04	2168.16
12		1485678	TABLE- PLAIN APRON-BLACK PLASTIC LAMINATE TOP-WOOD LEGS W/BOOTS-72X21X30	342.16	4105.92
12		1485712	LOBO TABLE - 24X 42X 22-36 ADJ HGT - BLACK LAMINATE-ARMOR EDGE	266.49	3197.88
36		1357323	CHAIR FOUR LEG CLASSROOM SELECT 208 CONTEMPORARY SERIES- SOFT PLASTIC SHELL 18- CHROME FRAME- SELECT SHELL COLOR- SELECT GLIDE	29.88	1075.68

Sub Total : \$10547.64
Tax : \$0.00
Shipping & Handling : \$0.00
Total : \$10547.64