# **OUTLINE SPECIFICATIONS ENERGY DESIGN CRITERIA**

District Name:	Hardin		District Code:	Facility Name:	New Highland / North Park	School Code:					
Project Name: New Highland and North Park Security Vestibule Improvements											
PROJEC	T TYPE:	Yes	No	Gross B	uilding Area (sf.)						
New Build	ling										
Addition											
Renovation	on	<b>√</b>		North	Park:1,000 sf / New Highland:	450 sf					
Provisions	s for Future	Expansion:	n/a								
Proposed	Alternates:	(1	)_n/a								
		(2					_				
		(3	)								
Describe	Describe special conditions, phasing of project and alternates, attach a supplemental sheet, if needed.										
BUILDING	G CONSTRI	JCTION CH	ARACTERISTICS:								
Description	on of Building	g Structure:									
	Foundation:	Existing									
Ev	terior Walls:	Existing									
LX	lenoi vvalis.	Existing									
Roo	of Structure:	Existing									
<b>ENERGY</b>	<b>EFFICIENT</b>	DESIGN (K	RS 157.450 and KRS	<u>157.455)</u> :							
		Energy Con	sumption "Existing" (kE	Btu/sf/yr)							
		Energy Con	sumption Target (kBtu/	/sf/yr)							
YES	NO										
		LEED Certif	fied Othe	er:							
		Designed to	meet Energy Star								
		Exceeds ASHRAE 90.1(2007) by 10% (Minimum)									
		Whole Build	ling Life Cycle Cost Ana	alysis Demon	strating Cost Effective Design						
		Lif	fe Cycle Cost Analysis	Software Use	d:		_				
If not yes	to one or r	nore of the	above, explain why.								
		Designed to	be Net-Zero								
		Designed to	be Net-Zero Ready								
Energy E	fficient Des	ign Feature	s: (See List Page 4, o	or Use Drop I	Down List)						
East / We	st Building (	Orientation	☐ YES ☐ N	IO							
Gross Ext	terior Wall A	rea (sf):			Avg. Exterior Wall R-Value:						
Gross Wi	ndow / Door	Area (sf):			Avg. Window/Door R-Value:						
Gross Ro	of Area (sf):				Avg. Roof R-Value:						
Exterior V	Vall Type:					Other:					
Roofing T	уре:					Other:					
HVAC Sys	stem Type:					Other:	Air Cooled				
Classroor	n Lighting:	A - T8 fluoresc	ent fixtures			Other:	Ductless Split Heat				
Active Da	ylighting:					Other:	Pump				
Passive D	aylighting:					Other:					
On Site E	nergy Gene	ration:				Other:					

# KENTUCKY DEPARTMENT OF EDUCATION

BG-2

702 KAR 4:160

# **OUTLINE SPECIFICATIONS ENERGY DESIGN CRITERIA**

Air Purification Systems :	YES NO								
Gray Water System :	YES 🔲 NO								
Low Water Use Fixtures : Other:	YES NO	Г							
PLUMBING:			_						
Type of Sewage Disposal:									
HEATING, VENTILATION AND AIR CONDITIONING:									
Heating Only:	Heating & Mechanical: Ventilation Only	HVAC: X A	A/C Only:						
Fuel Source/Backup (if app	plicable):								
ELECTRICAL:									
Source of Electric Power:		Lighting Intensity (fc.):							
Voltage Serving Facility:		Std. Classrooms Library/Media Ctr Science Lab							
Number of Convenience O Classrooms Library/Media Center Business Ed Family & Consumer Science Camera System:	outlets:	Science Clrm Band/Music Business Ed Shops Corridors Stairways							
SPECIAL EQUIPMENT:									
System C  Bell Clock Fire Alarm Intercom Telephone Television Computer Wireless Network Interactive White bd Voice Amplification	Conduit Only	Conduit & Wiring C	omplete with Equipment						
FIXED EQUIPMENT:									
Teacher Cabinet Student Lockers Folding Bleachers Library Furnishings Dry Food Shelves		Custodial Room Shelves Science Laboratories Family & Consumer Sci Other Other							

# KENTUCKY DEPARTMENT OF EDUCATION

702 KAR 4:160

# BG-2 OUTLINE SPECIFICATIONS ENERGY DESIGN CRITERIA

INTERIOR FINISH SCHEDULE:										
AREA	FLOOR	WAINSCOT	WALLS	CEILING						
General Office Corridors Custodial Kitchen Cafeteria Gym Showers/Locker Toilets Library/Media Cntr Classrooms Music Art Science FMD OTHER AREAS	VCT		Gyp, Painted	Acoustical, 2x2						
Miscellaneous Project Specific Features:										
Kentucky Registere	ed Architect:		Date:							
Kentucky Registere	ed Engineer:	Signature		Date:						
Board Designee or	Superintendent:	Signature		Date:						

#### **Energy Efficient Design Features Lists**

#### **Exterior Wall Type**

- A face brick, captured air space, board insulation and waterproof CMU
- B face brick, captured air space, sprayed insulation on CMU
- C face brick, captured air space, sheathing over metal insulated stud system, interior finish system
- D face brick, ICF poured concrete, interior finish system
- E other, describe

#### **Roofing Type List**

- A modified bitumen over rigid insulation
- B EPDM over rigid insulation
- C plastic single ply over rigid insulation
- D metal roofing over nailable deck with insulation
- E asphalt shingle roofing over nailable deck with insulation
- F other, describe

#### **HVAC System Type List**

- A two pipe unit ventilator system
- B water source heat pump system with air make up
- C ground source heat pump system with air make up
- D hybrid water source heat pump system with boiler/chiller and well field with air make up
- E variable refrigerant flow (VRF) with air make up
- F hybrid geothermal/variable refrigerant flow (VRF) with air make up
- G variable refrigerant volume (VRV) with air make up
- H hybrid geothermal/variable refrigerant volume (VRV) with air make up
- I chilled beam system
- J hybrid chilled beam/geothermal system
- L other

#### **Classroom Lighting List**

- A T8 fluorescent fixtures
- B T5 fluorescent fixtures
- C high energy gas fixtures
- D low voltage systems
- E other

### Active Daylight System List

- A classroom fluorescent dimming including dimming switches, ballasts and sensors
- B occupancy light control sensors
- C remote sensor bi-level lighting with no fixtures dimming
- D manual bi-level lighting with no fixture dimming
- E other
- F none

## **Passive Daylight Systems List**

- A upper classroom clerestory lighting with sloped ceiling plane
- B lower classroom clerestory lighting that does NOT require sloping the ceiling place
- C exterior light shelves
- D solar tubes without dimming
- E solar tubes with internal dimmers
- F other
- G none

## On Site Energy Generation List

- A solar water heating
- B solar electric generation (small units for demonstration or for limited areas)
- C solar electric generation (to support the entire building's energy needs)
- D wind generation (small units for demonstration or for limited areas)
- E wind generation (to support the entire building's energy needs)
- F other
- G none

For Reference

702 KAR 4:160