




1
LEVEL 1 - 1/4" STAIR A
1/4" = 1'-0"




2
LEVEL 2 - 1/4" STAIR PLAN A
1/4" = 1'-0"



3
LEVEL 1 - 1/4" STAIR PLAN B
1/4" = 1'-0"



4
LEVEL 2 - 1/4" STAIR PLAN B
1/4" = 1'-0"



5
LEVEL 1 - 1/4" ELEVATOR
1/4" = 1'-0"

STAIR, HANDRAIL & GUARDRAIL KEYNOTES

GENERAL:

1. STEEL STAIR, LANDING AND RAILING ASSEMBLIES SHALL BE DESIGNED AND FABRICATED AS REQUIRED TO MEET OR EXCEED ALL SPECIFIED AND CODE REQUIREMENT DESIGN LOADINGS.

2. EXTEND ALL HANDRAILS 1 TREAD LENGTH BEYOND BOTTOM RISER AND 12" HORIZ. BEYOND TOP RISER AT STAIR LOCATIONS.

COMPONENTS:

STRINGERS:

1 12x2x1/4" STRINGER, CLOSE OPEN ENDS W/ 1/8" STEEL PLATE.

LANDINGS:

2 3" CONC. FILL ON 12 GA. STEEL PAN.

LANDING SUPPORT:

3 L 4x4x1/4" @ 24" O.C. INTERMEDIATE SUPPORT @ LANDINGS

3A L 4x6x1/2 (LLV) X 10'-4" LONG SEAT ANGLE WELD TO STAIR STRINGER, PROVIDE 5/8" A.B. IN TOP OF CMU WALL

3B 3'x3'x1/4" STEEL ANGLE LANDING SUPPORT.

TREADS:

4 2 1/2" CONC. FILL ON 12 GA. STEEL PAN.

HANDRAIL:

5 1 1/4" STANDARD STEEL PIPE HANDRAIL W/ WALL BRACKETS, RETURN TO WALL AT ENDS AND CLOSE ENDS OF RAILING. INSTALL AT 36" ABOVE NOSINGS. EXTEND 1'-0" HORIZONTALLY AT TOP AND (1) TREAD LENGTH DIAGONALLY AT THE BOTTOM.

TREAD / RISER PANS:

6 12 GA. STEEL PAN. PROVIDE PROFILE SHOWN ON FA/2.4

TREAD / RISER PAN SUPPORTS:

7 1 1/2" x 1 1/2" x 1/8" STL ANGLE WELD TO STRINGERS AS REQUIRED TO RECEIVE PANS.

STAIR AND LANDINGS RAILINGS:

8A 1 1/2" STANDARD STL PIPE VERT. SUPPORTS: WELD TO 12x2 TS @ 4'-0" O.C. MAX. (EQ. SPACING).

8B 1 1/2" STANDARD STL PIPE RAIL CONT.

8C 1/4" x 5/8" STL. CHANNEL FRAME.

8D 9 GA. 1x1 WELDED WIRE FABRIC, TACK WELD TO 5/8" STL. CHANNEL.

FINISHES:

FIELD PAINT ALL EXPOSED STEEL COMPONENTS WITH SPECIFIED COATING OVER SHOP APPLIED PRIMER. PROVIDE LANDING, TREAD AND NOSING FINISHES INDICATED ON ROOM FINISH GROUPS.

NOTE: PROVIDE STEEL REINFORCING ANGLES AT ALL STAIR LANDINGS AS REQUIRED PER STAIR MANUF. STANDARDS.

GENERAL NOTES

- REFER TO MECH. ELEC. DRAWINGS FOR SPECIFIC NOTES REGARDING MECH/ELEC ITEMS NOT SHOWN ON THIS SHEET.
- REFER TO ROOF PLAN AND MECH DRAWINGS FOR ADDITIONAL INFORMATION REGARDING WORK AT ROOF.
- REFER TO SHEET N-1 FOR GENERAL NOTES AND PARTITION TYPES.
- REFER TO DETAILS ON SHEET AB.1 FOR TYPICAL WALL INTERSECTION DETAILS.
- REFER TO SHEET A2.2 FOR TOILET ACCESSORY SCHEDULE.

KEYNOTES


NOTE: NOT ALL KEYNOTES MAY APPLY TO THIS SHEET.

- LINE OF GYP. BOARD SOFFIT ABOVE. REFER TO REFLECTED CEILING PLANS.
- MASONRY BENCH. REFER TO DETAIL XXX.
- LINE OF LINTEL ABOVE (PAINT). REFER TO REFLECTED CEILING PLAS AND STRUCT. DWGS.
- PAINTED STEEL TUBE & PIPE GUARDRAIL. REFER TO DETAIL XXX.
- FIXED INDUSTRIAL LADDER TO ROOF. REFER TO DETAIL XXX.
- REFER TO SITE DWGS. FOR CONC. WALKS, STOOPS, ETC.
- CEILING MOUNTED PROJECTOR (N.I.C.) AND CLG. MTD. BRACKET (IN CONTRACT) FOR ASSOCIATED ACTIVE BOARD. REFER TO REFLECTED CEILING PLANS FOR LOCATIONS AND ELECTRICAL DRAWINGS FOR REQUIREMENTS.
- OVERHEAD COILING DOOR ABOVE. REFER TO DETAIL XXX.
- 4x6 WALL MOUNTED ACTIVE BOARD N.I.C.. REFER TO ELECTRICAL DWGS.
- ACTIVE BOARD SHELF N.I.C. - BY OWNER.
- PRE-FIN. EXTERIOR MECH. LOUVER. REFER TO BUILDING ELEVATIONS, MECH. DRAWINGS, AND DETAIL DA0.3.
- BASKETBALL GOAL ABOVE. REFER TO SPECS. ALL EXPOSED BLKG. REQUIRED FOR GOAL ATTACHMENT SHALL BE PAINTED TO MATCH ADJACENT WALL COLOR.
- LINE OF BLEACHERS FULLY EXTENDED. N.I.C. UNDER SEPARATE CONTRACT PACKAGE.
- LINE OF BLEACHERS IN RETRACTED POSITION. N.I.C. UNDER SEPARATE CONTRACT PACKAGE.
- KILN & ENCLOSURE - N.I.C.
- WALL MOUNTED FACULTY MAILBOXES. REFER TO DETAIL CA1.3.
- RECESSED HANDLE LOCKERS. REFER TO BASE DETAIL D/F51.1.
- PROVIDE 5/8" GYP. BD. ADHERED TO CONCRETE OR MASONRY. REFER TO WALL PARTITION TYPES, SHEET AU.1.
- RECESSED FLOOR SLAB BELOW COOLER & FREEZER. REFER TO DETAIL C/F5.1. AND STRUCT. DWGS. FOR DETAILS.
- FURNITURE, EQUIPMENT, OR STORAGE UNITS - N.I.C.
- LINE OF PRE-MANUF. CANOPY ABOVE. REFER TO DTL. FA1.4.
- COMPUTER STATION. N.I.C.
- LINE OF WALL MOUNTED EXT. SUNSHADE SYSTEM ABOVE. REFER TO PLANS, ELEVATIONS, DETAILS (SHT. AS.2-5-4) & SPECIFICATIONS.
- LINE OF WALL MOUNTED INTERIOR LIGHTSHELF ABOVE.
- EDGE OF RAISED PLATFORM. REFER TO DETAIL JA4.1.
- WALL MOUNTED HANDRAIL. REFER TO DTL. EA2.3.
- 16'-0" WIDE ATHLETIC WALL PADS. REFER TO SPECIFICATIONS.
- ROOF/CANOPY BELOW. REFER TO ROOF PLAN, SHEET A1.5.
- 8'-0" WIDE ATHLETIC WALL PADS. REFER TO SPECIFICATIONS.
- LINE OF LINTEL ABOVE. COORD. HEIGHT W/ KITCHEN EQUIP. MFR.
- LINE OF FLOOR TRANSITION STRIP. REFER TO DETAILS SHT. AS.1.
- COILING COUNTER SHUTTER. REFER TO DETAIL B/F51.1.
- STRUCT. STL. COLUMN. REFER TO STRUCT. DWGS. (PAINT)
- LINE OF WALL BELOW
- STRUCTURAL SEPARATION AT FIREWALL - 3/8" COLD JOINT WITH BACKER ROD AND SEALANT - BOTH SIDES & FULL HEIGHT OF WALL. DO NOT TIE ADJACENT CMU, ICF, OR METAL STUD WALLS TO FIRE WALL.
- LOCATION OF WALL MOUNTED LCD TV BRACKET. 46" LCD TV SCREEN / DISPLAY (N/C). PROVIDE PEELLESS SMARTMOUNT ARTICULATING ARM, MODEL # SA725P1, OR APPROVED EQUAL, FOR 46" LCD TV's. MOUNT TO RESULT IN LOWEST COMPONENT OF TV OR BRACKET TO BE 6'-8" A.F.F. (CONFIRM LOCATION WITH OWNER). REFER TO GENERAL NOTES ON SHEET A0.1 FOR REINFORCING / BLOCKING REQUIRED. REFER TO ELECTRICAL DRAWINGS FOR ADDITIONAL ROUGH-IN / REQUIREMENTS.
- FLOOR EXPANSION JOINT AND COVER - REFER TO DTL. PA4.4.
- FUTURE ELECTRONIC MESSAGE BOARD - REFER TO ELECTRICAL DRAWINGS FOR ROUGH-IN / ADDITIONAL REQUIREMENTS.
- LIGHT FIXTURE ABOVE - REFER TO ELEC. DWGS.
- SCOREBOARD ABOVE (N.I.C.). REFER TO ELECTRICAL DWGS. FOR REQUIREMENTS.
- MARBLE THRESHOLD - REFER TO SHEET AS.1.
- CAST STONE SILL - REFER TO SHEET AS.2, AND JA5.3.

SYMBOLS LEGEND

- ROOM FINISH GROUPS (REFER TO SHEET N-1)
- ROOM NUMBER
- DOOR NUMBER (DOOR SCHEDULE SHEET AB.1)
- NEW WORK KEY NOTES (SHEETS A1.1 THROUGH A2.2)
- WALL TYPE (SCHEDULE SHEET N-1)
- ALUMINUM OR HOLLOW METAL WINDOW OR STOREFRONT TYPE (REFER TO FLOOR PLANS AND SCHEDULE SHEETS AB.1-AB.2)
- TOILET ACCESSORIES (SCHEDULE SHEET A2.2)
- ELEVATION KEY NOTE (SHEET AS.1)
- ROOF KEY NOTE (SHEET A4.1)
- CEILING PLAN KEY NOTE (SHEETS A7.1-A7.3)
- SIGNAGE KEY NOTE (SHEETS A9.1-A9.3)
- ROOM / WALL DESIGNATION
 - FBI 1 HOUR FIRE BARRIER
 - FBI 2 HOUR FIRE BARRIER
 - SO INCIDENTAL USE SEPARATION
- CONTROL JOINT. REFER TO A1.1 - A1.3 FOR LOCATIONS. REFER TO EXTERIOR ELEVATIONS FOR EXTERIOR LOCATIONS.

KEY PLAN



JOB NO.	1429
DATE	DEC 2, 2014
DRAWN	Author
CHECKED	Checker

COPYRIGHT © 2015
SHERMAN CARTER BARNHART
ARCHITECTS, PLLC

REVISIONS		
No.	Description	Date

SHEET

A2.4