## June 6, 2017

## MADISON COUNTY SCHOOL DISTRICT DISTRCT FACILITIES PLAN HEARING REPORT\*

A public hearing was held at the Madison County Board of Education on Tuesday, June 6, 2017, at 6pm (local time). The purpose of the public hearing was to propose a new District Facility Plan developed by the Madison County Local Planning Committee. The Local Planning Committee (LPC) voted 16-0 in favor of the proposed new plan and the Board voted 5-0 to approve the new plan.

There were zero individuals in attendance. Dr. Dustin Brumbaugh, Director of Human Resources, served as the locally-appointed hearing office.

## **COMMENTS**

The hearing officer outlined the purpose of the hearing and the hearing procedures in accordance with 702 KAR 1:001. It was explained that those persons wishing to speak would be given the opportunity and that written statements would be accepted. All considerations will be made available to the Kentucky Board of Education via the hearing officer's report. The hearing officer read the proposed new District Facility Plan which includes: changes to the Berea Area Technology Center, an addition of an Area Technology Center in Richmond, an additional of a new elementary school in Richmond, minor additions to current facilities, and the addition of a multi-purpose facility in Richmond and Berea.

The floor was opened to those who wished to make a statement.

## RECOMMENDATIONS

It is recommended that the new District Facility Plan developed by the Madison County Local Planning Committee and adopted by the Madison County Board of Education be approved as the District Facility Plan for the Madison County School District. A copy of the new plan is attached.

Respectfully submitted,

Dr. Dustin Brumbaugh

Director of Human Resources

Madison County Schools

cc: Ja

James Bauman, Architect

Tim Lucas, Architect Public Hearing Agenda

Planning File

Attachments: Madison County School District Facility Plan

\*This document is presented to KDE as submitted by the district-appointed hearing officer.