


1 OVERALL FIRST FLOOR - WATER BOTTLE FILLING STATION PLAN - KDE REFERENCE ONLY

SCALE: 1/16"=1'-0"

0 6' 12' 30'



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT ALL PERMITS AND APPROVALS ARE OBTAINED PRIOR TO COMMENCING WORK.

BY ACE

DATE 01/07/2021

SET CLIENT REVIEW



REVISION DESCRIPTION

Δ DDDMM/YYYY REVISION DESCRIPTION



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42334
CONTRACT 20200821


DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO BUILDING OFFICIALS AND CONTRACTORS WITH THE INTENT OF CONSTRUCTING NAMED PROJECT IS PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO THE DESIGN INTENT ESTABLISHED BY THE COMPLETE SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE SOLE PROPERTY OF DECO ARCHITECTS UNLESS EXPRESSLY TRANSFERRED THROUGH WRITTEN CONTRACT.

WATER BOTTLE FILLING
STATION PLAN

G-2.00

PLUMBING



ELKAY Elkay EZH2O Bottle Filling Station & Versatile Bi-Level ADA Cooler
SPECIFICATIONS Filtered 8 GPH Light Gray
Model LZSTL8WSLK

PRODUCT SPECIFICATIONS
Elkay ezH2O® Bottle Filling Station & Versatile Bi-Level ADA Cooler, Filtered 8 GPH Light Gray. Chilling Capacity of 8.0 GPH (gallons per hour) of 50° F drinking water, based on 80° F inlet water and 90° F ambient, per ASHRAE 18 testing. Features shall include Hands Free, Visual Filter Monitor, Filtered, Green Ticker™, Laminar Flow, Antimicrobial, Real Drain. Furnished with Flexi-Guard® Safety Bubbler. Electronic Bottle Filler Sensor With Electronic Front And Side Bubbler Pushbar activation. Product shall be Wall Mount (On Wall), for indoor applications, serving 2 station(s). Unit shall be certified to UL 399 and CAN/CSA C22.2 No. 120. Unit shall be lead-free design which is certified to NSF/ANSI 61 & 372 (lead free) and meets Federal and State low-lead requirements.

| | |
|---------------------------------|---|
| Special Features: | Hands Free, Visual Filter Monitor, Filtered, Green Ticker™, Laminar Flow, Antimicrobial, Real Drain |
| Finish: | Light Gray Granite |
| Power: | 115V/60Hz |
| Bubbler Style: | Flexi-Guard® Safety Bubbler |
| Activation by: | Electronic Bottle Filler Sensor With Electronic Front And Side Bubbler Pushbar |
| Mounting Type: | Wall Mount (On Wall) |
| Chilling Option*: | 8.0 GPH |
| Full Load Amps | 8 |
| Rated Watts: | 370 |
| Dimensions (L x W x H): | 36-3/4" x 19" x 38-1/16" |
| Approx. Shipping Weight: | 104 lbs. |
| Installation Location: | Indoor |
| No. of Stations Served: | 2 |

*Based on 80° F inlet water & 90° F ambient air temp for 50° F chilled drinking water.
Special Note: *Coming soon: The Elkay ezH2O you know and love is getting a fresh look, as shown here. In stock models may have prior logo design.
• Visual Filter Monitor: LED Filter Status Indicator for when filter change is necessary.
• Filter is certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction, 3,000 gal. capacity.
• Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
• Laminar flow provides clean fill with minimal splash.
• Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
• Real Drain System eliminates standing water.


PART: _____ QTY: _____
PROJECT: _____
CONTACT: _____
DATE: _____
NOTES: _____
APPROVAL: _____



AMERICAN PRIDE: A LIFETIME TRADITION.
Like you & family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.

Included with Product: Water Cooler (LZSTL8WSLK), Bottle Filler (LZWSR), Filter

▼ Ships in multiple boxes.
PRODUCT COMPLIANCE
ADA & ICC A117.1
ASME A112.19.3/CSA B45.4
Buy American Act
CAN/CSA C22.2 No. 120
GreenSpec®
NSF/ANSI 42, 53, 61, & 372 (lead free)
UL 399



5 Year Limited Warranty on the refrigeration system of the unit. Electrical components and water system are warranted for 12 months from date of installation. Warranty pertains to drinking water applications only. Non-drinking water applications are not covered under warranty.

OPTIONAL ACCESSORIES

| |
|---|
| 51303C - WaterSentry Plus Replacement Filter (Bottle Filters) |
| LKAPREZ - Elkay Came Apron for EZ Gray |
| MLP200 - Accessory - In Wall Carrier (Bi-Level) for bi-level EZ, LZ, EMABF, LMABF, VRC, LVRC models |
| 88551C - WaterSentry Filter Mounting Cover (Gray Granite) |

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other products' offerings, be certain these features are not overlooked.
Elkay REV 07/162019 2222 Camden Court © 2019 Page 1
LZSTL8WSLK Oak Brook, IL 60053 LZSTL8WSLK_spec.pdf

DRINKING FOUNTAIN CALCULATIONS

OCCUPANCY ESTIMATE = 380
REQUIREMENTS:
- 2 WATER BOTTLE FILLING STATION MIN.
- 1 DRINKING FOUNTAIN OR BOTTLE FILLING STATIONS PER 75 STUDENTS.

489 PEOPLE / 75 FOUNTAINS = 7 DRINKING FOUNTAINS.


EXISTING PLAN:
- 3 EXISTING WATER BOTTLE FILLING STATION
- 5 BI-LEVEL WATER COOLERS WHICH EQUALS A TOTAL OF 8 WATER COOLERS.

PLUMBING LEGEND

BI-LEVEL BOTTLE FILLER / DRINKING FOUNTAIN COMBO. WITH FILTERED REFRIGERATED WATER DISPENSING OUT A PROTECTIVE COWL.
REGULAR BI-LEVEL DRINKING FOUNTAIN. WITH FILTERED REFRIGERATED WATER DISPENSING OUT A PROTECTIVE COWL.

ACCEPTABLE MANUFACTURERS: ELKAY, OASIS, & HAWS

***ALL DRINKING FOUNTAINS AND BOTTLE FILLERS HAVE BEEN INSTALLED BY OWNER.
***FOR KY DEPARTMENT OF EDUCATION USE ONLY



AREA OF PAVEMENT TO BE REPAIRED.
AREA APPROX. 909 SQ. FT.
CONTRACTOR TO:

- SAW CUT EDGES OF REPAIR AREA
- MILL APPROX. 9.5 INCHES
- APPLY BACK 6" DGA
- APPLY 2" ASPHALT BASE
- APPLY 1.25" OF ASPHALT SURFACE

AREA OF PAVEMENT TO BE REPAIRED.
AREA APPROX. 1,998 SQ. FT.
CONTRACTOR TO:

- SAW CUT EDGES OF REPAIR AREA
- MILL APPROX. 9.5 INCHES
- APPLY BACK 6" DGA
- APPLY 2" ASPHALT BASE
- APPLY 1.25" OF ASPHALT SURFACE

AREA OF PAVEMENT TO BE REPAIRED.
AREA APPROX. 502 SQ. FT.
CONTRACTOR TO:

- SAW CUT EDGES OF REPAIR AREA
- MILL APPROX. 9.5 INCHES
- APPLY BACK 6" DGA
- APPLY 2" ASPHALT BASE
- APPLY 1.25" OF ASPHALT SURFACE

AREA OF PAVEMENT TO BE RESEALED AND RESTRIPED APPROX. 9,980 SQ. YDS.
CONTRACTOR TO:

- CLEAN AND FILL CRACKS AS REQUIRED USING ASPHALTIC CRACK AND JOINT COMPOUND
- ALL AREAS OF PETROLEUM SATURATION SHALL BE BURNED, SCRAPPED - USING A STEEL BRISTLED STREET BROOM - AND COATED WITH OILSPOT PRIMER
- THE PAVEMENT SHALL BE THOROUGHLY CLEANED TO REMOVE ALL DIRT AND DEBRIS
- APPLY STAR-SEAL OR EQUAL COAL TAR EMULSION WHICH MEETS AND EXCEEDS ALL THE REQUIREMENTS OF THE U.S. AIR FORCE, FAA AND FEDERAL GOVERNMENT SPECIFICATION RP 355E (GSA-FSS), IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS. THE FINISHED COATING SHALL REPRESENT A COVERAGE RATE OF .18 GALLONS PER SQUARE YARDS PER GALLON.
- SILICA SAND OR GRADED BOILER SLAG ADDED PER GALLON OF MATERIAL
- APPLY 1,940 LF OF 4" WHITE LINES
- APPLY 250 LF YELLOW CURB
- APPLY (4) ARROWS
- APPLY (3) ADA STENCILS

AREA OF PAVEMENT TO BE REPAIRED.
AREA APPROX. 8,139 SQ. FT.
CONTRACTOR TO:

- SAW CUT EDGES OF REPAIR AREA
- MILL APPROX. 9.5 INCHES
- APPLY BACK 6" DGA
- APPLY 2" ASPHALT BASE
- APPLY 1.25" OF ASPHALT SURFACE

AREA OF PAVEMENT TO BE REPAIRED.
AREA APPROX. 2,295 SQ. FT.
CONTRACTOR TO:


- SAW CUT EDGES OF REPAIR AREA
- MILL APPROX. 9.5 INCHES
- APPLY BACK 6" DGA
- APPLY 2" ASPHALT BASE
- APPLY 1.25" OF ASPHALT SURFACE

AREA OF PAVEMENT TO BE REPAIRED.
AREA APPROX. 5,516 SQ. FT.
CONTRACTOR TO:

- SAW CUT EDGES OF REPAIR AREA
- MILL APPROX. 9.5 INCHES
- APPLY BACK 6" DGA
- APPLY 2" ASPHALT BASE
- APPLY 1.25" OF ASPHALT SURFACE



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

BY J. SEWELL
DATE 01/07/2021
SET CLIENT REVIEW



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| 1 | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |

SITE
SEWELL INSPECTIONS
TESTING AND ENGINEERING
PO BOX 2246
NASHVILLE, TN 37202
PHONE (270) 779-3161

SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.


COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

PAVEMENT
REPAIRS &
IMPROVEMENTS

C-7.00

CIVIL




1 FLOOR PLAN - FIRST FLOOR
1/16" = 1'-0"

KEY PLAN - OVERALL



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

BY FAB,CLP

DATE 01/07/2021

SET CLIENT REVIEW



REVISION DESCRIPTION

X DDMMYYYY REVISION DESCRIPTION

| REVISION | DESCRIPTION |
|----------|-------------------------------|
| X | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.
THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

FIRST FLOOR PLAN

D100

ARCHITECTURAL



PRELIMINARY:
NOT FOR
CONSTRUCTION

DESIGN PROFESSIONAL

PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
(IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.)

BY
FAB,CLP

DATE
01/07/2021

SET
CLIENT REVIEW

SD

DD

CD

REVISION

DESCRIPTION

X

DDMMYYYY

REVISION DESCRIPTION

DECO
ARCHITECTS

Somerset, Kentucky
(606)687 - 9233
www.decoarchitects.co

SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020

4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.


COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.


ENLARGED AREA A & B

D101


ARCHITECTURAL



ENLARGED - AREA D



ENLARGED - AREA C



PLAN REVIEWER
IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | FAB,CLP |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| X | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |




**SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020**
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.
THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.



ENLARGED AREA C & D

D102


ARCHITECTURAL




ENLARGED - AREA F



ENLARGED - AREA E



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | FAB,CLP |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| X | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020

4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234

CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.

COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

ENLARGED AREA E & F

D103

ARCHITECTURAL

ELECTRICAL LEGEND - LIGHTING

| SYMBOL | DESCRIPTION |
|-----------------------------------|---|
| | CEILING OUTLET AND LIGHTING FIXTURE AS SCHEDULED. |
| | CEILING OUTLET AND LIGHTING FIXTURE AS SCHEDULED. |
| | CEILING OUTLET AND LIGHTING FIXTURE AS SCHEDULED. |
| | REMOTE HEAD, CONTROLLED BY EXIT LIGHT. |
| | CEILING OUTLET AND LIGHTING FIXTURE AS SCHEDULED. |
| | WALL OUTLET AND LIGHTING FIXTURE AS SCHEDULED. |
| | WALL MOUNTED EMERGENCY LIGHT AS SCHEDULED. |
| | WALL OUTLET AND LIGHTING FIXTURE AS SCHEDULED. |
| | SYMBOL INDICATES FIXTURE TYPE WHEN SHOWN ON LIGHTING PLANS ADJACENT TO FIXTURE SYMBOL. REFER TO LIGHTING FIXTURE SCHEDULE FOR FIXTURE REQUIREMENTS. |
| S_a | OUTLET BOX AND 20-AMP, SINGLE-POLE SWITCH. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. SUB-TEXT INDICATES CIRCUIT SWITCHED. |
| S_{3a} | OUTLET BOX AND 20-AMP, THREE-WAY SWITCH. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. SUB-TEXT INDICATES CIRCUIT SWITCHED. |
| S_{4a} | OUTLET BOX AND 20-AMP, FOUR-WAY SWITCH. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. SUB-TEXT INDICATES CIRCUIT SWITCHED. |
| S_a^D | OUTLET BOX AND 20-AMP, SINGLE-POLE DIMMER SWITCH. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. SUB-TEXT INDICATES CIRCUIT SWITCHED. |
| S_a^{3D} | OUTLET BOX AND 20-AMP, THREE-WAY DIMMER SWITCH. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. SUB-TEXT INDICATES CIRCUIT SWITCHED. |
| | OUTLET BOX AND 20-AMP, COMBINATION SWITCH AND OCCUPANCY SENSOR. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. OTHER TEXT INDICATES SWITCH CONFIGURATION AND CIRCUIT SWITCHED AS OTHER NON-OCCUPANCY SENSOR SWITCHES. |
| S_{xxD} | OUTLET BOX AND 10-AMP, COMBINATION SWITCH AND LOW-VOLTAGE (0-10V) DIMMER. MOUNT AT 46 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. LOCATE WITHIN 12 INCHES OF STRIKE SIDE OF DOOR, UNLESS NOTED OTHERWISE. OTHER TEXT INDICATES SWITCH CONFIGURATION AND CIRCUIT SWITCHED AS OTHER NON-DIMMER SWITCHES. |
| | CEILING-MOUNT OCCUPANCY SENSOR. THE LETTER(S) DESIGNATION ADJACENT TO THE SYMBOL (IF SHOWN) INDICATE SWITCHING ZONES TO BE CONTROLLED BY THE SENSOR. IF A LETTER DESIGNATION IS NOT SHOWN, THE SENSOR SHALL CONTROL ALL LIGHTING FIXTURES WITHIN THE ROOM. |
| | WALL-MOUNT OCCUPANCY SENSOR. THE LETTER(S) DESIGNATION ADJACENT TO THE SYMBOL (IF SHOWN) INDICATE SWITCHING ZONES TO BE CONTROLLED BY THE SENSOR. IF A LETTER DESIGNATION IS NOT SHOWN, THE SENSOR SHALL CONTROL ALL LIGHTING FIXTURES WITHIN THE ROOM. |

ELECTRICAL LEGEND - TELCOM

| SYMBOL | DESCRIPTION |
|--------|---|
| | VOICE/DATA OUTLET. MOUNT OUTLET BOX AT 18 INCHES A.F.F. TO CENTER (EVEN WITH ADJACENT RECEPTACLE IF PRESENT) OR 8 INCHES ABOVE COUNTER OR COUNTER BACKSPASH TO CENTER, UNLESS NOTED OTHERWISE. PROVIDE 1 INCH CONDUIT WITH PULLSTRING FROM OUTLET BOX TO NEAREST ACCESSIBLE CEILING CAVITY. BUSH CONDUIT ENDS. OUTLET BOX SHALL BE 4 INCH SQUARE BY 2-3/4 INCH DEEP WITH A SINGLE GANG PLASTER RING, UNLESS NOTED OTHERWISE. "W" TEXT ADJACENT TO SYMBOL DENOTES WALL PHONE LOCATION (MOUNT AT 56 INCHES A.F.F. TO CENTER). WHERE SHOWN ADJACENT TO A POWER RECEPTACLE, INSTALL OUTLET AT SAME HEIGHT, WITHIN 6 INCHES OF RECEPTACLE, UNLESS OTHERWISE NOTED. |
| | VIDEO MONITOR OUTLET. MOUNT OUTLET BOX AT 18 INCHES A.F.F. TO CENTER (EVEN WITH ADJACENT RECEPTACLE). PROVIDE 1 INCH CONDUIT FROM OUTLET BOX TO NEAREST ACCESSIBLE ATTIC SPACE. BUSH CONDUIT ENDS. OUTLET BOX SHALL BE 4 INCH SQUARE BY 2-3/4 INCH DEEP WITH A SINGLE GANG PLASTER RING, UNLESS NOTED OTHERWISE. |
| | CEILING MOUNTED COMMUNICATIONS OUTLET BOX FOR WIRELESS ACCESS POINT. OUTLET BOX SHALL BE FOUR INCHES WITH A SINGLE GANG PLASTER RING. |

ELECTRICAL LEGEND - POWER

| SYMBOL | DESCRIPTION |
|-----------------|---|
| | WALL OUTLET WITH 20A, 125V DUPLEX RECEPTACLE. MOUNT 18 INCHES ABOVE FINISHED FLOOR TO TO CENTER, UNLESS NOTED OTHERWISE. |
| | WALL OUTLET WITH 20A, 125V DUPLEX RECEPTACLE. MOUNT 48 INCHES ABOVE FINISHED FLOOR TO TO CENTER, OR 8 INCHES ABOVE COUNTER OR COUNTER BACKSPASH TO CENTER, UNLESS NOTED OTHERWISE. |
| | CEILING MOUNTED OUTLET WITH 20A, 125V DUPLEX RECEPTACLE. |
| | WALL OUTLET WITH 20A, 125V DOUBLE-DUPLEX RECEPTACLE. MOUNT 18 INCHES ABOVE FINISHED FLOOR TO CENTER, UNLESS NOTED OTHERWISE. |
| | WALL OUTLET WITH 20A, 125V DOUBLE-DUPLEX RECEPTACLE. MOUNT 48 INCHES ABOVE FINISHED FLOOR TO TO CENTER, OR 8 INCHES ABOVE COUNTER OR COUNTER BACKSPASH TO CENTER, UNLESS NOTED OTHERWISE. |
| | WALL OUTLET WITH SIMPLEX RECEPTACLE AS NOTED ON POWER PLANS. |
| | FLOOR OUTLET WITH DUPLEX RECEPTACLE AND 2 PORT DATA OUTLET. |
| | FLOOR OUTLET WITH DOUBLE-DUPLEX RECEPTACLE AND 2 PORT DATA OUTLET. |
| GFCI | SYMBOL INDICATES GROUND FAULT CIRCUIT INTERRUPTER TYPE RECEPTACLE WHEN SHOWN ADJACENT TO RECEPTACLE SYMBOL ON PLANS. |
| WP | SYMBOL INDICATES WESTHER-PROOF WHILE-IN-USE TYPE ENCLOSURE WHEN SHOWN ADJACENT TO RECEPTACLE SYMBOL ON PLANS. |
| 1,3,5.... | NUMBER TEXT INDICATES CIRCUIT NUMBERS WHEN SHOWN ADJACENT TO SYMBOLS ON PLAN. |
| a,b,c.... | LOWER-CASE LETTER TEXT INDICATES CIRCUIT SWITCHING ARRANGEMENT WHEN SHOWN WITHIN OR ADJACENT TO SYMBOLS ON PLAN. |
| +48" | NUMBER TEXT INDICATES MOUNTING HEIGHT ABOVE FINISHED FLOOR TO CENTER OF OUTLET BOX WHEN SHOWN ADJACENT TO SYMBOLS ON PLAN. |
| | WALL-MOUNT JUNCTION BOX AS NOTED ON PLANS. |
| | CEILING-MOUNT JUNCTION BOX AS NOTED ON PLANS. |
| | JUNCTION BOX WITH PHOTO EYE. |
| | WALL-MOUNT PUSH BUTTON FOR ADA DOORS. MOUNTED AT ADA REQUIRED HEIGHTS. |
| 30A/3 NEMA 3R | NON-FUSIBLE DISCONNECT SWITCH. TEXT INDICATES AMP AND ENCLOSURE RATINGS. |
| 30A/3 NEMA 3R | FUSIBLE DISCONNECT SWITCH. TEXT INDICATES AMP AND ENCLOSURE RATINGS. |
| PHASE CONDUCTOR | CIRCUIT. NUMBER OF CROSSBARS INDICATE QUANTITY OF CONDUCTORS REQUIRED. MINIMUM CONDUIT SIZE SHALL BE 3/4 INCH TRADE SIZE. MINIMUM CONDUCTOR SIZE SHALL BE #12 AWG. |
| LP1-1,3,5 | HOME RUN TO PANEL. NUMBER OF ARROW HEADS INDICATES NUMBER OF CIRCUITS. PREFIX INDICATES PANEL NOMENCLATURE. NUMBERS INDICATE CIRCUIT NUMBERS. |

ACCESS CONTROL LEGEND

| DESCRIPTION | MOUNTING | QTY |
|--|---------------------------------|-----|
| [WL] WIRELESS LOCKSET | REPLACE CURRENT LOCKSET | 48 |
| [PIM] PANEL INTERFACE MODULE FOR WIRELESS LOCKSET | SURFACE MOUNT ABOVE CEILING | 16 |
| [CR] CARD READER | SINGLE GANG 44" TO BOTTOM AFF | 12 |
| [EL] ELECTRONIC DOOR HARDWARE | NA | 12 |
| [RX] REQUEST TO EXIT DEVICE | SINGLE GANG ABOVE DOOR HEADER | 12 |
| [DPS] DOOR POSITION SWITCH | 3/4" HOLE IN FRAME AND DOOR | 22 |
| [PS] DOOR POWER SUPPLY | SURFACE MOUNT 48" TO BOTTOM AFF | 2 |
| [ACH] ACCESS CNTROL HEADEND | SURFACE MOUNT 48" TO BOTTOM AFF | 1 |

CCTV LEGEND

| DESCRIPTION | MOUNTING | QTY |
|--|----------------------------|-----|
| [C<] OUTDOOR BULLET CAMERA - 5MP | SURFACE MOUNT BOX INCLUDED | 15 |
| C< INDOOR DOME CAMERA - 5MP | CEILING MOUNT | 31 |
| <C< FISHEYE CAMERA - 12MP | CEILING MOUNT | 2 |
| [NVR] VMS SERVER - HDD AND CHANNELS TO ACCOMADATE ALL CAMERAS | RACK MOUNT | 1 |

FIRE ALARM LEGEND


| DESCRIPTION | MOUNTING | QTY |
|---|----------------------------------|-----|
| [S] PHOTO ELECTRIC SMOKE DETECTOR | REPLACE CURRENT | 1 |
| [H<] AUDIO VISUAL NOTIFICATION DEVICE | REPLACE CURRENT | 24 |
| [S<] VISUAL NOTIFICATION DEVICE | REPLACE CURRENT | 2 |
| [WF] SPRINKLER WATERFLOW MONITOR | REPLACE CURRENT | 1 |
| [TS] SPRINKLER TAMPER VALVE MONITOR | REPLACE CURRENT | 1 |
| [MM] KITCHEN HOOD MONITOR MODULE | REPLACE CURRENT | 1 |
| [F] MANUAL PULL STATION | REPLACE CURRENT | 14 |
| [FACP] ADDRESSABLE FIRE ALARM CONTROL PANEL | REPLACE CURRENT | 1 |
| [PWR] NOTIFICATION DEVICE POWER SUPPLY | REPLACE CURRENT | 1 |
| [ANN] ANNUNCIATOR PANEL | REPLACE CURRENT | 1 |
| [H<] NEW LOCATION - AUDIO VISUAL NOTIFICATION DEVICE | SINGLE GANG 80-96" TO BOTTOM AFF | 11 |
| [S<] NEW LOCATION - VISUAL NOTIFICATION DEVICE | SINGLE GANG 80-96" TO BOTTOM AFF | 67 |
| [H<] NEW LOCATION - RATE OF RISE/FIXED TEMP HEAT DETECTOR | SINGLE GANG CEILING MOUNT | 2 |

PA SYSTEM LEGEND

| DESCRIPTION | MOUNTING | QTY |
|--|---------------------------------|-----|
| [INT] INTERCOM HEADEND - REPLACE WITH QUANTITY OF ZONES AND AMPLIFIERS TO ACCOMODATE SYSTEM. MINIMUM 64 ROOM POINTS WITH CLASSROOM CALL-IN. | RACK MOUNT | 1 |
| [PH] INTERCOM SYSTEM PHONE - PERFORM FUNCTIONS OF NEW INTERCOM SYSTEM | DESK MOUNT | 1 |
| [DP] DOOR PHONE - CALL IN STATION TO RING OFFICE INTERCOM PHONE | SURFACE MOUNT 44" TO BOTTOM AFF | 1 |
| [CB] EXISTING CLASSROOM CALL IN BUTTON. REPLACE WITH NEW. | SINGLE GANG | 41 |
| [S] EXISTING INTERCOM SPEAKER. REUSE SPEAKER AND EXISTING CABLING. | CEILING | 65 |
| [S] VANDAL RESITANT SURFACE MOUNT SPEAKER - NEW LOCATION | SURFACE | 10 |
| [S]_{2x2} 2X2 LAY-IN CEILING SPEAKER - NEW LOCATION | CEILING | 4 |
| [H<] OUTDOOR HORN - NEW LOCATION | SURFACE | 4 |

GENERAL NOTES:

- ALL WORK SHALL BE DONE BY A LICENSED CONTRACTOR.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR JOBSITE SAFETY, INCLUDING REQUIREMENTS OF AUTHORITIES HAVING JURISDICTION.
- ALL CONSTRUCTION DEBRIS SHALL BE DISPOSED OF BY THE CONTRACTOR, UNLESS NOTES OTHERWISE.
- THERE SHALL BE NOTHING ABANDONED IN PLACE, UNLESS SPECIFICALLY IDENTIFIED AS SUCH.
- ALL WORK SHALL COMPLY WITH THE REQUIREMENTS OF THE CONTRACT DOCUMENTS, INCLUDING ADDENDA, AND APPLICABLE CODES AND STANDARDS.
- ALL TRADES SHALL COORDINATE THE ROUTING AND INSTALLATION OF HIS WORK WITH THAT OF ALL OTHER TRADES THROUGH THE GENERAL CONTRACTOR.
- PROVIDE ALL EQUIPMENT, MATERIAL, LABOR, SUPERVISION, COST, AND SERVICES REQUIRED TO INSTALL COMPLETE AND WORKING SYSTEMS, INCLUDING ALL ITEMS AND APPURTENANCES NECESSARY, REASONABLE, INCIDENTAL, OR CUSTOMARILY INCLUDED, EVEN THOUGH EACH AND EVERY ITEM IS NOT SPECIFIED OR SHOWN.



| | |
|--|-------------------------------|
| DESIGN PROFESSIONAL | |
| | |
| PLAN REVIEWER | |
| IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT ALL PERMITS AND APPROVALS ARE OBTAINED PRIOR TO COMMENCING WORK. | |
| BY | KEL |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |
| | |
| | |
| REVISION | DESCRIPTION |
| | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |
| | |




SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO BUILDING OFFICIALS AND CONTRACTORS WITH THE INTENT OF CONSTRUCTING NAMED PROJECT IS PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO THE DESIGN INTENT ESTABLISHED BY THE **COMPLETE** SET OF CONSTRUCTION DOCUMENTS.
THIS WORK IS PROTECTED UNDER THE UNITED STATES ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE SOLE PROPERTY OF DECO ARCHITECTS UNLESS EXPRESSLY TRANSFERRED THROUGH WRITTEN CONTRACT.



| Condition | 0 | 8 | 16 | 32 |
|-----------|---|---|----|----|
| Control | 0 | 0 | 0 | 0 |
| 100 | 0 | 0 | 0 | 0 |
| 200 | 0 | 0 | 0 | 0 |
| 400 | 0 | 0 | 0 | 0 |
| 800 | 0 | 0 | 0 | 0 |
| 1600 | 0 | 0 | 0 | 0 |

SCALE: 1/16"=1'-0"



1 ENLARGED AREA - CCTV AND ACCESS CONTROL
SCALE: 3/32"=1'-0"




ACCESS CONTROL
LEGEND

| | DESCRIPTION | MOUNTING | QTY |
|-----|---|---------------------------------------|-----|
| WL | WIRELESS LOCKSET | REPLACE CURRENT LOCKSET | 48 |
| PIM | PANEL INTERFACE MODULE FOR WIRELESS LOCKSET | SURFACE MOUNT ABOVE CEILING | 16 |
| CR | CARD READER | SINGLE GANG 44" TO BOTTOM AFF | 12 |
| EL | ELECTRONIC DOOR HARDWARE | NA | 12 |
| RX | REQUEST TO EXIT DEVICE | SINGLE GANG ABOVE DOOR HEADER | 12 |
| DPS | DOOR POSITION SWITCH | 3/4" HOLE IN FRAME AND DOOR | 22 |
| PS | DOOR POWER SUPPLY | SURFACE MOUNT 48" TO BOTTOM AFF | 2 |
| ACH | ACCESS CONTROL HEADEND | SURFACE MOUNT 48" TO BOTTOM AFF | 1 |

CCTV LEGEND

| | DESCRIPTION | MOUNTING | QTY |
|------------------------------|---|----------------------------------|-----|
| C | OUTDOOR BULLET CAMERA - 5MP | SURFACE MOUNT BOX INCLUDED | 15 |
| C\triangleleft | INDOOR DOME CAMERA - 5MP | CEILING MOUNT | 31 |
| C\triangleright | FISHEYE CAMERA - 12MP | CEILING MOUNT | 2 |
| C\triangle | VMS SERVER - HDD AND CHANNELS TO ACCOMADATE ALL CAMERAS | RACK MOUNT | 1 |




KEY PLAN - ENLARGED - AREA A

NOT TO SCALE




DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | KEL |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| A | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE **COMPLETE**
SET OF CONSTRUCTION DOCUMENTS.
THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

CCTV AND ACCESS
CONTROL ENLARGED
AREA A

E-1.01

ELECTRICAL



SCALE: 3/32"=1'-0"



| | |
|----|----|
| BY | KE |
|----|----|

01/07/2021

SET

DD

CD

 DD/MM/YY

| M/YYYY | REVISION DESCRIPTION |
|--------|----------------------|
|--------|----------------------|



Somerset, Kentucky

www.decoarchitects.com


4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234

CONTRACT 20200821

THIS WORK IS PROTECTED UNDER THE UNITED STATES ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE SOLE PROPERTY OF DECO ARCHITECTS UNLESS EXPRESSLY TRANSFERRED THROUGH WRITTEN CONTRACT.


E-1.02

ELECTRICAL




KEY PLAN - ENLARGED - AREA C

NOT TO SCALE




KEY PLAN - ENLARGED - AREA D

NOT TO SCALE



1 ENLARGED AREA - CCTV AND ACCESS CONTROL

SCALE: 3/32"=1'-0"




2 ENLARGED AREA - CCTV AND ACCESS CONTROL

SCALE: 3/32"=1'-0"




DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

BY KEL
DATE 01/07/2021
SET CLIENT REVIEW



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| A | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |




SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.
THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

CCTV AND ACCESS
CONTROL ENLARGED
AREA B AND C


E-1.03

ELECTRICAL




KEY PLAN - ENLARGED - AREA E


NOT TO SCALE



1 ENLARGED AREA - CCTV AND ACCESS CONTROL
SCALE: 3/32"=1'-0"




DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | KEL |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| 1 | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.


COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE **COMPLETE**
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.


CCTV AND ACCESS
CONTROL ENLARGED
AREA E

E-1.04

ELECTRICAL




1 ENLARGED AREA - CCTV AND ACCESS CONTROL
SCALE: 3/32"=1'-0"



KEY PLAN - ENLARGED - AREA F
NOT TO SCALE




DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | KEL |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| 1 | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.


COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

CCTV AND ACCESS
CONTROL ENLARGED
AREA F

E-1.05

ELECTRICAL



1 ENLARGED AREA - FIRE ALARM AND PA
SCALE: 3/32"=1'-0"
0 8' 16' 24'


FIRE ALARM LEGEND

| | DESCRIPTION | MOUNTING | QTY |
|------|--|--|-----|
| S | PHOTO ELECTRIC SMOKE DETECTOR | REPLACE CURRENT | 1 |
| H | AUDIO VISUAL NOTIFICATION DEVICE | REPLACE CURRENT | 24 |
| S | VISUAL NOTIFICATION DEVICE | REPLACE CURRENT | 2 |
| WF | SPRINKLER WATERFLOW MONITOR | REPLACE CURRENT | 1 |
| TS | SPRINKLER TAMPER VALVE MONITOR | REPLACE CURRENT | 1 |
| MM | KITCHEN HOOD MONITOR MODULE | REPLACE CURRENT | 1 |
| F | MANUAL PULL STATION | REPLACE CURRENT | 14 |
| FACP | ADDRESSABLE FIRE ALARM CONTROL PANEL | REPLACE CURRENT | 1 |
| PWR | NOTIFICATION DEVICE POWER SUPPLY | REPLACE CURRENT | 1 |
| ANN | ANNUNCIATOR PANEL | REPLACE CURRENT | 1 |
| H | NEW LOCATION - AUDIO VISUAL NOTIFICATION DEVICE | SINGLE GANG 80-96" TO BOTTOM AFF | 11 |
| S | NEW LOCATION - VISUAL NOTIFICATION DEVICE | SINGLE GANG 80-96" TO BOTTOM AFF | 67 |
| H | NEW LOCATION - RATE OF RISE/FIXED TEMP HEAT DETECTOR | SINGLE GANG CEILING MOUNT | 2 |

- Existing fire alarm device location. Remove device and wiring. Install blank cover plate.
- Kitchen Ansul system monitor module. Coordinate wiring requirements with kitchen suppression system vendor.

PA SYSTEM LEGEND


| | DESCRIPTION | MOUNTING | QTY |
|-----|--|---------------------------------------|-----|
| INT | INTERCOM HEADEND - REPLACE WITH QUANTITY OF ZONES AND AMPLIFIERS TO ACCOMMODATE SYSTEM. MINIMUM 64 ROOM POINTS WITH CLASSROOM CALL-IN. | RACK MOUNT | 1 |
| PH | INTERCOM SYSTEM PHONE - PERFORM FUNCTIONS OF NEW INTERCOM SYSTEM | DESK MOUNT | 1 |
| DP | DOOR PHONE - CALL IN STATION TO RING OFFICE INTERCOM PHONE | SURFACE MOUNT 44" TO BOTTOM AFF | 1 |
| CB | EXISTING CLASSROOM CALL IN BUTTON. REPLACE WITH NEW. | SINGLE GANG | 41 |
| S | EXISTING INTERCOM SPEAKER. REUSE SPEAKER AND EXISTING CABLING. | CEILING | 65 |
| S | VANDAL RESISTANT SURFACE MOUNT SPEAKER - NEW LOCATION | SURFACE | 10 |
| S | 2X2 LAY-IN CEILING SPEAKER - NEW LOCATION | CEILING | 4 |
| H | OUTDOOR HORN - NEW LOCATION | SURFACE | 4 |



KEY PLAN - ENLARGED - AREA A
NOT TO SCALE



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT ALL PERMITS AND APPROVALS ARE OBTAINED PRIOR TO COMMENCING WORK.

BY KEL
DATE 01/07/2020
SET CLIENT REVIEW



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| 1 | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821


DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO BUILDING OFFICIALS AND CONTRACTORS WITH THE INTENT OF CONSTRUCTING NAMED PROJECT IS PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO THE DESIGN INTENT ESTABLISHED BY THE COMPLETE SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE SOLE PROPERTY OF DECO ARCHITECTS UNLESS EXPRESSLY TRANSFERRED THROUGH WRITTEN CONTRACT.



FIRE ALARM AND PA
ENLARGED AREA A

E-2.01


ELECTRICAL



1 ENLARGED AREA - FIRE ALARM AND PA
SCALE: 3/32"=1'-0"




DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | KEL |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------|
| A | DDMMYYYY |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.


COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

FIRE ALARM AND PA
ENLARGED AREA B


E-2.02

ELECTRICAL




KEY PLAN - ENLARGED - AREA C

NOT TO SCALE



KEY PLAN - ENLARGED - AREA D


NOT TO SCALE



1

ENLARGED AREA - FIRE ALARM AND PA

SCALE: 3/32"=1'-0"




2

ENLARGED AREA - FIRE ALARM AND PA

SCALE: 3/32"=1'-0"



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

BY KEL

DATE 01/07/2021

SET CLIENT REVIEW



REVISION DESCRIPTION

Δ DDMMYYYY REVISION DESCRIPTION

| REVISION | DESCRIPTION |
|------------|----------------------|
| Δ DDMMYYYY | REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.
COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.


THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

FIRE ALARM AND PA
ENLARGED AREA C & D


E-2.03

ELECTRICAL







1 ENLARGED AREA - FIRE ALARM AND PA
SCALE: 3/32"=1'-0"
0 8' 16' 24'



KEY PLAN - ENLARGED - AREA F
NOT TO SCALE



DESIGN PROFESSIONAL



PLAN REVIEWER

IF NO STAMP IS PRESENT, PLAN REVIEW MAY BE PENDING.
IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO
ENSURE THAT ALL PERMITS AND APPROVALS ARE
OBTAINED PRIOR TO COMMENCING WORK.

| | |
|------|---------------|
| BY | KEL |
| DATE | 01/07/2021 |
| SET | CLIENT REVIEW |



| REVISION | DESCRIPTION |
|----------|-------------------------------|
| A | DDMMYYYY REVISION DESCRIPTION |
| | |
| | |
| | |
| | |
| | |
| | |



SOUTH TODD COUNTY
ELEMENTARY
RENOVATION 2020
4115 GUTHRIE RD
GUTHRIE, KENTUCKY 42234
CONTRACT 20200821

DO NOT REMOVE ANY ELEMENT OF THESE DOCUMENTS
FROM THE DRAWING BORDER.

COPYING THESE DOCUMENTS FOR DISTRIBUTION TO
BUILDING OFFICIALS AND CONTRACTORS WITH THE
INTENT OF CONSTRUCTING NAMED PROJECT IS
PERMITTED, PROVIDED THAT EACH PARTY IS ISSUED A
FULL SET OF DOCUMENTS. THIS ARCHITECT IS NOT
RESPONSIBLE FOR WORK THAT DOES NOT ADHERE TO
THE DESIGN INTENT ESTABLISHED BY THE COMPLETE
SET OF CONSTRUCTION DOCUMENTS.

THIS WORK IS PROTECTED UNDER THE UNITED STATES
ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT
OF 1990. ALL ORIGINAL WORK HEREIN REMAINS THE
SOLE PROPERTY OF DECO ARCHITECTS UNLESS
EXPRESSLY TRANSFERRED THROUGH WRITTEN
CONTRACT.

FIRE ALARM AND PA
ENLARGED AREA F

E-2.05

ELECTRICAL