

Morbidity and Mortality Weekly Report (MMWR)

Weekly / January 29, 2021 / 70(4);141–143
On January 26, 2021, this report was posted online as an MMWR Early Release.

Pata and Policy to Guide Opening Schools Safely to Limit the Spread of SARS-CoV-2 Infection MMWR Article PDF ▶ [PDF - 123K]

Christine Atherstone, PhD^{1,2}; Molly Siegel, MPH³; Emily Schmitt-Matzen, DVM^{2,4}; Scott Sjoblom, MDiv³; Joy Jackson, MD³; Carina Blackmore, DVM⁴; John Neatherlin, MPH¹ (View author affiliations)

View suggested citation

On December 7, 2020, local public health officials in Florida county A were notified of a person with an antigen-positive SARS-CoV-2 test* result who had attended two high school wrestling tournaments held in the county on December 4 and 5. The tournaments included 10 participating high schools from three counties. The host school (school A in county A) participated in the tournaments on both days; five high school teams from two counties participated the first day only; four additional high school teams from the three counties participated the second day. A total of 130 wrestlers, coaches, and referees attended the tournaments (Table). During December 8-9, 13 wrestlers from school A received positive SARS-CoV-2 test results (Figure), including nine who were symptomatic, two who were asymptomatic, and two for whom symptom status at time of specimen collection was unknown. Local public health officials in the three counties initiated an investigation[†] and tested specimens from an additional 40 attendees from nine of the 10 participating schools. A total of 54 (41.5%) of the 130 tournament attendees received testing, and 38 cases of SARS-CoV-2 infection were identified; the minimum attack rate was 30.2% (38 of 126[§]), and 70.4% (38 of 54) of tests had a positive result. Among contacts of the 38 COVID-19 patients, 446 were determined by investigators to meet the CDC definition of a close contact, including 62 who were household contacts and 384 who were in-school contacts (classmates, teachers, noncompeting wrestling team members, and other school athletic team members). Among these 446 contacts, five had received a diagnosis of COVID-19 during June-November and were excluded from attack rate calculations. Among 95 (21.3%) contacts who received SARS-CoV-2 testing, 41 (43.2%) received a positive test result (minimum attack rate = 9.3% [41 of 441]); 21 (51.2%) persons with positive test results were symptomatic, eight (19.5%) were asymptomatic, and symptom status for 12 (29.3%) was unknown at the time of specimen collection. Among contacts, attack rates were highest among household members (30.0%) and wrestling team members who did not attend the tournament (20.3%), as were the percentages of positive test results (60.0% among household members and 54.2% among team members). Among all contacts, the odds of receiving a positive test result were highest among household contacts (odds ratio = 2.7; 95% confidence interval = 1.2-6.0). Local health authorities reported the death of one adult contact aged >50 years.

An estimated 1,700 in-person school days were lost as a consequence of isolation and quarantine of patients and contacts during this COVID-19 outbreak.** The number of in-person school days lost would likely have been higher had the outbreak not occurred toward the end of the fall 2020 semester. In addition, this outbreak resulted in the suspension of all winter indoor and outdoor high school athletics in county A, affecting approximately 1,500 students.

The American Academy of Pediatrics interim guidance for return to sports specifically recommends against mask wearing during wrestling because of the choking hazard that face coverings could pose (1). In October, local public health and school officials in county A established COVID-19 mitigation guidelines specific to wrestling for practices, matches, and tournaments, including mask wearing and physical distancing (at least 6 feet) when not actively wrestling, symptom screening, and disinfection of space and equipment. However, it is not feasible to maintain physical distancing and universal mask wearing during practice and competition for high-contact sports such as wrestling.

At the time of the tournament, the 14-day cumulative COVID-19 incidence in county A, home to seven of the 10 participating high school teams, was 363 per 100,000 persons; 7.7% of tests for SARS-CoV-2 had positive results (*2*). The incidence in county A placed the community in the highest category for transmission of SARS-CoV-2.^{††} CDC guidance provides community transmission level thresholds for school decision-makers that should be applied to school athletics and related social gatherings. High-contact school athletic activities for which mask wearing and physical distancing are not possible should be postponed during periods with substantial or high levels of SARS-CoV-2 community transmission (*3*). Outbreaks among athletes participating in high contact sports can impact in-person learning for all students and increase risk for secondary in-school and community transmission with potentially severe outcomes including death (*4*).

Acknowledgments

Samantha Woerle, Mickdaelle Etienne, Tiffany Strickland, Miranda Champavannarath, Leah Eisenstein, Gregory Danyluk, Bernhard Kloppenburg, Tammy Durden, Florida Department of Health in Polk County; Margaret A. Honein, Mark Anderson, Amanda Hott, CheBria Gibbs, Charlz Bisong, Randi Frank, CDC; Naazneen Pal, Florida Department of Health in Hillsborough County.

Top

¹CDC COVID-19 Response Team; ²Epidemic Intelligence Service, CDC; ³Florida Department of Health in Polk County, Bartow, Florida; ⁴Florida Department of Health.

Top

All authors have completed and submitted the International Committee of Medical Journal Editors form for disclosure of potential conflicts of interest. No potential conflicts of interest were disclosed.

Top

- * County A used the Abbott BinaxNOW COVID-19 Ag Card (BinaxNOW) rapid antigen test in testing for symptomatic persons, with follow-up reverse transcription–polymerase chain reaction (RT-PCR) testing if the antigen test was negative, and RT-PCR testing for all asymptomatic persons; results were considered positive if either the BinaxNOW or RT-PCR test result was positive. Wrestling tournament attendees and contacts were encouraged to seek COVID-19 testing services regardless of symptoms, but the decision to be tested was left to each person.
- [†] This activity was reviewed by CDC and was conducted consistent with applicable federal law and CDC policy: 45 C.F.R. part 46.102(l)(2), 21 C.F.R. part 56; 42 U.S.C. Sect. 241(d); 5 U.S.C. Sect. 552a; 44 U.S.C. Sect. 3501 et seq.
- § Four tournament attendees received positive test results during June–November 2020 and were not included in the attack rate calculation.
- ¶ https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/quarantine.html
- ** County A reported that 64% of their high school students were in-person learners. Using the date of specimen collection for cases and exposure date for contacts, the number of missed days of school was calculated, accounting for weekends and the holiday school closure. Patients isolated for 10 days and contacts quarantined for 14 days. The number of missed school days for patients and contacts was summed and multiplied by the percentage of in-person learners (64%) to arrive at the estimated number of lost in-person school days.

Top

References

- 1. American Academy of Pediatrics. COVID-19 interim guidance: return to sports. Itasca, IL: American Academy of Pediatrics; 2020. Accessed January 10, 2021. https://services.aap.org/en/pages/2019-novel-coronavirus-covid-19-infections/clinical-guidance/covid-19-interim-guidance-return-to-sports
- 2. Florida Department of Health. COVID-19: summary for Florida. Tallahassee, FL: Florida Department of Health; 2020. Accessed December 5, 2021. http://ww11.doh.state.fl.us/comm/_partners/covid19_report_archive/cases-monitoring-and-pui-information/county-report/county_reports_latest.pdf
- 3. Honein MA, Barrios LC, Brooks JT. Data and policy to guide opening schools safely to limit the spread of SARS-CoV-2 infection. JAMA 2021. Epub January 26, 2021. CrossRef ☑
- 4. Honein MA, Christie A, Rose DA, et al.; CDC COVID-19 Response Team. Summary of guidance for public health strategies to address high levels of community transmission of SARS-CoV-2 and related deaths, December 2020. MMWR Morb Mortal Wkly Rep 2020;69:1860−7. CrossRef PubMed □

Top

TABLE. Characteristics of persons with COVID-19 associated with high school wrestling tournaments — Florida, December 2020–January 2021

Return

	No. of persons (%)			
Characteristic	Total	Received testing	Had positive test results*	Attack rate, % (no. positive/no. susceptible)†
Tournament attendees				
All attendees	130 (100.0)	54 (41.5)	38 (70.4)	30.2 (38/126)
Wrestlers	116 (89.2)	44 (37.9)	31 (70.5)	27.4 (31/113)
Coaches	6 (4.6)	5 (83.3)	3 (60.0)	60.0 (3/5)
Referees	5 (3.8)	2 (40.0)	1 (50.0)	20.0 (1/5)
Other [§]	3 (2.3)	3 (100.0)	3 (100.0)	100.0 (3/3)
Contacts				
All contacts	446 (100.0)	95 (21.3)	41 (43.2)	9.3 (41/441)
Household	62 (13.9)	30 (48.4)	18 (60.0)	30.0 (18/60)
Household		30 (48.4)	18 (60.0)	30.0 (1


Classmates and teachers	168 (37.7)	30 (17.9)	10 (33.3)	6.0 (10/166)		
Team members not attending tournaments¶	64 (14.3)	24 (37.5)	13 (54.2)	20.3 (13/64)		
Other school athletic members [¶]	152 (34.1)	11 (7.2)	0 (—)	— (0/151)		
Age group of contacts, yrs**						
0–13	18 (4.0)	8 (44.4)	5 (62.5)	27.8 (5/18)		
14-18	384 (86.1)	71 (18.5)	27 (38.0)	7.1 (27/380)		
19-24	8 (1.8)	2 (25.0)	1 (50.0)	12.5 (1/8)		
25-44	22 (4.9)	7 (31.8)	3 (42.9)	14.3 (3/21)		
45-61	12 (2.7)	7 (58.3)	5 (71.4)	41.7 (5/12)		

Abbreviation: COVID-19 = coronavirus disease 2019.

Top

FIGURE. SARS-CoV-2 tests with positive results among attendees of high school wrestling tournaments and their contacts, by specimen collection date — Florida, December 2020-January 2021






^{*} Among those receiving testing.

[†] Four tournament attendees and five contacts received positive test results during June–November 2020 and were not included in the attack rate calculation.

^{§ &}quot;Other" category includes a nonwrestling high school athletic coach and two students who were not wrestlers.

[¶] Within-school contacts.

^{**} Ages of two contacts were unknown.



Top

Suggested citation for this article: Atherstone C, Siegel M, Schmitt-Matzen E, et al. SARS-CoV-2 Transmission Associated with High School Wrestling Tournaments — Florida, December 2020–January 2021. MMWR Morb Mortal Wkly Rep 2021;70:141–143. DOI: http://dx.doi.org/10.15585/mmwr.mm7004e4 ☑.


MMWR and Morbidity and Mortality Weekly Report are service marks of the U.S. Department of Health and Human Services.

Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services.

References to non-CDC sites on the Internet are provided as a service to *MMWR* readers and do not constitute or imply endorsement of these organizations or their programs by CDC or the U.S. Department of Health and Human Services. CDC is not responsible for the content of pages found at these sites. URL addresses listed in *MMWR* were current as of the date of publication.

All HTML versions of *MMWR* articles are generated from final proofs through an automated process. This conversion might result in character translation or format errors in the HTML version. Users are referred to the electronic PDF version (https://www.cdc.gov/mmwr) and/or the original *MMWR* paper copy for printable versions of official text, figures, and tables.

Questions or messages regarding errors in formatting should be addressed to mmwrq@cdc.gov.



Page last reviewed: January 28, 2021