District Name: Gallatin Co	ounty	District _Code:	Facility Name:	Gallatin County Upper ES / MS	School Code:	191006 / 191005		
Project Name: Gallatin County Schools Guaranteed Energy Savings Contract								
PROJECT TYPE: New Building Addition	Yes	No	Gross Build	ding Area (sf.)				
Renovation			104	,629				
Provisions for Future	Expansion:	***************************************						
Proposed Alternates:	(1))						
	(2))						
Describe special cond	ditions, phasi	ng of project and alter	nates, attach a s	upplemental sheet, if needed.				
BUILDING CONSTRUCTION CHARACTERISTICS:								
Description of Building Foundation:		otto to o o o o o o o o o o o o o o o o						
Exterior Walls:								
Roof Structure:								
ENERGY EFFICIENT	DESIGN (K	RS 157.450 and KRS	<u> 157.455)</u> :					
36.8	Energy Con	nsumption "Existing" (k	Btu/sf/yr)					
31.5	Energy Consumption Target (kBtu/sf/yr)							
YES NO	_Energy Con	isumption raiget (KBIL	u/si/yi)					
	LEED Certif	fied Oth	ner:					
	•	meet Energy Star		•				
	Exceeds ASHRAE 90.1(2007) by 10% (Minimum) YES							
			=	rating Cost Effective Design	NO			
If not yes to one or r			Software Used:	100000000000000000000000000000000000000	*****			
		above, explain why.	H-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
	Designed to	be Net-Zero						
	Designed to	be Net-Zero Ready						
East / West Building Gross Exterior Wall A	Orientation rea (sf):	s: (See List Page 4, YES	or Use Drop Do	Avg. Exterior Wall R-Value:	Participation of the Control of the			
Gross Window / Door Gross Roof Area (sf):		·		Avg. Window/Door R-Value: Avg. Roof R-Value:	Industrial			
				· ·	O41			
Exterior Wall Type: Roofing Type:	A - tace brick, o	captured air space, board in	Other: Other:					
	A - modified bitumen over rigid insulation C - ground source heat pump system with air make up					Geothermal		
Classroom Lighting:		Lande Alexani Man			Other:	***************************************		
Active Daylighting:				Control of the Contro	Other:			
Passive Daylighting:				***************************************	Other:			
On Site Energy Generation:					Other:			

KENTUCKY DEPARTMENT OF EDUCATION

702 KAR 4:160

BG-2 OUTLINE SPECIFICATIONS ENERGY DESIGN CRITERIA

Air Purification System	ns: YES NO				
Gray Water System :	NO				
Low Water Use Fixture					
Other:					
PLUMBING:					
Type of Sewage Dispo	osal:				
HEATING, VENTILAT	ION AND AIR CONDITIONING:				
Heating Only:	Heating & Mechanical: Ventilation Only	HVAC:	_ A/C Only:		
Fuel Source/Backup (i	if applicable):				
ELECTRICAL:					
Source of Electric Pow	ver:	Lighting Intensity (fc.)	:		
Voltage Serving Facilit	ty:	Std. Classrooms Library/Media Ctr Science Lab			
Number of Convenien	ce Outlets:	Science C1rm			
Classrooms Library/Media Center		Puoinasa Ed			
Business Ed		Shops			
rainily & Consumer So	cience	Corridors Stairways			
Camera System:	***************************************	Cafeteria			
		Pre-School Clrm Art Classroom			
		Gymnasium	-1		
SPECIAL EQUIPMEN	<u>T</u> :				
System	Conduit Only	Conduit & Wiring	Complete with Equipment		
Bell Clock					
Fire Alarm					
Intercom Telephone					
Television					
Computer Wireless Network					
Interactive White bd					
Voice Amplification					
FIXED EQUIPMENT:					
Teacher Cabinet		Custodial Room Shelves			
Student Lockers Folding Bleachers		Science Laboratories			
Library Furnishings		Family & Consumer Sci Other			
Dry Food Shelves		Other			

INTERIOR FINISH SCHEDULE:								
AREA	FLOOR	WAINSCOT	E WALLS	CEILING				
General Office Corridors Custodial Kitchen Cafeteria Gym Showers/Locker Toilets Library/Media Cntr Classrooms Music Art Science FMD OTHER AREAS								
Miscellaneous Project Specific Features:								
GESC Qualified P	rovider	GA (Signar	ture	Date: 6/16/22				
Kentucky Register	ed Engineer:	Signar	ure	Date: 6/16/22				
Board Designee or	Superintendent:	Signa	ure	Date:				

Energy Efficient Design Features Lists

Exterior Wall Type

- A face brick, captured air space, board insulation and waterproof CMU
- B face brick, captured air space, sprayed insulation on CMU
- C face brick, captured air space, sheathing over metal insulated stud system, interior finish system
- D face brick, ICF poured concrete, interior finish system
- E other, describe

Roofing Type List

- A modified bitumen over rigid insulation
- B EPDM over rigid insulation
- C plastic single ply over rigid insulation
- D metal roofing over nailable deck with insulation
- E asphalt shingle roofing over nailable deck with insulation
- F other, describe

HVAC System Type List

- A two pipe unit ventilator system
- B water source heat pump system with air make up
- C ground source heat pump system with air make up
- D hybrid water source heat pump system with boiler/chiller and well field with air make up
- E variable refrigerant flow (VRF) with air make up
- F hybrid geothermal/variable refrigerant flow (VRF) with air make up
- G variable refrigerant volume (VRV) with air make up
- H hybrid geothermal/variable refrigerant volume (VRV) with air make up
- I chilled beam system
- J hybrid chilled beam/geothermal system
- L other

Classroom Lighting List

- A T8 fluorescent fixtures
- B T5 fluorescent fixtures
- C high energy gas fixtures
- D low voltage systems
- E other

Active Daylight System List

- A classroom fluorescent dimming including dimming switches, ballasts and sensors
- B occupancy light control sensors
- C remote sensor bi-level lighting with no fixtures dimming
- D manual bi-level lighting with no fixture dimming
- E other
- F none

Passive Daylight Systems List

- A upper classroom clerestory lighting with sloped ceiling plane
- B lower classroom clerestory lighting that does NOT require sloping the ceiling place
- C exterior light shelves
- D solar tubes without dimming
- E solar tubes with internal dimmers
- F other
- G none

On Site Energy Generation List

- A solar water heating
- B solar electric generation (small units for demonstration or for limited areas)
- C solar electric generation (to support the entire building's energy needs)
- D wind generation (small units for demonstration or for limited areas)
- E wind generation (to support the entire building's energy needs)
- F other
- G none