

# FLOYD COUNTY BOARD OF EDUCATION Anna Whitaker Shepherd, Interim Superintendent 442 KY RT 550 Eastern, KY 41622 Telephone (606) 886-2354 Fax (606) 886-4550

Telephone (606) 886-2354 Fax (606) 886-4550 www.floyd.kyschools.us

Linda C. Gearheart, Board Chair - District I William Newsome, Jr., Vice-Chair - District 3 Dr. Chandra Varia, Member- District 2 Keith Smallwood, Member - District 4 Steve Slone, Member - District 5

<u>Consent Agenda Item (Action Item):</u> Receive Utility Report for Duff-Allen Central Elementary School.

Applicable State or Regulations: Board Policy 05.23

#### Fiscal/Budgetary Impact:

2019/2020 SY (July 19- June 20) \$111,121 2020/2021 SY (July 20- June 21) \$ 74,769

#### History/Background:

June 2022

Board received utility report for Prestonsburg High School.

Recommended Action: To accept report as presented.

#### Contact Person(s):

Linda Hackworth 606-874-9569

Principal

Director

Superintendent


<u>Date:</u> July 13, 2022




## Utility Report July 25, 2022

### Duff Allen Central Elementary 2019/2020 / 2020/2021 School Years







Period	All Utilities Cost
2019	\$153,169
2020	\$111,121
2021	\$74,769




Period	Electricity Use (kWh)
2019	915,380
2020	723,779
2021	575,390




Period	Electricity Cost
2019	\$88,932
2020	\$69,016
2021	\$55,033




Period	Natural Gas Use (Therms)
2019	7,690
2020	6,538
2021	8,513




Period	Natural Gas Cost
2019	\$8,052
2020	\$6,175
2021	\$7,534




Period	Water Use (Gallons)
2019	2,525,556
2020	1,417,438
2021	389,783




Period	Water Cost
2019	\$18,428
2020	\$13,915
2021	\$4,290




Period	Wastewater Use (Gallons)
2019	2,525,556
2020	1,417,438
2021	283,883



Period	Wastewater Cost
2019	\$20,678
2020	* I * SI * SI CA
2021	\$4,425
2021	\$4,187



Period	Refuse Use (Tons)
2019	1,952
2020	736
2021	110



Period	Refuse Cost
2019	\$17,080
2020	\$17,590
2021	\$3,725