

Please complete the following grid to secure your offer in the acceptance of proposals regarding the purchase of one (1) 5000 lb. Nominal Capacity, Class V Lift Truck by the Hopkins County Board of Education.

Bid Amount: \$35,027.00

Company Name: ProLift Toyota

Phone Number: 812-480-9036

Signature: Garrett Clark – Sales Consultant

Feature	Included	Not Included
Example; Powershift 1 Speed Transmission	X	
Powershift 1 Speed Transmission	X	
Brakes – Self Energizing Drum		X
PSI 2.4L LPG Engine		Toyota 2.2L 4Y-US Industrial LP Engine
Keyswitch Start	X	
Swing out and rotating LPG Tank Bracket with Twin Metal Strap	X	
Counterweight Rear Exhaust	X	
Counterweight Net	X	
High Air Intake	X	
Operator Presence System	X	
3 Stage full Free Lift Mast 189" Maximum Lift Height, 85" Lowered Height	X	
Mast Tilt-6 deg.Forward/6 deg. Back	X	
41" Hook Type Sideshift Carriage	X	
37" High Load Backrest		48" High Load Backrest
42"Hook Type (1.6" x 4.8") Standard Tapered Forks	X	
Mechanical Lever Hydraulic Controls-Cowl Mounted	X	
3 Function (1 Auxiliary) Hydraulic Control Valve	X	

1 Auxiliary Function Hose Group-3 Hoses Internally Mounted	X	
Drive Tires-7.00 x 12-12 PR-Pneumatic Shaped Solid (PSS)—Standard Tread Width	X	
Steer Tires-6.50 x 9-10 PR – Pneumatic Shaped Solid	X	
86" High Overhead Guard		Overhead Guard Height - 83.10"
Directional Control Lever-Mounted on Left Side of Steering Column	X	
Steering Wheel w/Spinner Knob	X	
Full Suspension Vinyl Seat (SC29) w/switch for OPS	X	
Seat Belt-Black No-Cinch with ELR	X	
Amber Strobe Light-Ignition and Switch Activated	X	
Audible Alarm-Reverse Direction Activated	X	
Two Front LED Work Lights with Stop, Tail, Indicator and Reverse Lights	X	

*** Additional warranty levels are available on the last page of the proposal ***

*** Lift will be available for delivery Jan. 2023 ***



ProLift Toyota Material Handling
5500 Foundation Blvd
Evansville, IN 47725-9653
Phone: 812-867-0186
Fax: 812-867-1688
www.prolifttoyota.com

July 28, 2022

David Durham
Hopkins County Board of Education
320 S Seminary St
Madisonville, KY 42431-2424

Dear David:

We are pleased to submit the attached Toyota Internal Combustion Lift Truck quotation for your review and approval.

As an authorized Toyota dealer, ProLift Toyota Material Handling can provide the high-quality equipment and service you would expect from the world's leading forklift manufacturer. This quotation reflects our understanding of your forklift needs, combined with a careful configuration of the appropriate equipment and options.

To place your order, please sign and date the quotation where indicated and return to me. If you have any questions, please contact me.

Thank you for your interest in our company and our Toyota products. We look forward to being of valuable service to you for your material handling needs.

Sincerely,

Garrett Clark
Sales Consultant - Material Handling
Phone: 812-867-0186
Fax: 812-867-1688
Cell: 812-480-9036
E-mail: gclark@prolifttoyota.com



**UPGRADE TO
TOYOTA 360 SUPPORT PLUS!**

Includes 1 year of scheduled planned maintenance (up to 4) and additional product assurance.

*Not applicable to all models. See here for more details: www.ToyotaForklift.com/360-support
encl

To: Hopkins County Board of Education
320 S Seminary St
Madisonville, KY 42431-2424
Attn: David Durham

Date: July 28, 2022
Our Ref: 41153325
Phone: 270-825-6000

We respectfully submit this quotation for the following NEW Toyota Internal Combustion Lift Truck (1 each):

Toyota...Proud to be the world's #1 forklift manufacturer!

TOYOTA MODEL 50-8FGU25, Internal Combustion Lift Truck, quality engineered with the following specification:

- Pneumatic Tires
- LP Gas Powered - UL Type "LP" Rating

This forklift is equipped with a 3-Way Catalytic Muffler System as standard equipment, and conforms to current Federal EPA and California ARB regulations for off-road large spark ignited engines.

SYSTEM OF ACTIVE STABILITY™ (SAS)

Toyota's industry exclusive System of Active Stability (SAS) helps reduce lift truck instability by electronically monitoring and controlling various functions of the lift truck.

- **Active Control Rear Stabilizer:** Various lift truck sensors simultaneously monitor vehicle speed, fork height, load weight, and vehicle yaw (or angular acceleration). Should the operator inadvertently place the truck in a potentially unstable lateral condition, the sensors trigger the SAS controller to activate the Active Control Rear Stabilizer to help reduce the likelihood of a lateral tip over. (Note: Does not apply to dual drive configured models)
- **Active Mast Function Controller (AMC):** Should the operator inadvertently place the lift truck in a potentially unstable longitudinal condition, these same sensors trigger the SAS controller to activate the AMC, which limits forward tilt and/or tilt back speed to help reduce the likelihood of a longitudinal tip over.



Photo may portray optional equipment not included in your quotation.

AUTOMATIC FORK LEVELING

Toyota's Automatic Fork Leveling feature increases productivity while reducing damage with a push of a button. By depressing the Automatic Fork Leveling button during forward tilt, operators are quickly and easily able to level the forks.

TOYOTA ENGINE

Engineered to the highest standards of quality, durability, and reliability, your Toyota 8-Series lift truck is outfitted with the industry's most respected industrial engines.

PREMIUM, 4-WAY ADJUSTABLE, FULL SUSPENSION SEAT WITH ORANGE, NON-CINCHING SEAT BELT

Operator comfort is taken to a new level with Toyota's Premium, 4-way adjustable, full suspension vinyl seat. With lumbar, weight, tilt, and almost 6 inches of fore/aft adjustability, your operators will be comfortable and productive throughout their shift. Standard orange, non-cinching seat belt provides additional comfort in applications requiring frequent reverse travel.

LCD MULTI-FUNCTION DISPLAY II

Features on the new MFD II include data log functions, fuel information, & operation data log all with QR code output; fuel gauge (excluding LP); and password protected administrator level access that can manipulate functions such as travel, vehicle management, and operation data log functions.

<i>Mast</i>	3-Stage (FSV) mast with full free lift provides excellent visibility to load and fork tips, while providing smooth, quiet and consistent operation. Mast specifications: Maximum Fork Height - 189" Overall Lowered Height - 84.5" (Overhead Guard Height - 83.10") Free Lift - 36.4" with standard Load Backrest
--------------------	--

<i>Lifting Capacity</i>	Base Model Capacity - 5,000 lbs. @ 24" load center Actual Capacity, based on quoted specifications, - 4,500 lbs. @24" load center to 189" MFH
--------------------------------	--

Actual capacity ratings stated above are based on standard features, options, and attachments available through Toyota at the time of quoting. Non-standard features, options, and attachments may affect actual capacity ratings. Please contact your Toyota sales representative for additional information.

<i>Tilt</i>	6 degrees forward and 6 degrees backwards
--------------------	---

<i>Carriage</i>	ITA Hook Type 40Carriage
------------------------	--------------------------

<i>Load Backrest</i>	48" High Load Backrest
-----------------------------	------------------------

<i>Attachments</i>	Cascade 40" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)
---------------------------	--

<i>Speeds</i>	Travel Speed: 11.20 mph Lift Speed: 118 fpm
----------------------	--

<i>Engine</i>	Toyota 2.2L 4Y-US Industrial LP Engine 136 cubic inch displacement, 4 cylinder, overhead valve (OHV) Net Torque Rating: 112 @ 1800 rpm SAE ft-lb Net Horsepower Rating: 51 @ 2570 rpm SAE HP
----------------------	---

<i>Transmission</i>	Automatic Transmission 1 speed forward, 1 speed reverse standard.
----------------------------	--

<i>Steering</i>	Load Sensing Hydrostatic Power Steering with Tilt Steering Column
------------------------	---

<i>Wheels and Tires</i>	Front Tires: 7.00-12-12PR (Pneumatic Wide Tread) Rear Tires: 6.00-9-10PR (Pneumatic)
--------------------------------	---

**Additional
Equipment**

LED STROBE LIGHT (AMBER)
LED Rear Combination Lights
Low LPG Fuel Warning Indicator
Rear View Mirrors (Left & Right Sides)
Adjustable Volume Back-up Alarm (Smart Alarm)
Rear Assist Grip with Horn Button
Solid Pneumatic Tires - Front
Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels
UL Approved Model Type "LP" (tank not included)
42" Standard Tapered Forks
Steering Wheel with Spinning Knob

**Other
Outstanding
Toyota Features**

- Operator Presence Sensing System (OPSS)
- Fully Stamped Steel Side Panels
- Electronic Speed Control
- Weather Protected Electrical System
- Unparalleled Fork Tip Visibility
- Foot Activated Park Brake with High Mount Release
- Electronic Shift Control
- 7" Cyclone Air Cleaner
- Fully Insulated Stamped Steel Engine Hood
- Dual Operator Assist Grips
- Oversized Cup Holder
- Heavy Duty, Non-Slip Rubber Floor Mat

Some standard items listed within this quotation may be replaced or altered due to optional equipment.

Warranty

12 Months or 2,000 hours whichever occurs first: Basic
36 Months or 6,000 hours whichever occurs first: Powertrain

Warranty coverage for non-standard option components will be covered by the manufacturer of that component and not covered under the Toyota forklift standard or powertrain warranty.

We offer a Toyota factory authorized warranty on all new Toyota Material Handling Equipment.



**UPGRADE TO
TOYOTA 360 SUPPORT PLUS!**

Includes 1 year of scheduled planned maintenance (up to 4) and additional product assurance.

*Not applicable to all models. See here for more details: www.ToyotaForklift.com/360-support

Investment	Price-Toyota Model 50-8FGU25 as specified above:	\$35,027	Each
	Net Price:	\$35,027	Each

Financing and Maintenance	A broad range of competitive and flexible financing options are available through Toyota. Financing requires credit approval. Terms and conditions are subject to change. In addition, Full Maintenance and Planned Maintenance programs are available.
----------------------------------	--

Terms and Conditions	Payment: Net 10 days / Cash or Financed Delivery: Will advise at time of order. F.O.B.: Delivered Prices are exclusive of any sales or use taxes now in force or which may be made effective in the future by any federal, state, or local governments. Lease offerings subject to credit approval. Actual performance and specifications may vary based on application, option configuration, operating conditions, and environmental factors. Some options and configurations may void UL. Conditions subject to change to those in effect at time of delivery. Credit Card payments subject to additional fees. Signature or purchase order referencing this quotation constitutes an order and acceptance of terms and conditions. Interest expenses due to customer delays in delivery will be passed to the Buyer equal to ½ % of the sell price per month. See Addendum A below for additional terms & conditions.
-----------------------------	--

Sincerely,
ProLift Toyota Material Handling

Accepted:
Hopkins County Board of Education

Cash Price \$ _____
Financed Payment \$ _____ Per Month _____ Months

By: _____

By: _____

Name: Garrett Clark

Name: _____

Title: Sales Consultant - Material Handling

Title: _____

Date: _____

Optional Equipment
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. Toyota 360 Support Plus 3 36 Months/6,000 Hrs Carriage to Counterweight Warranty 60 Months/6,000 Hrs Major Parts and Component Warranty Up to First (4) PM's Included (Parts and Labor)	\$799	<hr/>
2. Toyota 360 Support Plus 4 48 Months/8,000 Hrs Carriage to Counterweight Warranty 60 Months/8,000 Hrs Major Parts and Component Warranty Up to First (4) PM's Included (Parts and Labor)	\$999	<hr/>
3. Toyota 360 Support Plus 5 60 Months/10,000 Hrs Carriage to Counterweight Warranty 60 Months/10,000 Hrs Major Parts and Component Warranty Up to First (4) PM's Included (Parts and Labor)	\$1,199	<hr/>

**** Customer: please signify acceptance of an option by initialing in the space provided.***

ADDENDUM A – ADDITIONAL TERMS AND CONDITIONS

1. NO WARRANTY GIVEN. THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HERBY EXCLUDED AND DISCLAIMED FOR ALL EQUIPMENT, NEW AND OLD IN NO EVENT SHALL SELLER'S LIABILITY EXCEED THE PURCHASE PRICE OF THE PARTICULAR PIECE OF EQUIPMENT. BUYER MAY NOT RECOVER CONSEQUENTIAL OR INCIDENTAL DAMAGES.
2. MANUFACTURER'S WARRANTY ONLY. Manufacturers whose products are sold by Seller normally make written warranties on all new equipment. Seller makes no express warranty except that it warrants new equipment to the same extent and on the same terms, including all disclaimers and limitations on warranties, liabilities or remedies, as are contained in the particular manufacturer's written warranty, if any, applicable to each piece of such new equipment.
3. SELLER TO FURNISH COPY OF MANUFACTURER'S WARRANTY UPON REQUEST. If the buyer does not receive a copy of the manufacturer's written warranty at or before receiving possession of the equipment, it shall be Buyer's obligation to notify seller's Louisville office of that fact, and such written warranty will promptly be furnished to the Buyer; failure by the Buyer to give such notice shall constitute a waiver of all claims or rights which go beyond the terms of said particular manufacturer's written warranty.
4. ACCEPTANCE. The proposal is subject to acceptance by Purchaser, and it shall not be binding upon Seller until approved by an executive officer of Seller. The proposal is subject to the terms and conditions set out below, notwithstanding any different conditions which may be contained on Purchaser's purchase order.
5. PRICES. Prices quoted are for immediate acceptance and unless otherwise specified are subject to change without notice. It is understood that the prices quoted are based upon Seller's costs, and any change in Seller's cost shall be borne by Purchaser. Purchaser shall pay any and all federal, state county or municipal sales or use taxes imposed by reason of the sale involved as well as any other tax which goes into effect between the time the price was established and the delivery of the equipment involved. Prices do not include freight unless noted on the front side hereof. Proposals are accepted subject to the customers' furnishing satisfactory credit references and any other documents necessary for the satisfactory completion of the order.
6. TERMS. Unless otherwise specified, all prices are net cash. Account in arrears more than thirty (30) days will bear interest at eighteen percent (18%) per annum, and the cost of the collection of any account shall be borne by Purchaser, including a reasonable attorney's fee. Title to the personal property involved will remain in Seller until all indebtedness shall have been paid in full. Purchaser agrees that he will not sell, dispose of, attempt to convey, nor remove said personal property from the county where originally delivered until such indebtedness shall have been paid in full. In the event of an attachment or execution being levied against the Purchaser or his bankruptcy or default in payments, all property involved will be returned to the Seller and all payments made to date of such repossession shall be considered as rent. Invoices are payable in Louisville, Kentucky, either in cash or by means of bank drafts payable at par through any federal reserve bank. Unless otherwise provided, all order and contracts shall be governed by the laws of Kentucky; Purchaser shall be deemed to have transacted business in Kentucky within the meaning of KRS 454.210 and any and all disputes arising hereunder may be settled or attempted to be settled only in Louisville, Kentucky, whether such settlement be arrived at or be attempted by negotiation, litigation or otherwise.
7. DELIVERY. Delivery promises are based upon Seller's current judgment and are dependent upon manufacturer's delivery to Seller. Seller shall not be responsible for any delays resulting from manufacturer's delays, nor by delays resulting from the action of public authorities, the existence of war, strikes, material shortages, fires, lockouts, differences with employees, accidents, delays in manufacturer transportation, acts of God, embargoes, inability to ship, inability to insure, substantially increased prices or freight rates, or other causes beyond Seller's control. Deliveries will be calculated from the receipt of complete manufacturing information including any necessary blueprints, customer approval, specifications, or other information necessary for production. Seller will not be responsible for deliveries later than promised, regardless of the cause, unless attributable to Seller's negligence.
8. CANCELLATIONS. Orders accepted cannot be countermanded nor delivery deferred except with Seller's consent and then only upon such terms that will indemnify Seller against all losses.
9. MEASURE OF DAMAGES. If Seller fails to deliver the equipment, delivers substantially nonconforming equipment, or commits any other substantial breach of this Purchase Order Sales Agreement, Buyer's damages shall be the difference between the Grand total stated on the front side hereof and the market price (including all sales and use

taxes and all freight and other charges) at the time when, and place where, risk of loss passes to Purchase under Paragraph 12 here in below.

10. NOTICE TO SELLER OF DEFECTS. Within five (5) days after the equipment comes into its or his possession, Buyer will inspect the equipment. If such inspection reveals a defect or if subsequently a defect is discovered which could not have been discovered by such inspection, Buyer shall within three (3) days of discovery notify Seller's home office in Louisville by registered mail, return receipt demanded. The notice must state in detail the nature of the defect and the condition of the equipment when received. Failure to give such notice within three (3) days after discovery of a defect shall constitute a waiver of any and all rights arising from the defects discovered.

11. ACCEPTANCE OF EQUIPMENT BY BUYER: EFFECT. After accepting the equipment, Buyer shall be limited to the sole remedy of an action for the measure of damages provided for in Paragraph 10 hereof, and Buyer may not thereafter revoke his acceptance. The equipment must be rejected within five (5) days after Seller receives possession of the equipment; failure to so reject shall constitute irrevocable acceptance. Use of the equipment by Buyer shall also constitute irrevocable acceptance. Use of the equipment for sixty (60) working days shall constitute acceptance with knowledge of all defects and a final, complete waiver of any and all rights arising from any and all defects which may be present in the equipment.

12. PASSAGE OF RISK OF LOSS. All risks of loss, casualty or other damage to the equipment shall pass the Purchaser at the time when and place where the Seller surrenders possession, whether such surrender be to the Purchaser or to a common carrier or other independent instrument of transportation.

13. ENTIRE UNDERSTANDING; MODIFICATION. This Purchaser Order Sales Agreement together with any Security Agreement covering the equipment hereby sold, contain the entire understanding of the parties. No terms of conditions, other than those stated herein or in any such Security Agreement, and no agreement or understanding, oral or written, in any way purporting to modify these Terms or conditions, shall be binding on Seller, unless hereafter made in writing and signed by its authorized representative. All previous negotiations and representations, if any, made prior, and with reference hereto, are merged herein.

14. WAIVER. No waiver of a breach of any provision of this contract shall constitute a waiver of any other branch of the same or any other provision.