

| Jefferson County Public Schools | | | | | | | | | | | | | | | |
|---|---|--|-----------------|-----------|----------|---------------------------------|--------|-------------------------|--------------------------|----------------|-------------|---|----------------------------|--------------|-------------|
| Bid Tabulation | | | | | | | | | | | | | | | |
| Event Name: Glass, Plastic & Glazing Compounds | | | | | | | | | | | | | | | |
| Event ID: JCPS-8290 | | | | | | | | | | | | | | | |
| Approval Date: November 14, 2023 | | | | | | | | | | | | | | | |
| Date Bids Received: October 19, 2023 | | | | | | | | | | | | | | | |
| Contract Period: November 23, 2023 through May 22, 2024 | | | | | | | | | | | | | | | |
| Renewals: No renewal option | | | | | | | | | | | | | | | |
| Comments: Award Status indicates an award | | | | | | | | | | | | | | | |
| Item Number | Item/Service | Description | Commodity Code | UOM | Quantity | Vendor Name | No Bid | Manufacturer / Provider | Manufacturer Part Number | Unit Bid Price | Total Price | Supplier Notes | Vendor Response Item Notes | Award Status | Award Notes |
| 1 | Clear polished Nuweld wire glass, 1/4" x approx. 78" x 100", diamond. | Tru-lite or equal. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. of lites per case. THE QUANTITIES STATED FOR THIS ITEM WILL BE ORDERED AT ONE TIME. | 4620180-1079112 | 1 - Sheet | 20 | HPP Industrial Inc. | Yes | | | | | | | | |
| 1 | Clear polished Nuweld wire glass, 1/4" x approx. 78" x 100", diamond. | Tru-lite or equal. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. of lites per case. THE QUANTITIES STATED FOR THIS ITEM WILL BE ORDERED AT ONE TIME. | 4620180-1079112 | 1 - Sheet | 20 | General Rubber & Plastics, Inc. | Yes | | | | | | NO BID | | |
| 2 | Acrylic prismatic light lens, clear, GP SP-12 pattern, .093" to .187" thickness, nominal 2' x 4' sheet. | Plaskolite or equal. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 2700520-1727330 | 1 - Sheet | 20 | HPP Industrial Inc. | Yes | | | | | | | | |
| 2 | Acrylic prismatic light lens, clear, GP SP-12 pattern, .093" to .187" thickness, nominal 2' x 4' sheet. | Plaskolite or equal. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 2700520-1727330 | 1 - Sheet | 20 | General Rubber & Plastics, Inc. | No | PLASKOLITE | LP-21C | 13.32 | 266.4 | SOLD IN PACKS OF 15 OR 20 | LEAD TIME 1-10 DAYS | Awarded | |
| 3 | Acrylic sheet, 15/64" (.220) x 48" x 96". Colorless, both sides, stipple, #DP32 pattern. | Rohm & Haas or equal. ITEM NOS. 3 THRU 5 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620120-1720828 | 1 - Sheet | 1 | HPP Industrial Inc. | Yes | | | | | | | | |
| 3 | Acrylic sheet, 15/64" (.220) x 48" x 96". Colorless, both sides, stipple, #DP32 pattern. | Rohm & Haas or equal. ITEM NOS. 3 THRU 5 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620120-1720828 | 1 - Sheet | 1 | General Rubber & Plastics, Inc. | No | PLASKOLITE | P-32 | 167.05 | 167.05 | SOLD IN PALLETS OF 50 FOR SMALL ORDERS 10-49 SHEETS | LEAD TIME 2-3 WEEKS | Awarded | |
| 4 | Polycarbonate sheet, 1/4" (.236) x 48" x 96", coated, clear, ultraviolet sunscreen. | Five-year warranty against yellowing. Bayer, GE Lexan XL-1 or equal. ITEM NOS. 3 THRU 5 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620120-1705599 | 1 - Sheet | 20 | HPP Industrial Inc. | Yes | | | | | | | | |
| 4 | Polycarbonate sheet, 1/4" (.236) x 48" x 96", coated, clear, ultraviolet sunscreen. | Five-year warranty against yellowing. Bayer, GE Lexan XL-1 or equal. ITEM NOS. 3 THRU 5 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620120-1705599 | 1 - Sheet | 20 | General Rubber & Plastics, Inc. | No | PLASKOLITE AZ CARB | UV POLYCARB2364896 | 180.22 | 3604.4 | SOLD IN PALLETS OF 23 SHEETS | LEAD TIME 4-6 WEEKS | Awarded | |
| 5 | Polycarbonate sheet, 1/8" (.125) x 52" x 100", coated, clear, ultraviolet sunscreen. | Five-year warranty against yellowing. Bayer, GE Lexan XL-1 or equal. ITEM NOS. 3 THRU 5 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620120-2002282 | 1 - Sheet | 1 | HPP Industrial Inc. | Yes | | | | | | | | |
| 5 | Polycarbonate sheet, 1/8" (.125) x 52" x 100", coated, clear, ultraviolet sunscreen. | Five-year warranty against yellowing. Bayer, GE Lexan XL-1 or equal. ITEM NOS. 3 THRU 5 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620120-2002282 | 1 - Sheet | 1 | General Rubber & Plastics, Inc. | No | PLASKOLITE AZ CARB | UV POLYCARB12552100 | 101.34 | 101.34 | SOLD IN PALLETS OF 43 SHEETS | LEAD TIME 2-6 WEEKS | Awarded | |
| 6 | Polycarbonate sheet, 1/4" (.220) x 48" x 96", FM clear. | | 4620120-2014720 | 1 - Sheet | 20 | HPP Industrial Inc. | Yes | | | | | | | | |
| 6 | Polycarbonate sheet, 1/4" (.220) x 48" x 96", FM clear. | | 4620120-2014720 | 1 - Sheet | 20 | General Rubber & Plastics, Inc. | No | PLASKOLITE AZ CARB | 220X48X96 POLYCARB | 126.6 | 2532 | BUYS AS NEEDED NO MIN | LEAD TIME 1-7 DAYS | Awarded | |
| 7 | Frame, mirror, 18" x 24". | Meek or equal, stainless steel #M1100. | 4620080-1717056 | 1 - Each | 12 | HPP Industrial Inc. | Yes | | | | | | | | |
| 7 | Frame, mirror, 18" x 24". | Meek or equal, stainless steel #M1100. | 4620080-1717056 | 1 - Each | 12 | General Rubber & Plastics, Inc. | Yes | | | | | | NO BID | | |
| 8 | Glass, clear, double strength, 1/8" thickness, 48" x 84", 1,200 square feet. | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620040-1723400 | 1 - Sheet | 20 | HPP Industrial Inc. | Yes | | | | | | | | |
| 8 | Glass, clear, double strength, 1/8" thickness, 48" x 84", 1,200 square feet. | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620040-1723400 | 1 - Sheet | 20 | General Rubber & Plastics, Inc. | Yes | | | | | | NO BID | | |

| | | | | | | | | | | | | | | | | | | |
|----|---|--|-----------------|--------------|----|---------------------------------|-----|-------|-------------|-------|-------|--|--|--|--|--|--------------------------------|----------------|
| 9 | Plate glass, clear, float, 1/4" x 72" x 130". | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620140-1685848 | 1 - Sheet | 20 | HPP Industrial Inc. | Yes | | | | | | | | | | | |
| 9 | Plate glass, clear, float, 1/4" x 72" x 130". | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620140-1685848 | 1 - Sheet | 20 | General Rubber & Plastics, Inc. | Yes | | | | | | | | | | | NO BID |
| 10 | Plate glass, clear, float, 3/16" x 72" x 130". | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620140-1719416 | 1 - Sheet | 1 | HPP Industrial Inc. | Yes | | | | | | | | | | | |
| 10 | Plate glass, clear, float, 3/16" x 72" x 130". | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620140-1719416 | 1 - Sheet | 1 | General Rubber & Plastics, Inc. | Yes | | | | | | | | | | | NO BID |
| 11 | Plate glass, gray tint, 1/4" x 72" x 130". | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620140-1683358 | 1 - Sheet | 6 | HPP Industrial Inc. | Yes | | | | | | | | | | | |
| 11 | Plate glass, gray tint, 1/4" x 72" x 130". | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620140-1683358 | 1 - Sheet | 6 | General Rubber & Plastics, Inc. | Yes | | | | | | | | | | | NO BID |
| 12 | Plate mirror, clear, 1/4" x 72" x 120", raw edge. | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620080-1696874 | 1 - Sheet | 10 | HPP Industrial Inc. | Yes | | | | | | | | | | | |
| 12 | Plate mirror, clear, 1/4" x 72" x 120", raw edge. | Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620080-1696874 | 1 - Sheet | 10 | General Rubber & Plastics, Inc. | Yes | | | | | | | | | | | NO BID |
| 13 | Safety glass, clear, laminated, 1/4" x 48" x 96". | 18 lites per case. .030 plastic interlayer to meet Federal Specifications effective 7-1-77. Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620160-1079274 | 1 - Sheet | 10 | HPP Industrial Inc. | Yes | | | | | | | | | | | |
| 13 | Safety glass, clear, laminated, 1/4" x 48" x 96". | 18 lites per case. .030 plastic interlayer to meet Federal Specifications effective 7-1-77. Tru-lite or equal. ITEM NOS. 8 THRU 13 WILL BE ORDERED IN CASE QUANTITIES. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 4620160-1079274 | 1 - Sheet | 10 | General Rubber & Plastics, Inc. | Yes | | | | | | | | | | | NO BID |
| 14 | Glazing compound, aluminum gray. | For face glazing aluminum, steel, bonderized galvanized and bronze metal sash, primed wood, glass, porcelain and other materials. Fast setting, forms a flexible watertight seal, non-shrink, requires no painting. Meets Federal Specifications #TT-G-410. In one-gallon cans. Dap #1012 or equal. GLAZING COMPOUND MUST BE FRESH. WE WILL NOT ACCEPT OLD, CRUSTED OVER COMPOUND. | 4620220-1440355 | 1 Gallon Can | 1 | HPP Industrial Inc. | No | Sarco | Sarco X0106 | 98.46 | 98.46 | | | | | | Payment terms: 4% 20/Net 30 | Awarded |
| 14 | Glazing compound, aluminum gray. | For face glazing aluminum, steel, bonderized galvanized and bronze metal sash, primed wood, glass, porcelain and other materials. Fast setting, forms a flexible watertight seal, non-shrink, requires no painting. Meets Federal Specifications #TT-G-410. In one-gallon cans. Dap #1012 or equal. GLAZING COMPOUND MUST BE FRESH. WE WILL NOT ACCEPT OLD, CRUSTED OVER COMPOUND. | 4620220-1440355 | 1 Gallon Can | 1 | General Rubber & Plastics, Inc. | Yes | | | | | | | | | | | NO BID |

| | | | | | | | | | | | | | | |
|----|---|--|-----------------|-------------------|---|---------------------------------|-----|--------|------------|-----|------|--|--|---------|
| 15 | Butyl glazing tape, 1/2" wide x 1/8" thick x 25' roll. An extruded, preformed, architectural glazing tape furnished on release paper rolls. Based upon a butyl rubber formulation with proven age and weather resistant properties. | Product is designed to create a long lasting flexible weather seal between two surfaces which will be subject to normal expansion/contraction and wind loading forces. Typically used as an exterior primary spacing and glazing seal when glazing glass into a window sash. It is also widely used to seal other architectural surfaces such as metal to metal joints, wood to glass, metal to plastic, etc. Color: Black-bronze. Tape must pass AAMA Spec. 807.1 for glazing tapes to be used with architectural aluminum. 20 rolls per case. Tremco #440 or equal. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 7630032-1689323 | 1 - 20 Count Case | 6 | HPP Industrial Inc. | No | Tremco | Tremco 440 | 326 | 1956 | | 20 rolls per case; Payment terms: 4% 20/Net 30 | Awarded |
| 15 | Butyl glazing tape, 1/2" wide x 1/8" thick x 25' roll. An extruded, preformed, architectural glazing tape furnished on release paper rolls. Based upon a butyl rubber formulation with proven age and weather resistant properties. | Product is designed to create a long lasting flexible weather seal between two surfaces which will be subject to normal expansion/contraction and wind loading forces. Typically used as an exterior primary spacing and glazing seal when glazing glass into a window sash. It is also widely used to seal other architectural surfaces such as metal to metal joints, wood to glass, metal to plastic, etc. Color: Black-bronze. Tape must pass AAMA Spec. 807.1 for glazing tapes to be used with architectural aluminum. 20 rolls per case. Tremco #440 or equal. Please respond to the following in the VENDOR RESPONSE ITEM NOTES field: State no. per case. | 7630032-1689323 | 1 - 20 Count Case | 6 | General Rubber & Plastics, Inc. | Yes | | | | | | NO BID | |