INDEX TO DRAWINGS

<u>SITE</u>

- C1.0 SITE DEMOLITION PLAN
- C2.0 SITE DEVELOPMENT PLAN C2.1 ENLARGED DEVELOPMENT PLANS
- C3.0 SITE GRADING PLAN C3.1 ENLARGED GRADING PLANS
- C3.2 ENLARGED GRADING PLAN C4.0 SITE UTILITY PLAN
- C4.1 UTILITY DETAILS C5.0 SITE DETAILS

STRUCTURAL

- S0.1 STRUCTURAL NOTES
- S1.1 FOUNDATION PLAN
- \$1.2 ROOF FRAMING PLAN S1.3A GARAGE FOUNDATION PLANS, SECTIONS & DETAILS (ALT #1
- S1.3B GARAGE SCHEDULES (ALT #1) S1.4 PEMB FOUNDATION PLAN, DETAILS & SCHEDULES (ALT #2)
- \$2.2 FOUNDATION DETAILS S3.1 FRAMING DETAILS
- S3.2 FRAMING DETAILS S4.1 STRUCTURAL SCHEDULES

<u>ARCHITECTURAL</u>

- #COV COVER SHEET
- N0.1 ABBREVIATIONS, SYMBOL LEGEND, GENERAL NOTES & PARTITION TYPES D1.1 DEMOLITION PLANS
- D1.2 DEMOLITION PLANS
- D3.1 DEMOLITION ELEVATIONS C0.1 CODE INFORMATION
- A1.1 FIRST FLOOR PLAN A1.2 PARTIAL FIRST FLOOR PLAN - AREA A
- A1.3 PARTIAL FIRST FLOOR PLAN AREA B
- A1.4 PARTIAL FIRST FLOOR PLAN AREA C
- A1.6 PARTIAL FIRST FLOOR PLAN AREA E A1.7 GARAGE FLOOR PLANS AND ELEVATIONS (ALT #1)
- A1.8 STORAGE BUILDING FLOOR PLAN AND ELEVATIONS (ALT #2)
- A2.1 ENLARGED FLOOR PLANS A2.2 DETAIL SHEETS
- A3.1 BUILDING ELEVATIONS
- A4.1 ROOF PLAN & DETAILS A5.1 WALL SECTIONS
- A6.1 ENLARGED CASEWORK PLANS AND DETAILS
- A7.1 REFLECTED CEILING PLAN A7.2 ENLARGED CEILING PLANS AND DETAILS
- A8.1 DOOR SCHEDULE FRAME ELEVATIONS

FIRE PROTECTION

- DFP1.1 FIRE PROTECTION DEMOLITION FLOOR PLAN
- DFP1.2 FIRE PROTECTION DEMOLITION MEZZANINE PLAN FP0.1 FIRE PROTECTION LEAD SHEET
- FP1.1 FIRE PROTECTION FIRST FLOOR PLAN

- DP1.1 PLUMBING DEMOLITION FLOOR PLAN
- P0.1 PLUMBING LEAD SHEET
- P1.1 PLUMBING FIRST FLOOR PLAN SANTARY P1.2 PLUMBING FIRST FLOOR PLAN - WATER SUPPLIES & GAS
- P3.1 PLUMBING DRAIN, WASTE & VENT DIAGRAM P3.2 PLUMBING WATER DIAGRAM
- P3.3 PLUMBING GAS DIAGRAM P4.1 PLUMBING DETAILS

P5.1 PLUMBING SCHEDULES

P4.2 PLUMBING DETAILS

- DH1.1 HVAC DEMOLITION FLOOR PLAN
- DH1.2 HVAC DEMOLITION MEZZANINE PLAN
- H0.1 HVAC LEAD SHEET H1.1 HVAC FIRST FLOOR PLAN
- H4.1 HVAC DETAILS H5.1 HVAC SCHEDULES
- DE1.1 ELECTRICAL DEMOLTION FLOOR PLAN
- DE1.2 ELECTRICAL DEMOLITION MEZZANINE PLAN
- E0.1 ELECTRICAL LEAD SHEET E0.2 ELECTRICAL LEAD SHEET E1.1 ELECTRICAL LIGHTING FIRST FLOOR PLAN
- E1.2 ELECTRICAL POWER FIRST FLOOR PLAN E1.3 ELECTRICAL SPECIAL SYESTEMS FLOOR PLAN
- E3.1 ELECTRICAL RISER DIAGRAM E4.1 ELECTRICAL DETAILS E4.2 ELECTRICAL DETAILS
- E4.3 ELECTRICAL DETAILS E4.4 ELECTRICAL DETAILS
- E5.1 ELECTRICAL SCHEDULES E5.2 ELECTRICAL SCHEDULES
- E5.3 ELECTRICAL SCHEDULES ME1.1 MECHANICAL-ELECTRICAL ROOF PLAN
- ME1.2 MECHANICAL-ELECTRICAL STORAGE BUILDING PLAN ALTERNATE

HOPKINS COUNTY SCHOOLS BOARD OFFICE REMODEL

BG# 23-121

90% FOR BOARD APPROVAL

JANUARY 02, 2025

2135 NORTH MAIN STREET MADISONVILLE, KY 42431

OWNER:

HOPKINS COUNTY BOARD OF EDUCATION

SCB PROJECT NUMBER: 2265

AMY SMITH - SUPERINTENDENT SHANNON EMBRY - CHAIRPERSON JOHN OSBORNE - VICE CHAIRPERSON KERRI SCISNEY - MEMBER STEVE FAULK - MEMBER NICK FOSTER - MEMBER KEITH CARTWRIGHT - BOARD ATTORNEY



SHERMAN CARTER BARNHART ARCHITECTS, PLLC PROJECT MANAGER: ANDREW H. OWENS AIA, CID

144 TURNER COMMONS WAY SUITE 110 LEXINGTON, KY 40508 PHONE: 859.224.1351 FAX: 859.224.8446

www.scbarchitects.com

CIVIL ENGINEER


BACON FARMER WORKMAN 2301 MCCRACKEN BLVD. PADUCAH, KY 42001 P (270) 443-1995 F (270) 443-1904

STRUCTURAL ENGINEER

BACON FARMER WORKMAN 2301 MCCRACKEN BLVD. PADUCAH, KY 42001 P (270) 443-1995 F (270) 443-1904

MECHANICAL/ELECTRICAL ENGINEER

MARCUM ENGINEERING 2301 MCCRACKEN BLVD. PADUCAH, KY 42001 P (270) 444-9274 F (270) 443-1904



2265 HOPKINS COUNTY BC 1/2/2025 11:23:50 AM SHERMAN CARTER BARNHART ARCHITECTS

UNIY BOARD OFFIC REMODEL RTH MAIN STREET

 \mathcal{C}

ABBREVIATIONS, SYMBOL LEGEND, SENERAL NOTES & PARTITION TYPES

JOB NO. 2265

DATE NOVEMBER 08, 2024

DRAWN ALC, ASC

CHECKED
COPYRIGHT © 2024
SHERMAN CARTER BARNHART ARCHITECTS, PLLC

REVISIONS

No. Description Date

HEET

N0.1

GENERAL DEMOLITION NOTES DEMOLITION REFERENCE NOTES FOR THIS PROJECT ARE INTENDED TO GENERALL IDENTIFY THE SELECTIVE REMOVAL OF EXISTING ITEMS AT LOCATIONS WHERE REQUIRED BUT, SHALL IN NO WAY RELIEVE THE CONTRACTOR OF THE FULL RESPONSIBILITY FOR EXAMINING AND VERIFYING THE FULL EXTENT OF EXISTING CONDITIONS PRIOR TO BIDDING THE PROJECT

Z AMA

 $\Sigma \sqcup I$

 $\alpha \vdash z$

шсс

Idd

S C M <

THE INTENT OF THE DEMOLITION NOTES IS TO PROVIDE A GENERAL OUTLINE FOR THE CONTRACTOR OF ITEMS TO BE REMOVED AND/OR TURNED OVER TO THE OWNER AND TO ALLOW FOR THE NEW CONSTRUCTION AS OUTLINED ELSEWHERE IN THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL OF ITEMS TO ALLOW FOR NEW CONSTRUCTION

SHOWN OR NOT SHOWN ON DEMOLITION PLANS AS MAY BE REQUIRED. CAVITY WALLS AND SPACES BEHIND EXTERIOR FINISHES OR PARTIALLY REMOVED WALLS/ROOFS, ETC. SHALL BE PROTECTED FROM EXPOSURE TO WEATHER BY THE CONTRACTOR. WALLS/ROOFS, ETC. SHALL BE PROTECTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGED WALLS, ROOFS, EQUIPMENT, ETC. CAUSED BY THIS DEMOLITION OR WEATHER EXPOSURE OF ITEMS THAT ARE TO

INFORMATION AND DRAWINGS INCLUDED IN THESE CONTRACT DOCUMENTS PERTAINING TO HOPKINS COUNTY CENTRAL HIGH SCHOOL HAVE BEEN OBTAINED FROM ORIGINAL DRAWINGS PROVIDED BY HOPKINS COUNTY PUBLIC SCHOOLS. THIS INFORMATION IS INCLUDED HEREIN WITH THE INTENT TO PROVIDE THE CONTRACTOR WITH A BASIC UNDERSTANDING OF EXISTING CONDITIONS. ACTUAL CONDITIONS AND DIMENSIONS MAY VARY FROM THOSE INDICATED ON ORIGINAL

REFER TO MECHANICAL AND/OR ELECTRICAL DRAWINGS AND SPECIFICATIONS FO SPECIFIC REQUIREMENTS PERTAINING TO THE REMOVAL, RELOCATION AND/OR MODIFICATION OF ITEMS RELATED TO EXISTING MECHANICAL AND ELECTRICAL

SHOULD THE CONTRACTOR ENCOUNTER ANY MATERIALS DURING SELECTIVE DEMOLITION AND NEW WORK WHICH ARE SUSPECTED BY THE CONTRACTOR TO BE OF AN UNKNOWN OR QUESTIONABLE COMPOSITION WITH RESPECT TO CONTAINING CONTAMINANTS, TOXIC MOLDS OR FUNGI WHICH MAY BE HAZARDOUS TO HUMAN HEALTH, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE OWNER OF SUCH

WHERE AN EXISTING CMU WALL IS REMOVED AND NO NEW WALL IS SHOWN TO BE INSTALLED, REMOVE EXISTING CMU WALL TO 8 INCHES BELOW ADJACENT FLOOR SLAB. PATCH AND REPAIR SLAB AS REQUIRED FOR INSTALLATION OF NEW FLOOR FINISH. REFER TO NEW WORK PLANS.

ALL AREAS LEFT EXPOSED AS A RESULT OF DEMOLITION AND/OR EQUIPMENT REMOVAL SHALL BE PATCHED AND REPAIRED TO RESULT IN A FLUSH SMOOTH SURFACE PREPARED TO RECEIVE NEW FINISHES AS SCHEDULED, ANY AREAS / OPENINGS IN MASONRY WALLS LARGER THAN 2" EXPOSED TO VIEW SHALL BE PATCHED WITH SOAPED IN CMU UNITS TOOTHED-IN INTO EXISTING MASONRY.

CONTRACTOR SHALL BE RESPONSIBLE FOR ALL PATCHING AND REPAIRING DUE TO DEMOLITION AND/OR REMOVAL OF EQUIPMENT TO CREATE A FLUSH, SMOOTH SURFACE PROPERLY PREPARED TO RECEIVE NEW FINISHES AS SCHEDULED. CONTRACTOR SHALL SOAP IN NEW CMU TO MATCH EXISTING ADJACENT AREAS.

. THE CONTRACTOR SHALL COORDINATE SPECIFIC DEMOLITION AND ASSOCIATED DATES WITH THE OWNER, REFER TO MECHANICAL / ELECTRICAL PLANS. . UNLESS INDICATED OTHERWISE, ALL EXISTING FLOOR SLABS SHALL MEET NEW

FLOOR SLABS AT THE SAME ELEVATION, WHERE NEW FINISHES SHALL BE INSTALLED FLUSH. CONTRACTOR SHALL VERIFY ALL EXISTING FLOOR SLABS FOR COMPLIANCE PRIOR TO PLACING NEW SLABS AT ASSUMED ELEVATIONS INDICATED 2. REFER TO ROOF PLANS FOR ADDITIONAL ROOF DEMOLITION NOTES.

3. ALL EXISTING WORK TO BE SHADED GRAY, REFER TO DRAWINGS.

REMOVE EXIST. STOREFRONT AND PREPARE OPENING FOR NEW WORK. NEW MASONRY OPENING IN EXIST. WALL. REFER TO NEW WORK PLANS FOR

EXTENTS OF OPENING. REMOVE EXIST. DOOR, ASSOCIATED HARDWARE AND HOLLOW METAL FRAME.

PREPARE SURFACE TO RECEIVE NEW FINISHES. REMOVE EXISTING CEILING, LIGHTING, & CLG. DIFFUSERS / DEVICES IN THIS AREA.

REMOVE EXISTING CARPET AND WALL BASE IN ITS ENTIRETY, SCRAPE AND

REMOVE EXIST. DRIVE THRU WINDOW COMPLETE.

REMOVE EXIST. MASONRY WALL TO EXTENTS SHOWN.

AT NEW DOOR LOCATIONS DEMOLISH EXISTING MASONRY WALL AS REQUIRED FOR INSTALLATION OF NEW BOND BEAMS OR STEEL BEAMS (MIN. 8-INCHES) ABOVE T.O. NEW FRAME AND AS REQUIRED AT STRIKE AND JAMB SIDES OF NEW DOOR). TOOTH IN NEW MASONRY AT EDGES OF NEW OPENING TO NEAREST JOINT, MIN 8". REFER TO NEW WORK AND STRUCTURAL.

REMOVE EXIST. PILASTERS.

PREPARE FOR NEW WORK.

REMOVE EXIST. ALUMINUM AND GLASS ENTRANCE AND PREPARE OPENING FOR NEW WORK.

DEMOLISH, PATCH, REPAIR, & PAINT EXIST. WALL AS REQUIRED FOR NEW CONDUIT INSTALLATION / PENETRATIONS. REFER TO MP&E DWGS.

. DEMOLISH EXISTING EIFIS DIAMONDS COMPLETE. PATCH AND PREP FOR NEW PAIN' TO MATCH EXISTING.

. REMOVE EXISTING FLOOR AND WALL TILE IN ITS ENTIRETY, SCRAPE AND PREPARE SURFACE TO RECEIVE NEW FINISHES.

4. DEMOLISH EXISTING PLUMBING FIXTURES, TOILET ACCESSORIES, TOILET PARTITIONS AND DOORS.

5. DEMOLISH EXISTING FLOORING & BASE TO EXISTING SLAB & PREP. FOR NEW WORK 16. PREP. EXISTING WALL FOR NEW CONSTRUCTION.

7. REMOVE EXISTING KITCHEN EQUIPMENT & RETURN TO OWNER.

18. DEMOLISH EXISTING SOFFIT, FASCIA, GUTTER & PREP. FOR NEW WORK

9. DEMOLISH PORTION OF EXISTING WALL. 0. DEMOLISH PORTION OF SLAB FOR NEW PLUMBING.

I. DEMOLISH EXISTING CONCRETE PAD.

2. DEMOLISH BRICK & INSULATION COMPONENTS OF EXISTING WALL, PREP. FOR NEW

4. DEMOLISH EXISTING EIFS ARCHITECTURAL ORNAMENTATION AND ASSOCIATED

EMOLITION

NOVEMBER 08

ALC, ASC

DRAWN

COPYRIGHT © 2024

ARCHITECTS, PLLC

REVISIONS \

SHERMAN CARTER BARNHAR

Description Date

METAL ROOFS. PREP FOR EIFS PATCHING. 25. DEMOLISH EXISTING STAIRS AND ASSOCIATED HANDRAILS IN ITS ENTIRETY.

26. DEMOLISH EXISTING STEEL PIPE GUARDRAIL.

3. REMOVE EXISTING PLYWOOD AND ASSOCIATED COMPONENTS

28. DEMOLISH EXISTING FLOOR AND FLOOR STRUCTURE.

7. DEMOLISH EXISTING WALL MOUNTED COUNTEROP AND BRACKETS.

HAZARDOUS MATERIALS

UE TO THE AGE OF THE EXISTING BUILDINGS, IT IS POSSIBLE HAZARDOUS MATERIALS

THE CONTRACTOR IS HEREBY ADVISED THAT SHERMAN-CARTER-BARNHART, PLLC IS NOT A DESIGN PROFESSIONAL IN THE DETERMINATION OF THE PRESENCE OF HAZARDOUS MATERIALS, NOR IS SHERMAN-CARTER-BARNHART, PLLC A DESIGN PROFESSIONAL INVOLVED IN MAKING RECOMMENDATIONS REGARDING THE TESTING, REMOVAL, ENCAPSULATION OR OTHER CORRECTIVE MEASURES PERTAINING TO HAZARDOUS MATERIALS

BY EXECUTION OF THE CONTRACT FOR CONSTRUCTION, THE CONTRACTOR HEREBY AGREES TO BRING NO CLAIM FOR NEGLIGENCE, BREACH OF CONTRACT, INDEMNITY OR OTHERWISE AGAINST THE ARCHITECT, HIS PRINCIPALS, EMPLOYEES, AGENTS OR CONSULTANTS IF SUCH A CLAIM IN ANY WAY WOULD INVOLVE THE INVESTIGATION OF OR REMEDIAL WORK RELATED


OR TOXIC SUBSTANCES / MOLDS MAY EXIST. THIS INCLUDES BUT IS NOT LIMITED TO ASBESTOS PRODUCTS, POLYCHLORINATED BIPHENYL (PCB), AND OTHER TOXIC SUBSTANCES. IF ANY WORK PERSON ENCOUNTERS ANY MATERIAL OR SUBSTANCE WHICH THEY SUSPECT MIGHT BE HAZARDOUS OR TOXIC. THEY SHALL IMMEDIATELY ADVISE THE OWNER. THE CONTRACTOR SHALL TAKE IMMEDIATE AND APPROPRIATE ACTION TO PROTECT THE BUILDING USERS AND WORKERS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL LAWS, CODES AND REGULATIONS. THE ARCHITECT AND ARCHITECT'S CONSULTANTS SHALL HAVE NO RESPONSIBILITY FOR THE DISCOVERY, PRESENCE, HANDLING, REMOVAL OR DISPOSAL OF OR EXPOSURE OF PERSONS TO HAZARDOUS MATERIALS OR TOXIC SUBSTANCES IN ANY FORM AT THE PROJECT SITE, INCLUDING BUT NOT LIMITED TO ASBESTOS, ASBESTOS PRODUCTS, POLYCHLORINATED BIPHENYL (PCB), OTHER TOXIC SUBSTANCES, OR TOXIC MOLDS.

OR TOXIC MOLDS / SUBSTANCES.

IF THE WORK WHICH IS TO BE PERFORMED UNDER THE CONTRACT INTERFACES IN ANY WAY WITH THE EXISTING COMPONENTS WHICH CONTAIN HAZARDOUS MATERIALS OR TOXIC SUBSTANCES, IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONTACT THE OWNER'S ENVIRONMENTAL CONSULTANT REGARDING THE PROPER MEANS AND METHODS TO BE UTILIZED IN DEALING WITH HAZARDOUS MATERIALS AND SUBSTANCES.

TO HAZARDOUS MATERIALS OR TOXIC SUBSTANCES IN THE PROJECT.

BY EXECUTION OF THE CONTRACT FOR CONSTRUCTION. THE CONTRACTOR FURTHER AGREES TO DEFEND, INDEMNIFY AND HOLD THE ARCHITECT, HIS PRINCIPALS, EMPLOYEES, AGENTS AND CONSULTANTS HARMLESS FROM ANY SUCH ASBESTOS, OTHER HAZARDOUS MATERIALS, OR TOXIC SUBSTANCES / MOLD RELATED CLAIMS THAT MAY BE BROUGHT BY THE CONTRACTOR'S SUBCONTRACTORS, SUPPLIERS OR OTHER THIRD PARTIES WHO MAY BE ACTING UNDER THE DIRECTION OF THE CONTRACTOR PURSUANT TO THIS



SHERMAN CARTER BARNHAR

COUNTY BOARD OFFICE
REMODEL
NORTH MAIN STREET

DEMOLITION PLANS

JOB NO. 2265

DATE NOVEMBER 08, 2024

DRAWN ALC, ASC

CHECKED
COPYRIGHT © 2024
SHERMAN CARTER BARNHART ARCHITECTS, PLLC

REVISIONS

REVISIONS No. Description Date

SHEET

MOLD RELATED CLAIMS THAT MAY BE BROUGHT BY THE CONTRACTOR'S SUBCONTRACTORS, SUPPLIERS OR OTHER THIRD PARTIES WHO MAY BE ACTING UNDER THE DIRECTION OF THE CONTRACTOR PURSUANT TO THIS

D1.2

2265 HOPKINS COUNTY BOARD OFFICE REN 1/2/2025 11:23:58 AM

Z AMA $\Sigma \sqcup I$ $\alpha \vdash Z$ шсс Idd S C M <

35 NOR MADIS

'ATIONS

DEMOLITION

JOB NO.

DRAWN

CHECKED

COPYRIGHT © 2024

ARCHITECTS, PLLC

REVISIONS \

SHERMAN CARTER BARNHART

. Description Date

NOVEMBER 08

ALC, ASC

DEMOLITION REFERENCE NOTES FOR THIS PROJECT ARE INTENDED TO GENERALL IDENTIFY THE SELECTIVE REMOVAL OF EXISTING ITEMS AT LOCATIONS WHERE REQUIRED BUT, SHALL IN NO WAY RELIEVE THE CONTRACTOR OF THE FULL RESPONSIBILITY FOR EXAMINING AND VERIFYING THE FULL EXTENT OF EXISTING CONDITIONS PRIOR TO BIDDING THE PROJECT THE INTENT OF THE DEMOLITION NOTES IS TO PROVIDE A GENERAL OUTLINE FOR THE CONTRACTOR OF ITEMS TO BE REMOVED AND/OR TURNED OVER TO THE

OWNER AND TO ALLOW FOR THE NEW CONSTRUCTION AS OUTLINED ELSEWHERE IN THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DEMOLITION AND REMOVAL OF ITEMS TO ALLOW FOR NEW CONSTRUCTION SHOWN OR NOT SHOWN ON DEMOLITION PLANS AS MAY BE REQUIRED. CAVITY WALLS AND SPACES BEHIND EXTERIOR FINISHES OR PARTIALLY REMOVED

WALLS/ROOFS, ETC. SHALL BE PROTECTED FROM EXPOSURE TO WEATHER BY THE CONTRACTOR. WALLS/ROOFS, ETC. SHALL BE PROTECTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGED WALLS, ROOFS, EQUIPMENT, ETC. CAUSED BY THIS DEMOLITION OR WEATHER EXPOSURE OF ITEMS THAT ARE TO

INFORMATION AND DRAWINGS INCLUDED IN THESE CONTRACT DOCUMENTS PERTAINING TO HOPKINS COUNTY CENTRAL HIGH SCHOOL HAVE BEEN OBTAINED FROM ORIGINAL DRAWINGS PROVIDED BY HOPKINS COUNTY PUBLIC SCHOOLS. THIS INFORMATION IS INCLUDED HEREIN WITH THE INTENT TO PROVIDE THE CONTRACTOR WITH A BASIC UNDERSTANDING OF EXISTING CONDITIONS. ACTUAL CONDITIONS AND DIMENSIONS MAY VARY FROM THOSE INDICATED ON ORIGINAL

REFER TO MECHANICAL AND/OR ELECTRICAL DRAWINGS AND SPECIFICATIONS FO SPECIFIC REQUIREMENTS PERTAINING TO THE REMOVAL, RELOCATION AND/OR MODIFICATION OF ITEMS RELATED TO EXISTING MECHANICAL AND ELECTRICAL

SHOULD THE CONTRACTOR ENCOUNTER ANY MATERIALS DURING SELECTIVE DEMOLITION AND NEW WORK WHICH ARE SUSPECTED BY THE CONTRACTOR TO BE OF AN UNKNOWN OR QUESTIONABLE COMPOSITION WITH RESPECT TO CONTAINING CONTAMINANTS, TOXIC MOLDS OR FUNGI WHICH MAY BE HAZARDOUS TO HUMAN HEALTH, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE OWNER OF SUCH

WHERE AN EXISTING CMU WALL IS REMOVED AND NO NEW WALL IS SHOWN TO BE INSTALLED, REMOVE EXISTING CMU WALL TO 8 INCHES BELOW ADJACENT FLOOR SLAB. PATCH AND REPAIR SLAB AS REQUIRED FOR INSTALLATION OF NEW FLOOR FINISH. REFER TO NEW WORK PLANS.

ALL AREAS LEFT EXPOSED AS A RESULT OF DEMOLITION AND/OR EQUIPMENT REMOVAL SHALL BE PATCHED AND REPAIRED TO RESULT IN A FLUSH SMOOTH SURFACE PREPARED TO RECEIVE NEW FINISHES AS SCHEDULED, ANY AREAS / OPENINGS IN MASONRY WALLS LARGER THAN 2" EXPOSED TO VIEW SHALL BE PATCHED WITH SOAPED IN CMU UNITS TOOTHED-IN INTO EXISTING MASONRY.

CONTRACTOR SHALL BE RESPONSIBLE FOR ALL PATCHING AND REPAIRING DUE TO DEMOLITION AND/OR REMOVAL OF EQUIPMENT TO CREATE A FLUSH, SMOOTH SURFACE PROPERLY PREPARED TO RECEIVE NEW FINISHES AS SCHEDULED. CONTRACTOR SHALL SOAP IN NEW CMU TO MATCH EXISTING ADJACENT AREAS.

DATES WITH THE OWNER, REFER TO MECHANICAL / ELECTRICAL PLANS. . UNLESS INDICATED OTHERWISE, ALL EXISTING FLOOR SLABS SHALL MEET NEW FLOOR SLABS AT THE SAME ELEVATION, WHERE NEW FINISHES SHALL BE INSTALLED FLUSH. CONTRACTOR SHALL VERIFY ALL EXISTING FLOOR SLABS FOR

2. REFER TO ROOF PLANS FOR ADDITIONAL ROOF DEMOLITION NOTES. 3. ALL EXISTING WORK TO BE SHADED GRAY, REFER TO DRAWINGS.

REMOVE EXIST. STOREFRONT AND PREPARE OPENING FOR NEW WORK. NEW MASONRY OPENING IN EXIST. WALL. REFER TO NEW WORK PLANS FOR

EXTENTS OF OPENING. REMOVE EXIST. DOOR, ASSOCIATED HARDWARE AND HOLLOW METAL FRAME.

PREPARE FOR NEW WORK. REMOVE EXISTING CARPET AND WALL BASE IN ITS ENTIRETY, SCRAPE AND PREPARE SURFACE TO RECEIVE NEW FINISHES.

REMOVE EXISTING CEILING, LIGHTING, & CLG. DIFFUSERS / DEVICES IN THIS AREA.

REMOVE EXIST. DRIVE THRU WINDOW COMPLETE. REMOVE EXIST. MASONRY WALL TO EXTENTS SHOWN.

AT NEW DOOR LOCATIONS DEMOLISH EXISTING MASONRY WALL AS REQUIRED FOR INSTALLATION OF NEW BOND BEAMS OR STEEL BEAMS (MIN. 8-INCHES) ABOVE T.O. NEW FRAME AND AS REQUIRED AT STRIKE AND JAMB SIDES OF NEW DOOR). TOOTH IN NEW MASONRY AT EDGES OF NEW OPENING TO NEAREST JOINT, MIN 8". REFER TO NEW WORK AND STRUCTURAL.

REMOVE EXIST. PILASTERS.

REMOVE EXIST. ALUMINUM AND GLASS ENTRANCE AND PREPARE OPENING FOR NEW WORK.

DEMOLISH, PATCH, REPAIR, & PAINT EXIST. WALL AS REQUIRED FOR NEW CONDUIT INSTALLATION / PENETRATIONS. REFER TO MP&E DWGS.

. DEMOLISH EXISTING EIFIS DIAMONDS COMPLETE. PATCH AND PREP FOR NEW PAIN'

TO MATCH EXISTING. . REMOVE EXISTING FLOOR AND WALL TILE IN ITS ENTIRETY, SCRAPE AND PREPARE

SURFACE TO RECEIVE NEW FINISHES. I. DEMOLISH EXISTING PLUMBING FIXTURES, TOILET ACCESSORIES, TOILET

PARTITIONS AND DOORS. 5. DEMOLISH EXISTING FLOORING & BASE TO EXISTING SLAB & PREP. FOR NEW WORK

16. PREP. EXISTING WALL FOR NEW CONSTRUCTION.

7. REMOVE EXISTING KITCHEN EQUIPMENT & RETURN TO OWNER.

18. DEMOLISH EXISTING SOFFIT, FASCIA, GUTTER & PREP. FOR NEW WORK.

19. DEMOLISH PORTION OF EXISTING WALL. 20. DEMOLISH PORTION OF SLAB FOR NEW PLUMBING.

I. DEMOLISH EXISTING CONCRETE PAD.

2. DEMOLISH BRICK & INSULATION COMPONENTS OF EXISTING WALL, PREP. FOR NEW

3. REMOVE EXISTING PLYWOOD AND ASSOCIATED COMPONENTS

4. DEMOLISH EXISTING EIFS ARCHITECTURAL ORNAMENTATION AND ASSOCIATED METAL ROOFS. PREP FOR EIFS PATCHING.

5. DEMOLISH EXISTING STAIRS AND ASSOCIATED HANDRAILS IN ITS ENTIRETY. 26. DEMOLISH EXISTING STEEL PIPE GUARDRAIL.

7. DEMOLISH EXISTING WALL MOUNTED COUNTEROP AND BRACKETS.

HAZARDOUS MATERIALS & TOXIC SUBSTANCES NOTES

DUE TO THE AGE OF THE EXISTING BUILDINGS, IT IS POSSIBLE HAZARDOUS MATERIALS OR TOXIC SUBSTANCES / MOLDS MAY EXIST. THIS INCLUDES BUT IS NOT LIMITED TO ASBESTOS PRODUCTS, POLYCHLORINATED BIPHENYL (PCB), AND OTHER TOXIC SUBSTANCES. IF ANY WORK PERSON ENCOUNTERS ANY MATERIAL OR SUBSTANCE WHICH THEY SUSPECT MIGHT BE HAZARDOUS OR TOXIC, THEY SHALL IMMEDIATELY ADVISE THE OWNER. THE CONTRACTOR SHALL TAKE IMMEDIATE AND APPROPRIATE ACTION TO PROTECT THE BUILDING USERS AND WORKERS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL LAWS, CODES AND REGULATIONS. THE ARCHITECT AND ARCHITECT'S CONSULTANTS SHALL HAVE NO RESPONSIBILITY FOR THE DISCOVERY, PRESENCE, HANDLING, REMOVAL OR DISPOSAL OF OR EXPOSURE OF PERSONS TO HAZARDOUS MATERIALS OR TOXIC SUBSTANCES IN ANY FORM AT THE PROJECT SITE, INCLUDING BUT NOT LIMITED TO ASBESTOS, ASBESTOS PRODUCTS, POLYCHLORINATED BIPHENYL (PCB), OTHER TOXIC SUBSTANCES, OR TOXIC MOLDS.

THE CONTRACTOR IS HEREBY ADVISED THAT SHERMAN-CARTER-BARNHART. PLLC IS NOT A DESIGN PROFESSIONAL IN THE DETERMINATION OF THE PRESENCE OF HAZARDOUS MATERIALS, NOR IS SHERMAN-CARTER-BARNHART, PLLC A DESIGN PROFESSIONAL INVOLVED IN MAKING RECOMMENDATIONS REGARDING THE TESTING, REMOVAL, ENCAPSULATION OR OTHER CORRECTIVE MEASURES PERTAINING TO HAZARDOUS MATERIALS OR TOXIC MOLDS / SUBSTANCES.

IF THE WORK WHICH IS TO BE PERFORMED UNDER THE CONTRACT INTERFACES IN ANY WAY WITH THE EXISTING COMPONENTS WHICH CONTAIN HAZARDOUS MATERIALS OR TOXIC SUBSTANCES. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONTACT THE OWNER'S ENVIRONMENTAL CONSULTANT REGARDING THE PROPER MEANS AND METHODS TO BE UTILIZED IN DEALING WITH HAZARDOUS MATERIALS AND SUBSTANCES.

BY EXECUTION OF THE CONTRACT FOR CONSTRUCTION, THE CONTRACTOR HEREBY AGREES TO BRING NO CLAIM FOR NEGLIGENCE, BREACH OF CONTRACT, INDEMNITY OR OTHERWISE AGAINST THE ARCHITECT, HIS PRINCIPALS, EMPLOYEES, AGENTS OR CONSULTANTS IF SUCH A CLAIM IN ANY WAY WOULD INVOLVE THE INVESTIGATION OF OR REMEDIAL WORK RELATED TO HAZARDOUS MATERIALS OR TOXIC SUBSTANCES IN THE PROJECT.

BY EXECUTION OF THE CONTRACT FOR CONSTRUCTION. THE CONTRACTOR FURTHER AGREES TO DEFEND, INDEMNIFY AND HOLD THE ARCHITECT, HIS PRINCIPALS, EMPLOYEES, AGENTS AND CONSULTANTS HARMLESS FROM ANY SUCH ASBESTOS, OTHER HAZARDOUS MATERIALS, OR TOXIC SUBSTANCES / MOLD RELATED CLAIMS THAT MAY BE BROUGHT BY THE CONTRACTOR'S SUBCONTRACTORS, SUPPLIERS OR OTHER THIRD PARTIES WHO MAY BE ACTING UNDER THE DIRECTION OF THE CONTRACTOR PURSUANT TO THIS

2265 HOPKINS COUNTY BC 1/2/2025 11:24:05 AM

PROJECT SUMMARY

PROJECT INVOLVES THE REMODELING OF AN EXISTING BUILDING OF APPROXIMATELY 18,413 SF, A BUSINESS OCCUPANCY ADDITION OF APPROXIMATELY 4,200 SF AND A PRIVATE GARAGE ADDITION OF APPROXIMATELY 1,200 SF. THE ENTIRETY OF THE EXISTING INTERIOR FIT-UP WILL BE DEMOLISHED AND REPLACED WITH NEW CONSTRUCTION. APPROXIMATELY THE NORTHERNMOST THIRD OF THE BUILDING IS NOT FIT-UP AND DOES NOT CURRENTLY HAVE A FLOOR SLAB.

EXITING EXTERIOR WALLS AND STRUCTURE TO REMAIN WITH MISCELLANEOUS WORK TO BE DONE UNDER THE PRESCRIPTIVE METHOD OF THE 2015 INTERNATIONAL EXISTING BUILDING CODE. ALL NEW INTERIOR WORK TO BE PEROFRMED INDER THE 2018 KENTUCKY BUILDING CODE AND ANSI A117.1 - 2009.

REFER TO SHEET A1.8 FOR CODE INFORMATION REGARDING THE ADJACENT PEMB STORAGE BUILDING (ALTERNATE #2).

SEISMIC DESIGN CRITERIA

(REFER TO SHEET SO.1 FOR ADDITIONAL INFORMATION)

SEISMIC OCCUPANCY CATEGORY SITE CLASS SEISMIC DESIGN CATEGORY

OCCUPANCY LOAD CALCULATIONS

- KBC TABLE 1004.2.1

NOTE: THE FOLLOWING AREAS WERE CALCULATED ON A ROOM-BY ROOM BASIS AND TOTALED TO THE AREAS BELOW.

BUSINESS AREAS 1:100 = 14,177 /100 = 142 STORAGE ROOM 1:300 = 2,052 / 300 = 7 BOARD ROOM 1:7 = 2,228 / 7= 318

MECH / ELEC / JAN = 1,512 / 300 = 5 476 OCCUPANTS = 2 EXITS REQUIRED, 3 EXITS PROVIDED AT 906 CAPACITY 180" / 0.15")

CODE COMPLIANCE INFORMATION

18,413 SQ. FT.

BUILDING AREA: GENERAL INFORMATION: CODE: KENTUCKY BUILDING CODE 2018 THIRD EDITION INTERNATIONAL EXISTING BUILDING CODE, 2015

ALLOWABLE AREA (TABLE 506.2) = 92,000 PER FLOOR **BUILDING AREA:** USE GROUP: NON-SEPARATED MIXED USE FIRST FLOOR (EXISTING): B (BUSINESS) = 20,418 SF MAIN USE FIRST FLOOR ADDITION: U (PRIVATE GARAGE = 1,200 SF (5%)) ACCESSORY USE FIRST FLOOR TOTAL: A (BOARD ROOM = 2,243 SF(9.4%)) ACCESSORY USE

CONSTRUCTION TYPE: EXISTING BUILDING: 2B Addition: 2B

FIRE PROTECTION: FULLY SPRINKLERED PER NFPA 13, EXISTING AND ADDITION

BUILDING HEIGHT CALCULATIONS: TABLES 504.3 AND 504.4 = 3 STORIES / 75'-0" (TABLE 504) ALLOWABLE HEIGHT ACTUAL BUILDING HEIGHT = 1 STORY / 26'-0" (EXISTING)

TRAVEL DISTANCES:

TRAVEL DISTANCE TO EXIT: ACTUAL MAXIMUM TRAVEL DISTANCE: 200'-8" (MAXIMUM ALLOWABLE TRAVEL DISTANCE: 250'-0" (PER TABLE 1016)

DEAD-END CORRIDOR ALLOWED IS 50 FEET, MAXIMUM DESIGNED = 0'

MINIMUM FIRE RESISTANCE ASSEMBLY RATINGS RATINGS (PER TABLES 601 AND 602) STRUCTURAL FRAME 1 HOUR, UL NO. U906 8" CMU WALL: BEARING WALLS EXTERIOR BEARING WALLS INTERIOR NON-BEARING EXTERIOR WALLS 0 HR > 30' DISTANCE NON-BEARING INTERIOR WALLS: 0 HR FLOOR CONSTRUCTION 0 HR ROOF CONSTRUCTION (< 20 FT. ABOVE FLOOR) : ROOF CONSTRUCTION (> 20 FT. ABOVE FLOOR): 0 HR

> SPECIAL INSPECTIONS PER CHAPTER 17 OF THE KENTUCKY BUILDING CODE

NOTE: IN ADDITION TO OTHER TESTS AND INSPECTIONS REQUIRED BY THE SPECIFICATIONS, THE OWNER SHALL PROVIDE THE SERVICES OF

QUALIFIED THIRD-PARTY INSPECTORS TO PERFORM ALL REQUIRED SPECIAL INSPECTIONS AS FOLLOWS: REQUIRED? YES NO STEEL FABRICATION SPECIAL INSPECTION IS REQUIRED IF THE FABRICATOR IS NOT A.I.S.C. OR AWS CERTIFIED. SEE SECTION 1704.6.1 FOR SEISMIC AND SECTION 1406.2 STRUCTURAL OBSERVATIONS FOR WIND REQUIREMENTS SPECIAL CASES - TORNADO SHELTER STRUCTURAL STEEL AND JOISTS, PER TABLE 1705.2.2 STEEL PER TABLE 1705.3 1705.4 PER TMS 402 / TMS 602 WOOD PER TABLE 1705.6 1705.6 SOILS DRIVEN DEEP FOUNDATION 1705.8 CAST-IN-PLACE DEEP FOUNDATIONS HELICAL PILE FOUNDATIONS ____ X__ INSPECTIONS FOR WIND RESISTANCE Vasd 93 MPH FABRICATED ITEMS WIND - STRUCTURAL WOOD

WIND - WIND RESISTING COMPONENTS SEISMIC - STRUCTURAL STEEL SEISMIC DESIGN CATEGORY "D" SEISMIC DESIGN CATEGORY "D" SEISMIC - STRUCTURAL WOOD SEISMIC - COLD FORMED STEEL FRAMING 1705.12.4 DEDICATED SEISMIC SYSTEMS SEISMIC DESIGN CATEGORY "D" _____ X__ SEISMIC DESIGN CATEGORY "D" SEISMIC - ARCHITECTURAL COMPONENTS -INTERIOR / EXTERIOR NON-LOAD BEARING WALLS AND VENEER IN STRUCTURES __X__ SEISMIC DESIGN CATEGORY "D" SEISMIC - MECHANICAL AND ELECTRICAL COMPONENTS SEISMIC - STORAGE RACKS AND ACCESS FLOORS ____ X__ NONE SEISMIC - SEISMIC ISOLATION SYSTEMS NONE

SEISMIC - COLD-FORMED STEEL SPECIAL BOLTED MOMENT FRAMES ____ X__ NONE 1705.13.1.1 SEISMIC TESTING - SEISMIC FORCE RESISTING SYSTEMS 1705.13.1.2 SEISMIC TESTING - STRUCTURAL STEEL ELEMENTS NONE SEISMIC TESTING - NONSTRUCTURAL COMPONENTS NONE SEISMIC TESTING - DESIGNATED SEISMIC SYSTEMS NONE _____X__ ____ X__ SEISMIC TESTING - SEISMIC ISOLATION SYSTEMS SPRAYED FIREPROOFING ____ X__

WIND - COLD-FORMED STEEL FRAMING

MASTIC AND INTUMESCENT FIRE-RESISTANT COATINGS ____ <u>_X</u>_ NONE 1705.16 NONE ____ X__ 1705.17 FIRE RESISTANT PENETRATIONS AND JOINTS PER 1705.17.1 AND 1705.17.2 _X___ ____ X__ 1705.18 SMOKE CONTROL

ΣШΙ $\alpha \vdash z$ шсс I 4 4 0

ZC

424

INFORMATION ODE

NOVEMBER 08 ALC, ASC DRAWN CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHART ARCHITECTS, PLLC REVISIONS \ No. Description Date

GENERAL WORK NOTES

. REFER TO MECH./ELEC. DRAWINGS FOR SPECIFIC NOTES REGARDING MECH/ELEC. ITEMS NOT SHOWN ON THIS SHEET.

ZŒ **ARA** 9 ΣШΙ

 $\alpha \vdash z$ шсс

Idd

Y BOARD OFFIC

- . REFER TO ROOF PLAN AND MECH. DRAWINGS FOR ADDITIONAL INFORMATION REGARDING WORK AT ROOF.
- 3. REFER TO SHEET NO.1 FOR GENERAL NOTES AND PARTITION TYPES.
- 4. REFER TO DETAILS FOR TYPICAL WALL INTERSECTION DETAILS.
- 5. REFER TO ENLARGED PLANS FOR TOILET ACCESSORY SCHEDULE. 6. REFER TO A2.8 FOR CASEWORK LEGEND AND NOTES.
- 7. ALL INTERIOR WALL TYPE 3 TO GO TO DECK UNLESS NOTED OTHERWISE.

PLAN KEY NOTES

NOTE: NOT ALL KEYNOTES MAY APPLY TO THIS SHEET.

- 1. GYP. BD. BULKHEAD OR SOFFIT ABOVE. REFER TO REFLECTED CLG. PLANS.
- 2. FLOOR TRANSITION. REFER TO DETAILS.
- 3. SHELVING / FURNISHINGS / EQUIPMENT PROVIDED BY OWNER, N.I.C.
- 4. FIRE ALARM PANEL. REFER TO ELECTRICAL DWGS.
- 5. 12' DIAMETER 6-COLOR PAINTED LOGO. COORDINATE GRAPHICS WITH OWNER.
- 6. FOLDABLE WALL PARTITION. REFER TO DETAIL ON A7.2 FOR CEILING CONDITION. 7. UTILITY SINK.
- PRE-ENGINEERED INDUSTRIAL STAIR PER OSHA STANDARDS. REFER TO REFERENCED DETAIL AND PLAN.

B. HIGH/LOW WATER FOUNTAIN UNIT. REFER TO MECH./ELEC. DRAWINGS.

- 10. MECHANICAL UNIT. SEE MECHANINCAL DWGS.
- 11. MECHANICAL LOUVER. REFER TO DETAILS.
- 12. ELECTRIC PUSH-BUTTON ADA DOOR OPERATOR. REFER TO ELEC. DWGS.
- 13. DOOR ACCESS CONTROL LOCATION.
- 14. AREA OF NEW SLAB INFILL. REFER TO STRUCTURE. 15. PAINT EXISTING WALL MATCHING THE EXISITNG WALL COLOR.
- 16. WALL MOUNTED TV / MONITOR, O.F.C.I.
- 17. FIRE EXTINGUISHER CABINET.
- 18. ALIGN FINISH FACE OF NEW MATERIAL WITH FACE OF EXISTING MATERIAL.
- 19. PLASTIC LAMINATE WALL MOUNTED COUNTERTOP, REFER TO DETAILS. 20. 3 COMPARTMENT SINK, REFER TO PLUMBING.
- 21. SOLID SURFACE WALL MOUNTED COUNTERTOP, REFER TO DETAILS.

SYMBOLS LEGEND

(101 | #)- ROOM FINISH GROUPS (REFER TO SHEET N0.1) - ROOM NUMBER DOOR NUMBER (DOOR SCHEDULE SHEET A8.1)

NEW WORK KEY NOTES (SHEETS A1.1 THROUGH A2.1) WALL TYPE (SCHEDULE SHEET N0.1) FRAME TYPE (REFER TO SHEET A8.1)

TOILET ACCESSORIES (SCHEDULE SHEET A2.1) ELEVATION KEY NOTE (SHEET A3.1)

CEILING PLAN KEY NOTE (SHEETS A7.1) SIGNAGE KEY NOTE (SHEETS N0.1) DASHED LINE INDICATES WALL TILE AT RESTROOMS

ROOF KEY NOTE (SHEET A4.1)

AND BRADLEY SINK WALLS - SHOWN ON RESTROOM PLANS. (TILE WALL DETAIL 21/A2.4)

FB2 2 HOUR FIRE BARRIER SO SMOKE-TIGHT PARTITION

CONTROL JOINT, REFER TO EXTERIOR ELEVATIONS FOR EXTERIOR

BOARD SCHEDULE


TB - TACKBOARD.

MB - MARKERBOARD.

IB - INTERACTIVE BOARD, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. TV - TELEVISION, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. MOUNT MULTIMEDIA BOX AT HEIGHT INDICATED, 5'-0" A.F.F. U.N.O.

VW - VIDEO WALL, OFCI, COORDINATE LOCATION & SIZE WITH OWNER. REFER TO

KEYPLAN



NOVEMBER 08 ALC, ASC DRAWN CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHAN ARCHITECTS, PLLC

LOOR


REVISIONS

2265 HOPKINS COUNTY BOA 1/2/2025 11:24:21 AM

Z C **ARA** 9 ΣШΙ

 $\alpha \vdash z$ шсс

I 4 4 0 on o m ≤



2265 HOPKINS COUNTY BOA 1/2/2025 11:24:27 AM

GENERAL WORK NOTES

. REFER TO MECH./ELEC. DRAWINGS FOR SPECIFIC NOTES REGARDING MECH/ELEC. ITEMS NOT SHOWN ON THIS SHEET.

. REFER TO ROOF PLAN AND MECH. DRAWINGS FOR ADDITIONAL INFORMATION REGARDING WORK AT ROOF.

3. REFER TO SHEET NO.1 FOR GENERAL NOTES AND PARTITION TYPES.

4. REFER TO DETAILS FOR TYPICAL WALL INTERSECTION DETAILS.

5. REFER TO ENLARGED PLANS FOR TOILET ACCESSORY SCHEDULE.

6. REFER TO A2.8 FOR CASEWORK LEGEND AND NOTES. 7. ALL INTERIOR WALL TYPE 3 TO GO TO DECK UNLESS NOTED OTHERWISE.

PLAN KEY NOTES

NOTE: NOT ALL KEYNOTES MAY APPLY TO THIS SHEET.

2. FLOOR TRANSITION. REFER TO DETAILS.

3. SHELVING / FURNISHINGS / EQUIPMENT PROVIDED BY OWNER, N.I.C.

4. FIRE ALARM PANEL. REFER TO ELECTRICAL DWGS.

5. 12' DIAMETER 6-COLOR PAINTED LOGO. COORDINATE GRAPHICS WITH OWNER. 6. FOLDABLE WALL PARTITION. REFER TO DETAIL ON A7.2 FOR CEILING CONDITION.

1. GYP. BD. BULKHEAD OR SOFFIT ABOVE. REFER TO REFLECTED CLG. PLANS.

7. UTILITY SINK.

8. HIGH/LOW WATER FOUNTAIN UNIT. REFER TO MECH./ELEC. DRAWINGS.

. PRE-ENGINEERED INDUSTRIAL STAIR PER OSHA STANDARDS. REFER TO REFERENCED

10. MECHANICAL UNIT. SEE MECHANINCAL DWGS.

11. MECHANICAL LOUVER. REFER TO DETAILS.

12. ELECTRIC PUSH-BUTTON ADA DOOR OPERATOR. REFER TO ELEC. DWGS. 13. DOOR ACCESS CONTROL LOCATION.

14. AREA OF NEW SLAB INFILL. REFER TO STRUCTURE.

15. PAINT EXISTING WALL MATCHING THE EXISITNG WALL COLOR.

16. WALL MOUNTED TV / MONITOR, O.F.C.I.

17. FIRE EXTINGUISHER CABINET.

18. ALIGN FINISH FACE OF NEW MATERIAL WITH FACE OF EXISTING MATERIAL.

19. PLASTIC LAMINATE WALL MOUNTED COUNTERTOP, REFER TO DETAILS. 20. 3 COMPARTMENT SINK, REFER TO PLUMBING.

21. SOLID SURFACE WALL MOUNTED COUNTERTOP, REFER TO DETAILS.

SYMBOLS LEGEND

101 # ROOM FINISH GROUPS (REFER TO SHEET N0.1) - ROOM NUMBER DOOR NUMBER (DOOR SCHEDULE SHEET A8.1)


NEW WORK KEY NOTES (SHEETS A1.1 THROUGH A2.1) WALL TYPE (SCHEDULE SHEET N0.1)

FRAME TYPE (REFER TO SHEET A8.1) TOILET ACCESSORIES (SCHEDULE SHEET A2.1)

ELEVATION KEY NOTE (SHEET A3.1) ROOF KEY NOTE (SHEET A4.1)

CEILING PLAN KEY NOTE (SHEETS A7.1) SIGNAGE KEY NOTE (SHEETS N0.1)

DASHED LINE INDICATES WALL TILE AT RESTROOMS — — AND BRADLEY SINK WALLS - SHOWN ON RESTROOM PLANS. (TILE WALL DETAIL 21/A2.4)



CONTROL JOINT, REFER TO EXTERIOR ELEVATIONS FOR EXTERIOR

BOARD SCHEDULE


TB - TACKBOARD.

MB - MARKERBOARD.

IB - INTERACTIVE BOARD, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. TV - TELEVISION, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. MOUNT MULTIMEDIA BOX AT HEIGHT INDICATED, 5'-0" A.F.F. U.N.O.

VW - VIDEO WALL, OFCI, COORDINATE LOCATION & SIZE WITH OWNER. REFER TO


KEYPLAN



Z C **444** ΣWΙ

∝⊢z шкк

I 4 4 0 on o m ≤



2265 HOPKINS COUNTY BO/ 1/2/2025 11:24:34 AM

GENERAL WORK NOTES

. REFER TO MECH./ELEC. DRAWINGS FOR SPECIFIC NOTES REGARDING MECH/ELEC. ITEMS NOT SHOWN ON THIS SHEET.

- . REFER TO ROOF PLAN AND MECH. DRAWINGS FOR ADDITIONAL INFORMATION REGARDING WORK AT ROOF.
- B. REFER TO SHEET NO.1 FOR GENERAL NOTES AND PARTITION TYPES.
- 4. REFER TO DETAILS FOR TYPICAL WALL INTERSECTION DETAILS.
- . REFER TO ENLARGED PLANS FOR TOILET ACCESSORY SCHEDULE.
- 6. REFER TO A2.8 FOR CASEWORK LEGEND AND NOTES.
- 7. ALL INTERIOR WALL TYPE 3 TO GO TO DECK UNLESS NOTED OTHERWISE.

PLAN KEY NOTES

- NOTE: NOT ALL KEYNOTES MAY APPLY TO THIS SHEET.
- 1. GYP. BD. BULKHEAD OR SOFFIT ABOVE. REFER TO REFLECTED CLG. PLANS.
- 2. FLOOR TRANSITION. REFER TO DETAILS.
- 3. SHELVING / FURNISHINGS / EQUIPMENT PROVIDED BY OWNER, N.I.C.
- 4. FIRE ALARM PANEL. REFER TO ELECTRICAL DWGS.
- 5. 12' DIAMETER 6-COLOR PAINTED LOGO. COORDINATE GRAPHICS WITH OWNER.
- . PRE-ENGINEERED INDUSTRIAL STAIR PER OSHA STANDARDS. REFER TO REFERENCED
- DETAIL AND PLAN.
- 10. MECHANICAL UNIT. SEE MECHANINCAL DWGS.
- 11. MECHANICAL LOUVER. REFER TO DETAILS. 12. ELECTRIC PUSH-BUTTON ADA DOOR OPERATOR. REFER TO ELEC. DWGS.
- 13. DOOR ACCESS CONTROL LOCATION.
- 14. AREA OF NEW SLAB INFILL. REFER TO STRUCTURE. 15. PAINT EXISTING WALL MATCHING THE EXISITNG WALL COLOR.
- 16. WALL MOUNTED TV / MONITOR, O.F.C.I.
- 17. FIRE EXTINGUISHER CABINET.
- 18. ALIGN FINISH FACE OF NEW MATERIAL WITH FACE OF EXISTING MATERIAL. 19. PLASTIC LAMINATE WALL MOUNTED COUNTERTOP, REFER TO DETAILS.
- 20. 3 COMPARTMENT SINK, REFER TO PLUMBING.
- 21. SOLID SURFACE WALL MOUNTED COUNTERTOP, REFER TO DETAILS.

SYMBOLS LEGEND

101 | ROOM FINISH GROUPS (REFER TO SHEET NO.1) - ROOM NUMBER


DOOR NUMBER (DOOR SCHEDULE SHEET A8.1) NEW WORK KEY NOTES (SHEETS A1.1 THROUGH A2.1) WALL TYPE (SCHEDULE SHEET N0.1)

FRAME TYPE (REFER TO SHEET A8.1) TOILET ACCESSORIES (SCHEDULE SHEET A2.1)

ELEVATION KEY NOTE (SHEET A3.1) ROOF KEY NOTE (SHEET A4.1)

CEILING PLAN KEY NOTE (SHEETS A7.1) SIGNAGE KEY NOTE (SHEETS N0.1)

DASHED LINE INDICATES WALL TILE AT RESTROOMS — — AND BRADLEY SINK WALLS - SHOWN ON RESTROOM PLANS. (TILE WALL DETAIL 21/A2.4)



CONTROL JOINT, REFER TO EXTERIOR ELEVATIONS FOR EXTERIOR


BOARD SCHEDULE

TB - TACKBOARD.

MB - MARKERBOARD.

IB - INTERACTIVE BOARD, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. TV - TELEVISION, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. MOUNT MULTIMEDIA BOX AT HEIGHT INDICATED, 5'-0" A.F.F. U.N.O.

 \mbox{VW} - \mbox{VIDEO} WALL, OFCI, COORDINATE LOCATION & SIZE WITH OWNER. REFER TO ELECTRICAL.



2265 HOPKINS COUNTY BOA 1/2/2025 11:24:40 AM

GENERAL WORK NOTES

Z C **ARA** 9 ΣWI

∝⊢z шсс

I 4 4 0 on o m ≤

. REFER TO MECH./ELEC. DRAWINGS FOR SPECIFIC NOTES REGARDING MECH/ELEC. ITEMS NOT SHOWN ON THIS SHEET.

- . REFER TO ROOF PLAN AND MECH. DRAWINGS FOR ADDITIONAL INFORMATION REGARDING WORK AT ROOF.
- B. REFER TO SHEET NO.1 FOR GENERAL NOTES AND PARTITION TYPES.
- 4. REFER TO DETAILS FOR TYPICAL WALL INTERSECTION DETAILS.
- 5. REFER TO ENLARGED PLANS FOR TOILET ACCESSORY SCHEDULE.
- 6. REFER TO A2.8 FOR CASEWORK LEGEND AND NOTES.

PLAN KEY NOTES

NOTE: NOT ALL KEYNOTES MAY APPLY TO THIS SHEET.

- 1. GYP. BD. BULKHEAD OR SOFFIT ABOVE. REFER TO REFLECTED CLG. PLANS.
- 2. FLOOR TRANSITION. REFER TO DETAILS.
- 3. SHELVING / FURNISHINGS / EQUIPMENT PROVIDED BY OWNER, N.I.C.
- 4. FIRE ALARM PANEL. REFER TO ELECTRICAL DWGS.
- 5. 12' DIAMETER 6-COLOR PAINTED LOGO. COORDINATE GRAPHICS WITH OWNER.
- 6. FOLDABLE WALL PARTITION. REFER TO DETAIL ON A7.2 FOR CEILING CONDITION.
- . PRE-ENGINEERED INDUSTRIAL STAIR PER OSHA STANDARDS. REFER TO REFERENCED
- DETAIL AND PLAN.

8. HIGH/LOW WATER FOUNTAIN UNIT. REFER TO MECH./ELEC. DRAWINGS.

- 10. MECHANICAL UNIT. SEE MECHANINCAL DWGS.
- 11. MECHANICAL LOUVER. REFER TO DETAILS. 12. ELECTRIC PUSH-BUTTON ADA DOOR OPERATOR. REFER TO ELEC. DWGS.
- 13. DOOR ACCESS CONTROL LOCATION.
- 14. AREA OF NEW SLAB INFILL. REFER TO STRUCTURE.
- 15. PAINT EXISTING WALL MATCHING THE EXISITNG WALL COLOR.
- 16. WALL MOUNTED TV / MONITOR, O.F.C.I.
- 17. FIRE EXTINGUISHER CABINET.
- 18. ALIGN FINISH FACE OF NEW MATERIAL WITH FACE OF EXISTING MATERIAL.
- 19. PLASTIC LAMINATE WALL MOUNTED COUNTERTOP, REFER TO DETAILS. 20. 3 COMPARTMENT SINK, REFER TO PLUMBING.
- 21. SOLID SURFACE WALL MOUNTED COUNTERTOP, REFER TO DETAILS.

SYMBOLS LEGEND

101 # ROOM FINISH GROUPS (REFER TO SHEET N0.1) - ROOM NUMBER

DOOR NUMBER (DOOR SCHEDULE SHEET A8.1) NEW WORK KEY NOTES (SHEETS A1.1 THROUGH A2.1)


WALL TYPE (SCHEDULE SHEET N0.1) FRAME TYPE (REFER TO SHEET A8.1)

TOILET ACCESSORIES (SCHEDULE SHEET A2.1)

ELEVATION KEY NOTE (SHEET A3.1) ROOF KEY NOTE (SHEET A4.1)

CEILING PLAN KEY NOTE (SHEETS A7.1) SIGNAGE KEY NOTE (SHEETS N0.1)

DASHED LINE INDICATES WALL TILE AT RESTROOMS — — AND BRADLEY SINK WALLS - SHOWN ON RESTROOM PLANS. (TILE WALL DETAIL 21/A2.4)



CONTROL JOINT, REFER TO EXTERIOR ELEVATIONS FOR EXTERIOR

BOARD SCHEDULE


TB - TACKBOARD.

MB - MARKERBOARD.

IB - INTERACTIVE BOARD, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. TV - TELEVISION, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. MOUNT MULTIMEDIA BOX AT HEIGHT INDICATED, 5'-0" A.F.F. U.N.O.

VW - VIDEO WALL, OFCI, COORDINATE LOCATION & SIZE WITH OWNER. REFER TO

KEYPLAN



NOVEMBER 08 DRAWN CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHAR ARCHITECTS, PLLC **REVISIONS**

V

LOOR

GENERAL WORK NOTES

Z C **ARA** 9 ΣWI

 $\alpha \vdash z$ шсс

I 4 4 0 von <u>₹</u>

NOVEMBER 08 DRAWN CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHART ARCHITECTS, PLLC REVISIONS \setminus


LOOR & D2

L –

2265 HOPKINS COUNTY BOA 1/2/2025 11:24:51 AM

CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHART ARCHITECTS, PLLC REVISIONS \setminus





E.1E.14

(E.15)

FIRST FLOOR NEW WORK PLAN - AREA E

C.12 C.13

C.1(C.15)



2265 HOPKINS COUNTY BOA 1/2/2025 11:24:58 AM

Idd S C M <

Z C **ARA** 9 ΣWI

 $\alpha \vdash z$ шсс

7. ALL INTERIOR WALL TYPE 3 TO GO TO DECK UNLESS NOTED OTHERWISE.

3. REFER TO SHEET NO.1 FOR GENERAL NOTES AND PARTITION TYPES.

4. REFER TO DETAILS FOR TYPICAL WALL INTERSECTION DETAILS.

5. REFER TO ENLARGED PLANS FOR TOILET ACCESSORY SCHEDULE.

GENERAL WORK NOTES

. REFER TO MECH./ELEC. DRAWINGS FOR SPECIFIC NOTES REGARDING MECH/ELEC. ITEMS NOT SHOWN ON THIS SHEET.

. REFER TO ROOF PLAN AND MECH. DRAWINGS FOR ADDITIONAL INFORMATION REGARDING WORK AT ROOF.

PLAN KEY NOTES

NOTE: NOT ALL KEYNOTES MAY APPLY TO THIS SHEET.

6. REFER TO A2.8 FOR CASEWORK LEGEND AND NOTES.

1. GYP. BD. BULKHEAD OR SOFFIT ABOVE. REFER TO REFLECTED CLG. PLANS.

2. FLOOR TRANSITION. REFER TO DETAILS. 3. SHELVING / FURNISHINGS / EQUIPMENT PROVIDED BY OWNER, N.I.C.

4. FIRE ALARM PANEL. REFER TO ELECTRICAL DWGS.

5. 12' DIAMETER 6-COLOR PAINTED LOGO. COORDINATE GRAPHICS WITH OWNER.

6. FOLDABLE WALL PARTITION. REFER TO DETAIL ON A7.2 FOR CEILING CONDITION. 7. UTILITY SINK.

8. HIGH/LOW WATER FOUNTAIN UNIT. REFER TO MECH./ELEC. DRAWINGS.

PRE-ENGINEERED INDUSTRIAL STAIR PER OSHA STANDARDS. REFER TO REFERENCED

10. MECHANICAL UNIT. SEE MECHANINCAL DWGS.

11. MECHANICAL LOUVER. REFER TO DETAILS.

13. DOOR ACCESS CONTROL LOCATION.

12. ELECTRIC PUSH-BUTTON ADA DOOR OPERATOR. REFER TO ELEC. DWGS.

14. AREA OF NEW SLAB INFILL. REFER TO STRUCTURE.

15. PAINT EXISTING WALL MATCHING THE EXISITNG WALL COLOR.

16. WALL MOUNTED TV / MONITOR, O.F.C.I.

17. FIRE EXTINGUISHER CABINET.

18. ALIGN FINISH FACE OF NEW MATERIAL WITH FACE OF EXISTING MATERIAL.

19. PLASTIC LAMINATE WALL MOUNTED COUNTERTOP, REFER TO DETAILS. 20. 3 COMPARTMENT SINK, REFER TO PLUMBING.

21. SOLID SURFACE WALL MOUNTED COUNTERTOP, REFER TO DETAILS.

SYMBOLS LEGEND

101 # ROOM FINISH GROUPS (REFER TO SHEET N0.1) - ROOM NUMBER DOOR NUMBER (DOOR SCHEDULE SHEET A8.1)

NEW WORK KEY NOTES (SHEETS A1.1 THROUGH A2.1) WALL TYPE (SCHEDULE SHEET N0.1)

FRAME TYPE (REFER TO SHEET A8.1) TOILET ACCESSORIES (SCHEDULE SHEET A2.1)

ELEVATION KEY NOTE (SHEET A3.1) ROOF KEY NOTE (SHEET A4.1)

SIGNAGE KEY NOTE (SHEETS N0.1) DASHED LINE INDICATES WALL TILE AT RESTROOMS — — AND BRADLEY SINK WALLS - SHOWN ON RESTROOM PLANS.

CEILING PLAN KEY NOTE (SHEETS A7.1)

(TILE WALL DETAIL 21/A2.4) FB2 2 HOUR FIRE BARRIER SO SMOKE-TIGHT PARTITION

CONTROL JOINT, REFER TO EXTERIOR ELEVATIONS FOR EXTERIOR

BOARD SCHEDULE


TB - TACKBOARD.


MB - MARKERBOARD.

IB - INTERACTIVE BOARD, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. TV - TELEVISION, OFCI. COORDINATE LOCATION & SIZE WITH OWNER. MOUNT MULTIMEDIA BOX AT HEIGHT INDICATED, 5'-0" A.F.F. U.N.O.

VW - VIDEO WALL, OFCI, COORDINATE LOCATION & SIZE WITH OWNER. REFER TO ELECTRICAL.







SHERMAN CARTER BARNHART ARCHITECTS

> OUNTY BOARD OFFIC REMODEL RTH MAIN STREET

> > GARAGE FLOOR PLANS AN ELEVATIONS (ALT #1)

JOB NO. 2265

DATE NOVEMBER 08, 2024

DRAWN Author

CHECKED Checker

COPYRIGHT © 2024
SHERMAN CARTER BARNHART ARCHITECTS, PLLC

REVISIONS

No. Description Date

Description Date

SHEET

A1.7

<u>SECTION</u>	<u>ITEM</u>	REQUIRED?	<u>REMARKS</u>
		YES NO	_
1704.2.5	FABRICATORS	X	STEEL FABRICATION SPECIAL INSPECTION IS REQUIRE THE FABRICATOR IS NOT A.I.S.C. OR AWS CERTIFIED.
1704.2.5	STRUCTURAL OBSERVATIONS	X	CEE CECTION 4704 C 4 FOR CEICNIC AND CECTION 4400
1705.1.1	SPECIAL CASES - TORNADO SHELTER	<u>X</u>	FOR WIND REQUIREMENTS
1705.1.1	STEEL		STRUCTURAL STEEL AND JOISTS, PER TABLE 1705.2.2
1705.2	CONCRETE	<u>X</u>	·
		X	
1705.4	MASONRY	_X	
1705.5	WOOD	X_	
1705.6	SOILS	_X	
1705.7	DRIVEN DEEP FOUNDATION	X	
1705.8	CAST-IN-PLACE DEEP FOUNDATIONS	X	NONE
1705.9	HELICAL PILE FOUNDATIONS	X	NONE
1705.10	INSPECTIONS FOR WIND RESISTANCE	X	Vasd 93 MPH
1705.10	FABRICATED ITEMS	X	PER SECTION 1704.2.5
1705.11.1	WIND - STRUCTURAL WOOD	X	NONE
1705.11.2	WIND - COLD-FORMED STEEL FRAMING	X	NONE
705.11.3	WIND - WIND RESISTING COMPONENTS	X	NONE
705.12.1	SEISMIC - STRUCTURAL STEEL	X	SEISMIC DESIGN CATEGORY "D"
1705.12.2	SEISMIC - STRUCTURAL WOOD	X	
1705.12.3	SEISMIC - COLD FORMED STEEL FRAMING	X	NONE
1705.12.4	DEDICATED SEISMIC SYSTEMS	X	SEISMIC DESIGN CATEGORY "D"
1705.12.5	SEISMIC - ARCHITECTURAL COMPONENTS - INTERIOR / EXTERIOR NON-LOAD BEARING WALLS AND VENEER IN STRUCTURES	X	SEISMIC DESIGN CATEGORY "D"
1705.12.6	SEISMIC - MECHANICAL AND ELECTRICAL COMPONENTS	X	SEISMIC DESIGN CATEGORY "D"
1705.12.7	SEISMIC - STORAGE RACKS AND ACCESS FLOORS	X	NONE
1705.12.8	SEISMIC - SEISMIC ISOLATION SYSTEMS	X	NONE
1705.12.9	SEISMIC - COLD-FORMED STEEL SPECIAL BOLTED MOMENT FRAMES	X	NONE
1705.13.1.1	SEISMIC TESTING - SEISMIC FORCE RESISTING SYSTEMS	X	NONE
1705.13.1.2	SEISMIC TESTING - STRUCTURAL STEEL ELEMENTS	_X	
1705.13.2	SEISMIC TESTING - NONSTRUCTURAL COMPONENTS	X	
1705.13.3	SEISMIC TESTING - DESIGNATED SEISMIC SYSTEMS	X	
1705.13.4	SEISMIC TESTING - SEISMIC ISOLATION SYSTEMS	X	
1705.14	SPRAYED FIREPROOFING MASTIC AND INTUMESCENT FIRE-RESISTANT COATINGS	X	
1705.15 1705.16	E.I.F.S.	X	
1705.10	FIRE RESISTANT PENETRATIONS AND JOINTS	X	-
1705.17	SMOKE CONTROL	X	
1705.10	SWOKE SONTHOE		NONE

- KBC TABLE 1004.2.1 STORAGE 1:300 = 3,247 /300 = 11

BUILDING HEIGHT CALCULATIONS: TABLES 504.3 AND 504.4 ALLOWABLE HEIGHT ACTUAL BUILDING HEIGHT = 1 STORY / 26'-7"

EAVE HEIGHT 120'-0"

TRAVEL DISTANCES: TRAVEL DISTANCE TO EXIT:

Z C

AUA 4 ΣWI $\alpha \vdash z$ шсс I 4 4 0 S C M ≤

RE 135 NORT MADIS

:LOOR PL/ (ALT #2) BUILDING STORAGE AND EL

NOVEMBER 08 DRAWN DB CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHAN ARCHITECTS, PLLC REVISIONS \

5 STORAGE BUILDING - WEST ELEVATION

STORAGE BUILDING EAST ELEVATION

1/8" = 1'-0"

STORAGE BUILDING - SOUTH ELEVATION

1/8" = 1'-0"

(A.0)

1 FIRST FLOOR NEW WORK PLAN

1/8" = 1'-0"


EAVE HEIGHT 120'-0"

11)

STORAGE BUILDING - NORTH ELEVATION

1/8" = 1'-0"

FINISH FLOOR 100'-0"





HOPKINS COUNTY BOARD OFFICE


REMODEL

2135 NORTH MAIN STREET

MADISONVILLE KY









6 ENLARGED RESTROOM PLAN
3/8" = 1'-0"


2265 HOPKINS COUNTY BO/ 1/2/2025 11:25:12 AM






5 ENLARGED RESTROOM PLAN
3/8" = 1'-0"

4 ENLARGED RESTROOM PLAN
3/8" = 1'-0"





ADA COMPLIANT GRAB BAR LAYOUT

	1'-6"1 OUTL	1	MODEL NUMBERS. DENOTE TOILET, REQUIRED AND SHALL BE USED AS
2' - 0" MIN.		2	ALL ITEMS SHALL BE LOCATED HOR APPLICABLE REQUIREMENTS OF TH
3' - 6" MAX.	→	3	REFER TO MEP DWGS. AND SPECIFI
ADA WATER CLOSET REQUI	9.4.2 PER	4	ALL EXPOSED PIPING AT LAVATORIE

1 MODEL NUMBERS. DENOTE TOILET ACCESSORIES PRODUCTS OFFERED BY "AMERICAN SPECIALTIES, INC, (ASI) AND REPRESENT THE LEVEL OF QUALITY REQUIRED AND SHALL BE USED AS A BASIS OF DESIGN.

GENERAL TOILET ACCESSORY NOTES

TOILET ACCESSORY SCHEDULE

48" TOP OF HOOK

33" TO CENTERLINE

33" TO CENTERLINE

46" TO DISPENSER SLOT

40" TO BTM. CENTERLINE

33" MAX. TO OPENED POSITION

40" TO BUTTON CENTER LINE MAX. PROJECTION 4" DYSON

40" TO VALVE

MTG. HT.

ASI 8425

ASI 3100-P-42

ASI 3100-P-36

ASI 3100-P-18

KOALA KARE KB310-SSWM OR APPROVED EQUAL

- ORIZONTALLY AND MOUNTED TO SPECIFIC POINT ABOVE FINISH FLOOR SURFACES IN ACCORDANCE WITH ALL THE AMERICANS WITH DISABILITIES ACT (ADA) - ANSI A117.1-2009.
- ECIFICATIONS FOR PLUMBING FIXTURES, CONTROLS, AND FLOOR DRAIN LOCATIONS.
- DRIES / HC LAV'S. SHALL BE INSULATED AND COVERED WITH A PRE MOLDED RIGID INSULATION JACKET.
- 5 ALL TOILET ACESSORIES TO INCLUDE VANDAL RESISTANT OPTION.

ACCESSORY

SOAP DISPENSER (SURFACE MTD.)

42" S.S. GRAB BAR (1-1/4")

36" S.S. GRAB BAR (1-1/4")

8 PAPER TOWEL DISPENSER

) HAND DRYER

11 CHANGING TABLE


9 18" VERTICAL S.S. GRAB BAR (1-1/4")

TOILET PAPER DISPENSER (SURFACE MOUNTED) 24" TO CENTER LINE

SANITARY NAPKIN DISPOSAL (SURFACE MOUNTED) 24" TO TOP (28" FOR ADA)

COAT HOOK

6 INSTALL GRAB BARS TO ALLOW 1 1/2" BETWEEN GRAB BAR AND WALL 7 REFER TO TYPICAL ADA COMPLIANT GRAB BAR LAYOUT.



ZC **424** Σ \square T $\alpha \vdash z$ шсс Idd von <u>₹</u>

ELEVATIONS BUILDING

NOVEMBER 08 ALC, ASC CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHAR ARCHITECTS, PLLC **REVISIONS** No. Description Date

AUA 4 ΣWI

 $\alpha \vdash z$ шсс

I 4 4 0 S C M <

REFER TO STRUCTURAL DRAWINGS FOR SPECIFIC STRUCTURAL ELEVATIONS.

REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL ROOF

FLASH ALL ROOF PENETRATIONS PER MANUFACTURER'S STANDARD DETAILS,

THE ROOFING CONTRACTOR SHALL NOT CONCEAL ANY WEEPS, BRICK VENTS, EXPANSION JOINTS, OR FLASHINGS. ROOFING SHALL TERMINATE AS SHOWN

THE CONTRACTOR SHALL COORDINATE INSTALLATION OF ROOFING/FLASHING

INSTALL CRICKETS TO MAINTAIN MINIMUM CLEARANCE TO MEMBRANE AS

MECH/ELEC ITEMS THAT MAY NOT BE SHOWN ON THIS PLAN.

WITH OTHER TRADES FOR ADDITIONAL WORK REQUIRED.

REFER TO DETAILS FOR TYPICAL PENETRATION DETAILS.

REFER TO DETAIL FOR TYPICAL EQUIPMENT CURB DETAIL.

. EXISTING ROOF TYPE', REFER TO ROOF LEGEND.

2. ROOF TYPE 'A', REFER TO ROOF LEGEND.

6. PARAPET COPING, REFER TO DETAIL 8/A4.1.

7. PARAPET COPING, REFER TO DETAIL 8/A4.1.

9. WALKWAY PADS, REFER TO SPECIFICATIONS.

10. CRICKET FOR POSITIVE DRAINAGE AROUND ROOF CURB.

8. ROOF HATCH, REFER TO DETAIL 9/A2.3.

INSTALLATION.

3. PEMB RIDGE CAP.

14. EXISTING GUTTER.

15. EXISTING METAL ROOF.

ROOF ASSEMBLY - EXISTING

ROOF ASSEMBLY - TYPE 'A'

ROOF ASSEMBLY - TYPE 'B'

(PROVIDE 1/4" PER 1'-0" SLOPE MIN. FOR INSULATION)

35. SUSPEND WITH STEEL STRAP AND FABRIC SYSTEM. SLOPE 2:12.

INDICATES CRICKET, SLOPE 1/4" PER FOOT IN DIRECTION OF ARROW

APPROXIMATE AREA OF ROOF REPAIR, TO BE INVESTIGATED AND REPAIRED BY CONTRACTOR

■ DS PEMB DOWNSPOUT. U.N.O. □ EDS EXISTING DOWNSPOUT.

RD ROOF DRAIN, REFER TO DETAIL.

O VTR VENT THRU ROOF, REFER TO DETAIL.

O ORD OVERFLOW ROOF DRAIN, REFER TO DETAIL.

■ GEJ GUTTER EXPANSION JOINT PER SMACNA STANDARDS

EXHAUST FAN / OA HOOD, REFER TO MECH. DWGS.


METAL DECK

4. PEMB GUTTER ASSEMBLY.

MFR. STANDARD DETAILS.

CONFIRM ALL MEMBRANE ROOF SLOPES ARE 1/4"/FT. MIN. PRIOR TO


No. Description Date



2 TYPICAL ROOF DRAIN
1 1/2" = 1'-0"

2265 HOPKINS COUNTY BOA 1/2/2025 11:25:28 AM

3 TYPICAL PIPE PENETRATION
3" = 1'-0"



SHERMAN CARTER BARNHART ARCHITECTS

HOPKINS COUNTY BOARD OFFICE

REMODEL

2135 NORTH MAIN STREET

MADISONVILLE KY

VALL SECTIONS

JOB NO. 2265

DATE NOVEMBER 08, 2024

DRAWN Author

CHECKED Checker

COPYRIGHT © 2024

SHERMAN CARTER BARNHART ARCHITECTS, PLLC

REVISIONS


No. Description Date

SHEET


A5.

2' - 0" 1/2" SOLID SURFACE MATERIAL ON 3/4" PLYWOOD — — COUNTERSINK BOLT CONNECTION (THIS SIDE ONLY) OPENING, COORD. W/ OWNER 1x WOOD BLOCKING — 1/2" SOLID SURFACE MATERIAL ON 3/4" PLYWOOD -PLAS. LAM. "A" ON —2 1/2" Ø CUTOUT AT ALL INTERMEDIATE SUPPORTS 3/4" PLYWOOD -----SOLID SURFACE PANEL ON 3/4" PLYWOOD ——— 1x4 WD. BLKG.— PLAS. LAM. "A", 3/4" PLAS. LAM. BRACKET
WHERE APPLICABLE, REFER TO
ELEVATIONS

CASEWORK OR
END PANEL
BEYOND. REFER
TO PLANS TYP. @ ALL EXPOSED SURFACES U.N.O. -JUNCTION BOX, REFER TO ELECTRICAL PLANS FOR LOCATION AND TYPE. FRAMING @ 16" O.C. —— —CONT. WOOD BLOCKING, TYP. 6" RESILIENT BASE--4" RESILIENT BASE P.T. 2x4 WOOD PLATE — 3/4" EXP. ANCHOR @ 36" O.C. — RECEPTION DESK DETAIL
1 1/2" = 1'-0"



RECEPTION DESK DETAIL
1 1/2" = 1'-0"



1/2" SOLID SURFACE

— 2x4 WD. BLKG. —

- 2x WD. FRAMING, TYP. -

MATERIAL ON 3/4" PLYWOOD —

WIRE PULL, TYP.

WOOD DOOR W/ PLAS.

LAM. FACE & TOP EDGE —

BASE, CUT AS REQ'D.

1x WOOD BLOCKING —

PLAS. LAM. "A" ON 3/4" PLYWOOD —

SOLID SURFACE PANEL ON 3/4"

PLAS. LAM. "A", TYP. @ ALL EXPOSED

SURFACES U.N.O.

FRAMING @ 16" O.C. ——

6" RESILIENT BASE-


P.T. 2x4 WOOD PLATE —


2265 HOPKINS COUNTY BO 1/2/2025 11:25:36 AM


3/4" EXP. ANCHOR @ 36" O.C. -

RECEPTION DESK DETAIL
1 1/2" = 1'-0"

PLYWOOD —







CASEWORK ELEVATION
3/8" = 1'-0"

ZŒ **AUA** :

 $\Sigma \sqcup \mathbf{I}$

 $\alpha \vdash z$ шсс

I 4 4 0

von <u>₹</u>

Y BOARD OFFICE

CASEWORK PLANS AND DETAILS ENLARGED

NOVEMBER 08 CAH DRAWN CHECKED COPYRIGHT © 2024 SHERMAN CARTER BARNHAR ARCHITECTS, PLLC REVISIONS \

GENERAL REFLECTED CEILING NOTES

- R1 = KEYNOTES (WHERE APPLICABLE)
- R2 CEILING RELATED MECHANICAL AND ELECTRICAL ITEMS ARE NOT SHOWN ON REFLECTED CEILING PLANS. SEE MECHANICAL AND/OR ELECTRICAL DRAWINGS FOR TYPE, SIZE, AND OTHER REQUIREMENTS PERTAINING SPECIFICALLY TO THESE ITEMS. -- EPOXY PAINT ALL EXPOSED, NON PRE-FINISHED MEP ITEMS.
- R3 REFER TO PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL FIXTURES NOT SHOWN.
- R4 REFER TO WALL TYPES FOR DESCRIPTION OF WALLS EXTENDING (OR NOT) TO UNDERSIDE OF DECKING AND/OR STRUCTURE ABOVE.
- R5 INSTALL SPRINKLER HEADS IN CENTER OF 2x2 CEILING PANELS.
- R6 INSTALL ALL SPRINKLER HEADS ON SWING ARM NIPPLES. REFER TO MECHANICAL DRAWINGS FOR SPECIFIC REQUIREMENTS.
- SOFFIT DIMENSIONS SHOWN ARE FROM FACE OF WALL OR FACE OF GYPSUM
- BOARD TO FACE OF GYPSUM BOARD.

 R8 REFER TO DOOR, FRAME DETAILS AND STRUCTURAL DRAWINGS FOR SPECIFIC
- LINTEL LOCATIONS. PAINT EXPOSED STEEL LINTELS (GALV. AT EXTERIOR LOCATIONS)
- R9 UNLESS SPECIFICALLY LOCATED, GYPSUM BOARD CONTROL JOINTS AS REQUIRED BY INDUSTRY STANDARDS OR SPECS., WHICHEVER IS MORE RESTRICTIVE. CONFIRM LOCATIONS WITH ARCHITECT.
- R10 ALL CEILINGS SHALL BE ACT TYPE A, U.N.O.

REFLECTED CEILING PLAN KEY NOTES

NOTE: ALL NOTES MAY NOT APPLY TO THIS SHEET.

- 1. METAL SOFFIT AT EXTERIOR. REFER TO DETAILS.
- 2. OPEN TO STRUCTURE, PAINT STRUCTURE & STEEL DECK. PAINT ALL EXPOSED, NON
- PRE-FINISHED MEP ITEMS.
- 3. EXPOSED STRUCTURE AND DECK, NO FINISH.
- 4. METAL PANEL CONTROL JOINT, PAINT. EXTEND JOINT UP VERTICAL SIDES OF SOFFIT.5. ROOF HATCH.
- ROOF HATCH.
- 6. ALUMINUM COMPOSITE PANEL CEILING.
- 7. USG "COLORTEX RADIAL" CEILING FEATURE. REFER TO SPECIFICATIONS.
- 8. SUSPENDED ACOUSTICAL CEILING "CLOUD". REFER TO SPECIFICATIONS.9. MINIMUN 1'-6" SOUND BATT INSULATION TO EXTEND FROM EACH SIDE OF WALL AT
- 10. ALIGN FACE OF SOFFIT WITH FACE OF GYP. WALL.

MARKED LOCATIONS. REFER TO DETAIL XXXX

REFLECTED CEILING LEGEND

X' - X"

CEILING HEIGHT, A.F.F.

NOTE: REFER TO SECTIONS AND DETAILS FOR EXTERIOR
CEILING HEIGHTS NOT SHOWN.

2'x2' SUSPENDED ACOUSTICAL CEILING (ACT-A) @ 9' - 0"
A.F.F. U.N.O., REFER TO SPECS.

2'x2' SUSPENDED ACOUSTICAL CEILING (ACT-B) @ 9' - 0" A.F.F. U.N.O., REFER TO SPECS.

GYPSUM BOARD SOFFIT OR BULKHEAD, PAINT.
REFER TO SHEET A7.2 FOR DETAILS.

NO CEILING. DECK / STRUCTURE ABOVE TO BE PAINTED.

EXISTING BUILDING TO REMAIN.

SHERMAN CARTER BARNHART

COUNTY BOARD OFFI
REMODEL
NORTH MAIN STREET

REFLECTED CEILING PLAN

JOB NO. 2265

DATE NOVEMBER 08, 2024


DRAWN ALC, ASC

CHECKED
COPYRIGHT © 2024

SHERMAN CARTER BARNHART ARCHITECTS, PLLC

REVISIONS

SHEET



R1 = KEYNOTES (WHERE APPLICABLE)

R2 CEILING RELATED MECHANICAL AND ELECTRICAL ITEMS ARE NOT SHOWN ON REFLECTED CEILING PLANS. SEE MECHANICAL AND/OR ELECTRICAL DRAWINGS FOR TYPE, SIZE, AND OTHER REQUIREMENTS PERTAINING SPECIFICALLY TO THESE ITEMS. -- EPOXY PAINT ALL EXPOSED, NON PRE-FINISHED MEP ITEMS.

R3 REFER TO PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR

ADDITIONAL FIXTURES NOT SHOWN.

REFER TO WALL TYPES FOR DESCRIPTION OF WALLS EXTENDING (OR NOT) TO UNDERSIDE OF DECKING AND/OR STRUCTURE ABOVE.

R5 INSTALL SPRINKLER HEADS IN CENTER OF 2x2 CEILING PANELS.

R6 INSTALL ALL SPRINKLER HEADS ON SWING ARM NIPPLES. REFER TO MECHANICAL DRAWINGS FOR SPECIFIC REQUIREMENTS.

BOARD TO FACE OF GYPSUM BOARD. REFER TO DOOR, FRAME DETAILS AND STRUCTURAL DRAWINGS FOR SPECIFIC LINTEL LOCATIONS. PAINT EXPOSED STEEL LINTELS (GALV. AT EXTERIOR

SOFFIT DIMENSIONS SHOWN ARE FROM FACE OF WALL OR FACE OF GYPSUM

LOCATIONS) UNLESS SPECIFICALLY LOCATED, GYPSUM BOARD CONTROL JOINTS AS

REQUIRED BY INDUSTRY STANDARDS OR SPECS., WHICHEVER IS MORE RESTRICTIVE. CONFIRM LOCATIONS WITH ARCHITECT.

REFLECTED CEILING PLAN **KEY NOTES**

NOTE: ALL NOTES MAY NOT APPLY TO THIS SHEET.

R10 ALL CEILINGS SHALL BE ACT TYPE A, U.N.O.

- 1. METAL SOFFIT AT EXTERIOR. REFER TO DETAILS.
- 2. OPEN TO STRUCTURE, PAINT STRUCTURE & STEEL DECK. PAINT ALL EXPOSED, NON PRE-FINISHED MEP ITEMS.
- 3. EXPOSED STRUCTURE AND DECK, NO FINISH.
- 4. METAL PANEL CONTROL JOINT, PAINT. EXTEND JOINT UP VERTICAL SIDES OF SOFFIT. 5. ROOF HATCH.
- 6. ALUMINUM COMPOSITE PANEL CEILING.
- 7. USG "COLORTEX RADIAL" CEILING FEATURE. REFER TO SPECIFICATIONS.
- 8. SUSPENDED ACOUSTICAL CEILING "CLOUD". REFER TO SPECIFICATIONS.
-). MINIMUN 1'-6" SOUND BATT INSULATION TO EXTEND FROM EACH SIDE OF WALL AT
- 10. ALIGN FACE OF SOFFIT WITH FACE OF GYP. WALL.

MARKED LOCATIONS. REFER TO DETAIL XXXX

REFLECTED CEILING LEGEND

CEILING HEIGHT, A.F.F.


NOTE: REFER TO SECTIONS AND DETAILS FOR EXTERIOR
CEILING HEIGHTS NOT SHOWN.

2'x2' SUSPENDED ACOUSTICAL CEILING (ACT-A) @ 9' - 0" A.F.F. U.N.O., REFER TO SPECS. 2'x2' SUSPENDED ACOUSTICAL CEILING (ACT-B) @ 9' - 0" A.F.F. U.N.O., REFER TO SPECS.

> REFER TO SHEET A7.2 FOR DETAILS. EXISTING BUILDING TO REMAIN.

> > NO CEILING. DECK / STRUCTURE ABOVE TO BE

GYPSUM BOARD SOFFIT OR BULKHEAD, PAINT.




8 BATT INSUL ABOVE CEILING

1' - 6" MIN.

ACOUST. CLG.

SUSPENDED ACOUST. CLG.—

ENLARGED - RECEPTION DESK



SUSPENDED ACOUST. CLG. 5/8" GYP. CLG. BD. ON 3 5/8" -MTL. FRAMING AT 16" O.C. CORNER BEAD, TYP.

ADJACENT WALL

3 5/8" MTL. STUD-

KICKERS AT 32" O.C.

CLG. PLANS

ackslashLC-BEAD AND SEALANT, CONT.

TYP. SOFFIT DETAIL

FACE OF ADJACENT WALL

5 TYP. SOFFIT DETAIL

EXTEND GYP BD. TO BOTTOM OF JOISTS.

3 5/8" MTL. STUD-


KICKERS AT 32" O.C.

CLG. PLANS

LC-BEAD AND SEALANT, CONT.

1 1/2" = 1'-0"

TYP. SOFFIT DETAIL 1 1/2" = 1'-0"



EXTEND MTL. STUD FRAMING

STRUCT. ABOVE. DO NOT SUPPORT FROM DECK (TYP.).

JOISTS.

—CORNER BEAD, TYP.

RESISTANT WHERE NOTED)

SURFACES. (WATER

AND KICKERS TO ROOF / FLOOR

EXTEND GYP BD. TO BOTTOM OF

EXTEND MTL. STUD FRAMING
AND KICKERS TO ROOF / FLOOR

STRUCT. ABOVE. DO NOT SUPPORT FROM DECK (TYP.).

SUSP. ACOUST. CLG.

—CORNER BEAD, TYP.

-DIAGONAL X-BRACING

-MID STUD SUPPORT

STRAPS AS REQ'D.


KICKERS AT 32" O.C. -EXTEND MTL. STUD FRAMING & KICKERS TO ROOF/FLOOR STRUCT. ABOVE. DO NOT SUPPORT FROM DECK (TYP.).

RESISTANT WHERE NOTED)

SURFACES. (WATER

TYP. SOFFIT DETAIL

1 1/2" = 1'-0"



OPERABLE PARTITION SOFFIT DETAIL

1 1/2" = 1'-0"

DRAWN

CHECKED

COPYRIGHT © 2024

REVISIONS

SHERMAN CARTER BARNHA ARCHITECTS, PLLC

2265 HOPKINS COUNTY BC 1/2/2025 11:25:47 AM

35 NOR MADIS


PLANS

CEILING DETAILS

ENLARGED

NOVEMBER 08

Author



2265 HOPKINS COUNTY BO 1/2/2025 11:25:56 AM SHERMAN CARTER BARNHART ARCHITECTS

COUNTY BOARD OFF
REMODEL
NORTH MAIN STREET

3

DOOR SCHEDULE FRAME ELEVATIONS

JOB NO. 2265

DATE NOVEMBER 08, 2024

DRAWN ALC, ASC

CHECKED
COPYRIGHT © 2024
SHERMAN CARTER BARNHART ARCHITECTS, PLLC

REVISIONS

No. Description Date

HEET

A8.1