














REVISIONS	NO.	DESCRIPTION
	1	ISSUED FOR PERMIT
	2	REVISED FOR COMMENTS
	3	REVISED FOR COMMENTS
	4	REVISED FOR COMMENTS
	5	REVISED FOR COMMENTS
	6	REVISED FOR COMMENTS
	7	REVISED FOR COMMENTS
	8	REVISED FOR COMMENTS
	9	REVISED FOR COMMENTS
	10	REVISED FOR COMMENTS

CODES AND MANUALS

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

DESIGN CRITERIA

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

SLAB-ON-GRADE

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

WOOD FRAMING

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

GENERAL

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

SPECIAL INSPECTIONS - STRUCTURAL

SECTION	ITEM	REQUIRED	YES	NO	REMARKS
105-2.3	FABRICATORS	X			See Notes 105-2.3.1 through 105-2.3.4.
105-2.4	STRUCTURAL INSPECTIONS	X			See Notes 105-2.4.1 through 105-2.4.4.
105-2.5	STEEL CONSTRUCTION	X			See Notes 105-2.5.1 through 105-2.5.4.
105-2.6	MASONRY CONSTRUCTION	X			See Notes 105-2.6.1 through 105-2.6.4.
105-2.7	WOOD CONSTRUCTION	X			See Notes 105-2.7.1 through 105-2.7.4.
105-2.8	DRIVEN DEEP FOUNDATIONS	X			See Notes 105-2.8.1 through 105-2.8.4.
105-2.9	HELICAL PILE FOUNDATIONS	X			See Notes 105-2.9.1 through 105-2.9.4.
105-2.10	INSPECTIONS FOR REMEDIAL	X			See Notes 105-2.10.1 through 105-2.10.4.
105-2.11	INSPECTIONS FOR REMEDIAL	X			See Notes 105-2.11.1 through 105-2.11.4.
105-2.12	TESTING AND INSPECTION FOR REMEDIAL	X			See Notes 105-2.12.1 through 105-2.12.4.
105-2.13	TESTING AND INSPECTION FOR REMEDIAL	X			See Notes 105-2.13.1 through 105-2.13.4.

CASHT-IN-PLACE CONCRETE

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

REINFORCING STEEL


1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

TABLE 105-2.13.1 - REINFORCING STEEL

ITEM	BAR	SIZE	SPACING
1	4	1/2"	12"
2	4	1/2"	12"
3	4	1/2"	12"
4	4	1/2"	12"
5	4	1/2"	12"
6	4	1/2"	12"
7	4	1/2"	12"
8	4	1/2"	12"
9	4	1/2"	12"
10	4	1/2"	12"


1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

BASE PLATE (BP) SCHEDULE




NOTE: 1. SEE NOTE 105-2.13.1 FOR BASE PLATE SCHEDULE. 2. SEE NOTE 105-2.13.2 FOR BASE PLATE SCHEDULE. 3. SEE NOTE 105-2.13.3 FOR BASE PLATE SCHEDULE. 4. SEE NOTE 105-2.13.4 FOR BASE PLATE SCHEDULE.

COLUMN (C) SCHEDULE



NOTE: 1. SEE NOTE 105-2.13.1 FOR COLUMN SCHEDULE. 2. SEE NOTE 105-2.13.2 FOR COLUMN SCHEDULE. 3. SEE NOTE 105-2.13.3 FOR COLUMN SCHEDULE. 4. SEE NOTE 105-2.13.4 FOR COLUMN SCHEDULE.

WALL FOOTING (WF) SCHEDULE



CNU REINFORCEMENT SPICE LENGTHS

BAR	SIZE	MINIMUM LENGTHS (inches)
1	4	12"
2	4	12"
3	4	12"
4	4	12"
5	4	12"
6	4	12"
7	4	12"
8	4	12"
9	4	12"
10	4	12"


STRUCTURAL AND MISCELLANEOUS STEEL

1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

POST INSTALLED ANCHORS


1. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE. THE DESIGNER SHALL BE RESPONSIBLE FOR THE SELECTION OF THE APPROPRIATE CODES AND MANUALS TO BE USED IN THE DESIGN OF THE PROJECT. THE FOLLOWING LIST OF CODES AND MANUALS IS PROVIDED FOR THE DESIGNER'S REFERENCE.

CNU WALL SCHEDULE




MARK	THICKNESS	NOM. BAY QTY	VERTICAL BAR QTY	HORIZONTAL BAR QTY	REINFORCEMENT
1	12"	1	1	1	1
2	12"	1	1	1	1
3	12"	1	1	1	1
4	12"	1	1	1	1
5	12"	1	1	1	1
6	12"	1	1	1	1
7	12"	1	1	1	1
8	12"	1	1	1	1
9	12"	1	1	1	1
10	12"	1	1	1	1

COLUMN FOOTING (F) SCHEDULE



PIER (P) SCHEDULE



MARK	SIZE	VERTICAL BAR QTY	HORIZONTAL BAR QTY	REINFORCEMENT
1	12"	1	1	1
2	12"	1	1	1
3	12"	1	1	1
4	12"	1	1	1
5	12"	1	1	1
6	12"	1	1	1
7	12"	1	1	1
8	12"	1	1	1
9	12"	1	1	1
10	12"	1	1	1

Champaign, IL Office
 1111 North La Grange Road
 Champaign, IL 61820
 217.244.1111

S1.0
 STRUCTURAL NOTES & SCHEDULES
 11/1/2015

rosstrant architects
 1111 North La Grange Road
 Champaign, IL 61820
 217.244.1111

NOT FOR CONSTRUCTION


FSHS BASEBALL & SOFTBALL IMPROVEMENTS
 FOR
 Simpson County Board of Education
 Franklin, KY

CONTRACT DOCUMENTS
 PROJECT NO. 2015-01
 PROJECT NAME: FSHS BASEBALL & SOFTBALL IMPROVEMENTS
 PROJECT LOCATION: SIMPSON COUNTY, KY
 PROJECT START DATE: 11/1/2015
 PROJECT END DATE: 11/1/2015


CONTRACT DOCUMENTS
 PROJECT NO. 2015-01
 PROJECT NAME: FSHS BASEBALL & SOFTBALL IMPROVEMENTS
 PROJECT LOCATION: SIMPSON COUNTY, KY
 PROJECT START DATE: 11/1/2015
 PROJECT END DATE: 11/1/2015

[illegible]


GENERAL PLAN LEGEND




SLAB-ON-GRADE CONSTRUCTION




CMU WALLS LEGEND



WOOD ROOF DECK CONSTRUCTION ON WOOD FRAMING




FRAMING PLAN LEGEND




(X)	DESIGNATION
D-C	Top of Shell Abutment
Stem	Bottom Top of Shell Abutment to be determined by labor contribution.
(S)	Shaped Beam
(B)	Steel Beam (see Solid as indicated on plan)
(C)	Cast-in-place Beam
(W)	Welded-in-place


FOUNDATION PLAN - HOME DUGOUT




ROOF PLAN - HOME DUGOUT




FOUNDATION PLAN - VISITOR DUGOUT



ROOF PLAN - VISITOR DUGOUT



[illegible]

PROJECT NORTH
PARTIAL ENLARGED BASEBALL SITE PLAN
SCALE: 1" = 20'-0"


MECHANICAL DEMOLITION TAG NOTES	
(APPLIES TO THE UNWAKING ONLY)	
1	REMOVE IRRIGATION SPRING AND CONTROLS IN STORAGE ROOM AT EAST END OF DISCOUT. CAP WATER AND OPEN SPRING BELOW GRADE.
2	REMOVE PUMP PUMP AND DISCHARGE PIPING.
3	REMOVE IRRIGATION SPRING AND CONTROLS IN STORAGE ROOM AT EAST END OF DISCOUT. CAP WATER AND OPEN GRADE. REMOVE WATER SPRING TO POINT OUTSIDE DISCOUT. READY FOR RECONNECT FOR NEW HOSE.
4	SEE ATTACHED PHOTO OF EXISTING IRRIGATION SYSTEM.

**ELECTRICAL
DEMOLITION TAG NOTES**

(APPLIES TO THE DRAWING ONLY)	
1	EXISTING LIGHT FIXTURE AND CONTROLS SHALL BE REMOVED IN THEIR ENTIRETY. ALL CONDUIT, WIRE, BOXES, ETC. SHALL BE REMOVED BACK TO THE SOURCE.
2	EXISTING SURFACE MOUNTED PANELED BOARD SHALL BE REMOVED IN ITS ENTIRETY. EXISTING FEEDER SHALL BE REMOVED BACK TO EXISTING HANDHOLE LOCATED BETWEEN CUTOFF AND ROAD AND SHALL BE TERMINATED IN CODE COMPLIANT MANNER FOR RE-USE DURING CONSTRUCTION.
3	ALL EXISTING RECEPTACLES LOCATED WITHIN DUGOUT SHALL BE REMOVED IN THEIR ENTIRETY. ALL CONDUIT, WIRE, BOXES, ETC. SHALL BE REMOVED BACK TO THE SOURCE.

[illegible][illegible]

8 ELECTRICAL CONSTRUCTION (APPLIES TO THE REMAINING PAGES)	1. FORMER AND RETAIL LIGHT FIXTURE (ELECTRIC, THERMAL, SOLAR, LUMINOUS, OR OTHER) SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 2. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 3. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 4. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 5. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 6. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 7. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). 8. ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC). ALL ELECTRICAL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL ELECTRICAL SAFETY CODE (NESC).
--	---



SITE UTILITY ENLARGED PLAN
FOR:
FHS Baseball & Softball Improvements
Simpson County Board of Education
Franklin, KY

[illegible]

