


EQUIP TYP
(BY OWNER)



W2424 1
ADJ
SHELF 2xW3024 1 ADJ
DOORS SHELF DOORS

30" DEEP COUNTER W/
BACK & END SPLASH

PERF MTL PANEL,
TYP. 11" W x 8" H 50%
FREE AREA

B30
1 ADJ SHELF
DRAWER
DOORS

B30
1 ADJ SHELF
DRAWER
DOORS

4 B24
1 ADJ SHELF
DRAWER
DOORS

HEIGHT TO TOP OF COUNTER 30"
PROVIDE 30" D COUNTER & END
PANEL EXTENSION FOR CLOSURE

2x T4284 24"D 4 ADJ SHELVES
1 FIXED SHELF
DOORS W/LOCK
SIDE AND FRONT W/
PERFORATED SHEET MTL 50%
CLR
POWER OUTLETS @ EACH SHELF
(120V, 20AMP DUPLEX)

FEED EACH CIRCUIT FROM
A SPARE 20A/1P BREAKER
IN EXISTING PANEL C.
SEE SHEET E1.01 FOR
PANEL LOCATION.

ALL HOLES THAT ARE
REQUIRED TO BE CUT
INTO THE BACK OF
THE CASEWORK TO
INSTALL THE RECEPTACLES
ARE TO BE PERFORMED
BY THE CASEWORK
INSTALLER. FIELD
COORDINATE EXACT
LOCATIONS WITH ARCHITECT.

DATE
AUG 25

JOB NO.
2513

REQUEST FOR PRICING
INNOVATION LAB EQUIPMENT
1/4" = 1'-0"

INNOVATION LAB RENOVATION
ANCHORAGE INDEPENDENT SCHOOL
ANCHORAGE INDEPENDENT BOARD OF EDUCATION
ANCHORAGE, KENTUCKY

314 WILKINSON ST.
FRANKFORT, KY 40601

PHONE 502-875-2290
FAX 502-875-1307
mail@gscottarchi

GSA
G. SCOTT & ASSOCIATES, ARCHITECTS P.L.C.