



2026 Thomas Built Buses School Bus Purchase Authorization

The **Jefferson Count** Board of Education, located in **Louisville**, Kentucky, on the **09** day of **December**, 2025, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.


Signed

_____, Secretary
_____, Superintendent
of the **Jefferson County** Board of Education
On the ____ day of _____, 20____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621,
2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632

Current lead times for bus completion is 270 days.

**BOYD Truck Centers**

4350 BOYD WAY
LOUISVILLE KY 40211
(502) 774-4441
BoydTruckCenters.com

Sales Quote

Date: DE-01228
Invoice#: Cash
Type: Mark Pinczewski
Salesperson:

Please Remit Payment To: BOYD TRUCK CENTERS PO BOX 34629 LOUISVILLE, KY 40232

Bill To: 100026

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE KY 40218
P:(502) 485-3696

Ship To:

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE, KY 40218

20 LIFT = \$3,241,080
22 LIFT = \$3,620,188

Sales Price		\$164,554.00
Document Fee	+	\$0.00
Taxes	+	\$0.00
FET	+	\$0.00
TOTAL PRICE	=	\$164,554.00
LESS TRADE	-	\$0.00
Deposit/Down Payment	-	\$0.00
BALANCE DUE	=	\$164,554.00



Your feedback drives us forward. Scan the QR code to share your thoughts and let us know how we're doing.

Rentals, sales, and services (collectively, "Transactions") shall be governed by the Company's Terms and Conditions (currently available at www.boydcat.com/terms) (the "Terms"). THE TERMS ARE HEREBY INCORPORATED BY REFERENCE INTO THIS DOCUMENT AND THE PARTIES AGREE TO AND INTEND TO BE BOUND BY THE TERMS AS AN INTEGRAL PART OF THEIR AGREEMENT. A hard copy of the Terms is available upon request sent to TermsAndConditions@boydcat.com or at any Company location. Should successor websites containing the Terms be established, the Terms will be available through the Company's website at www.boydtruckcenters.com. The Company may amend the Terms WITHOUT NOTICE to you by posting revised Terms, and you agree to be bound by such amended Terms effective at the time of the Transaction. Except as may be expressly provided in the Terms or written agreement signed by the Company, Transactions are made AS IS and WITH ALL FAULTS. The Terms, among other things, require the WAIVER AND LIMITATION OF SUBSTANTIAL LEGAL RIGHTS. By signing below and/or entering into a Transaction, you acknowledge that you have read, understand, accept, and agree to be bound by the Terms.


THIS ORDER SHALL NOT BECOME BINDING UNTIL ACCEPTED BY THE MANAGER.

Buyer Signature

Date

Seller Signature

Date

**BOYD Truck Centers**

4350 BOYD WAY
LOUISVILLE KY 40211
(502) 774-4441
BoydTruckCenters.com

Bus Quote

Date:
Invoice#: DE-01228
Type: Cash
Salesperson: Mark Pinczewski

Please Remit Payment To: BOYD TRUCK CENTERS PO BOX 34629 LOUISVILLE, KY 40232


Bill To: 100026

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE KY 40218
P:(502) 485-3696

Ship To:

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE, KY 40218

Stock#: HDC Bus 1	0 THOMAS 251TS	Price:	\$164,554.00
VIN:			
Standard TH2 - 52 Pass Shell w/Lift (16p + 4 WC)			\$147,514.00
Standard 200hp Cummins Engine			\$0.00
Standard 2500pts - 7yr Allison Warranty			\$0.00
Standard Michelin Tires +1st Light Stop/Dest. Signs			\$0.00
Standard 10 yr Rust Warranty - D1RWAR0004			\$0.00
Standard 5 yr Body/Chassis Warranty			\$0.00
Standard Cupholders +LED Headlights			\$0.00
Standard SBR seats (Lift only-has Lap & Shoudler belts)			\$0.00
Upgrade 200hp to 220hp Cummins Engine			\$650.00
Upgrade AC with Dash Air - 126k Btu Mcc (Skirt)			\$13,400.00
Upgrade Fuel Tank Upgrade - 60 gal to 100 gal (diesel only)			\$875.00
Upgrade Radio with Page Horn, 6 speakers			\$865.00
Upgrade Trash Can			\$50.00
Upgrade One Piece Flooring 20 or 52 Pass			\$1,200.00
		Unit Price:	\$164,554.00



BOYD Truck Centers

4350 BOYD WAY
LOUISVILLE KY 40211
(502) 774-4441
BoydTruckCenters.com

Sales Quote

Date: DE-01229
Invoice#: Cash
Type: Mark Pinczewski
Salesperson:

Please Remit Payment To: BOYD TRUCK CENTERS PO BOX 34629 LOUISVILLE, KY 40232

Bill To: 100026

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE KY 40218
P:(502) 485-3696

Ship To:

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE, KY 40218

10 NEW-LIFT = \$1,563,210

Sales Price		\$156,321.00
Document Fee	+	\$0.00
Taxes	+	\$0.00
FET	+	\$0.00
TOTAL PRICE	=	\$156,321.00
LESS TRADE	-	\$0.00
Deposit/Down Payment	-	\$0.00
BALANCE DUE	=	\$156,321.00



Your feedback drives us forward. Scan the QR code to share your thoughts and let us know how we're doing.

Rentals, sales, and services (collectively, "Transactions") shall be governed by the Company's Terms and Conditions (currently available at www.boydcat.com/terms) (the "Terms"). THE TERMS ARE HEREBY INCORPORATED BY REFERENCE INTO THIS DOCUMENT AND THE PARTIES AGREE TO AND INTEND TO BE BOUND BY THE TERMS AS AN INTEGRAL PART OF THEIR AGREEMENT. A hard copy of the Terms is available upon request sent to TermsAndConditions@boydcat.com or at any Company location. Should successor websites containing the Terms be established, the Terms will be available through the Company's website at www.boydtruckcenters.com. The Company may amend the Terms WITHOUT NOTICE to you by posting revised Terms, and you agree to be bound by such amended Terms effective at the time of the Transaction. Except as may be expressly provided in the Terms or written agreement signed by the Company, Transactions are made AS IS and WITH ALL FAULTS. The Terms, among other things, require the WAIVER AND LIMITATION OF SUBSTANTIAL LEGAL RIGHTS. By signing below and/or entering into a Transaction, you acknowledge that you have read, understand, accept, and agree to be bound by the Terms.


THIS ORDER SHALL NOT BECOME BINDING UNTIL ACCEPTED BY THE MANAGER.

Buyer Signature

Date

Seller Signature

Date

**BOYD Truck Centers**

4350 BOYD WAY
LOUISVILLE KY 40211
(502) 774-4441
BoydTruckCenters.com

Bus Quote

Date:
Invoice#: DE-01229
Type: Cash
Salesperson: Mark Pinczewski

Please Remit Payment To: BOYD TRUCK CENTERS PO BOX 34629 LOUISVILLE, KY 40232

Bill To: 100026

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE KY 40218
P:(502) 485-3696

Ship To:

JEFFERSON COUNTY PUBLIC SCHOOLS - ACCOUNTS PAYABLE
3332 NEWBURG RD
LOUISVILLE, KY 40218

Stock#: 52P C-2

0 THOMAS 251TS

Price:

\$156,321.00

VIN:

Standard 251TS THO Thomas Built Bus (TBB)

\$0.00

Standard TH6 - 52 Pass

\$138,421.00

Standard 2500pts - 7yr Allison Warranty

\$0.00

Standard Michelin Tires +1st Light Stop/Dest. Signs

\$0.00

Standard 10 yr Rust Warranty - DIRWAR0004

\$0.00

Standard 5 yr Body/Chassis Warranty

\$0.00

Standard Cupholders +LED Headlights

\$0.00

Upgrade 200hp to 220hp Cummins Engine

\$650.00

Upgrade AC with Dash Air - 126k Btu Mcc (Skirt)

\$13,400.00

Upgrade Fuel Tank Upgrade - 60 gal to 100 gal (diesel only)

\$875.00

Upgrade Radio with Page Horn, 6 speakers

\$865.00

Upgrade Tinted side windows (non lift unit)

\$860.00

Upgrade Trash Can

\$50.00

Upgrade One Piece Flooring 20 or 52 Pass

\$1,200.00


Unit Price:

\$156,321.00



Kentucky Department of **E D U C A T I O N**

2026 Kentucky School Bus Purchasing Guide





Kentucky Department of

EDUCATION

2026 Blue Bird School Bus Purchase Authorization

The _____ Board of Education, located in _____ Kentucky, on the ____ day of _____, 20____, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.

Signed

_____, Secretary
_____, Superintendent
of the _____ Board of Education
On the ____ day of _____, 20____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

Current lead times for bus completion is as follows:

Type A – 270 Days, Type C – 180 Days, Type D 330 Days

Please contact your dealer if you have questions regarding lead times.

Special Needs Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB1		C	22	Cummins	Blue Bird	220	Allison 2500	189	125	\$148,245
BB2		C	23	Cummins	Blue Bird	220	Allison 2500	217	132	\$149,355
BB3		C	28	Cummins	Blue Bird	220	Allison 2500	273	153	\$154,135
BB4		C	28	Cummins	Blue Bird	250	Allison 3000	273	153	\$160,905
BB5		D-RE	63	Cummins	Blue Bird	250	Allison 3000	273	122	\$213,500

Special Needs Propane

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB6		C	22	Ford	Blue Bird	320	Ford	189	125	\$152,735
BB7		C	23	Ford	Blue Bird	320	Ford	217	132	\$155,800
BB8		C	28 Ext	Ford	Blue Bird	320	Ford	273	153	\$160,620

Special Needs Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price

Type A/C – Diesel

Type A diesel has a left side middle fuel tank. All others have center rear fuel tank.

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB9		C	34	Cummins	Blue Bird	220	Allison 2500	169	125	\$142,080
BB10		C	34	Cummins	Blue Bird	220	Allison 2500	189	125	\$143,960
BB11		C	52	Cummins	Blue Bird	220	Allison 2500	217	132	\$145,570
BB12		C	66	Cummins	Blue Bird	220	Allison 2500	273	153	\$151,340
BB13		C	66	Cummins	Blue Bird	250	Allison 3000	273	153	\$158,110
BB14		C	72	Cummins	Blue Bird	220	Allison 2500	273	160	\$152,240
BB15		C	72	Cummins	Blue Bird	250	Allison 3000	273	160	\$158,735

Kentucky School Buses 2026 Bus Purchasing Guide



BB16		C	75	Cummins	Blue Bird	250	Allison 3000	280	174	\$162,110
------	--	---	----	---------	-----------	-----	--------------	-----	-----	-----------

Type A/C Propane

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB17		C	34	Ford	Blue Bird	320	Ford	189	125	\$145,080
BB18		C	52	Ford	Blue Bird	320	Ford	217	132	\$148,785
BB19		C	66	Ford	Blue Bird	320	Ford	273	139	\$154,025
BB20		C	72 Ext	Ford	Blue Bird	320	Ford	273	160	\$157,795
BB21		C	75 Ext	Ford	Blue Bird	320	Ford	280	174	\$158,280

Type A/C Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB22		C	72	Cummins	Blue Bird	Electric	Electric	273	160	\$406,045

Type D Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB23		D-FE	78	Cummins	Blue Bird	250	Allison 3000	232	153	\$179,910
BB24		D-RE	78	Cummins	Blue Bird	250	Allison 3000	273	122	\$191,355

Type D Propane

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price

Type D Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB25		D-RE	78	Cummins	Blue Bird	Electric	Electric	273	122	\$432,470

OPTIONS

RADIO

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO44	ALL	Radio	Radio, AM/FM/PA	\$ 650
BBO45	ALL	Radio	Radio, AM/FM/PA (w/ External Speaker)	\$ 675

CAMERAS

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO8	ALL	Camera	REI - 6 channel DVR-HD6-600 w/1 camera and 500 GB Hard Drive (INCLUDES INSTALL and 5 YEAR PARTS	\$ 2,650
BBO9	ALL	Camera	REI - 1 TB Hard Drive Upgrade	\$ 300
BBO10	ALL	Camera	REI - Additional Camera Head - (INCLUDES INSTALL)	\$ 325
BBO11	ALL	Camera	REI - GPS Sensor (for speed) - (INCLUDES INSTALL)	\$ 250
BBO12	ALL	Camera	REI - Stop Arm Camera - (INCLUDES INSTALL)	\$ 500
BBO13	ALL	Camera	REI - In Bus Video Lock Box	\$ 100
BBO14	ALL	Camera	REI - Event Marker and Panic Button - (INCLUDES INSTALL)	\$ 125
BBO15	ALL	Camera	REI - 500 GB Hard Drive (SPARE)	\$ 500
BBO16	ALL	Camera	REI - 1 TB Hard Drive (SPARE)	\$ 600
BBO17	ALL	Camera	REI - 12 channel DVR-HD6-1200 w/ 1 camera and 1TB Hard Drive (INCLUDES INSTALL and 5 YEAR PARTS WARRANTY) (Required w/ 6 or more cameras or 2 external	\$ 3,250
BBO18	ALL	Camera	Perimeter View 360 Degree Camera (See representative for install cost) (INCLUDES 5 YEAR PARTS WARRANTY)	\$ 3,000
BBO19	ALL	Camera	Backup Camera w/ Monitor in Student Mirror (Backup Camera w/Monitor in Dash Standard)	\$ 750

LUGGAGE

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO30	C	Luggage	Type C - Left Hand Overhang Storage	\$ 1,500
BBO31	C	Luggage	Type C - Right Hand Overhang Storage	\$ 1,500
BBO32	C	Luggage	Type C - Left Hand Mid Mount Storage	\$ 1,600
BBO33	C	Luggage	Type C - Right Hand Mid Mount Storage	\$ 1,600
BBO34	D-FE	Luggage	Type D - Left Hand Overhang Storage	\$ 1,600
BBO35	D-FE	Luggage	Type D - Right Hand Overhang Storage	\$ 1,600
BBO36	D	Luggage	Type D - Left Hand Mid Mount Storage	\$ 1,700
BBO37	D	Luggage	Type D - Right Hand Mid Mount Storage	\$ 1,700
BBO38	D-RE	Luggage	Type D - Pass Through Luggage	\$ 5,700
BBO39	ALL	Luggage	Gas Shocks (Single Door)	\$ 150
BBO40	ALL	Luggage	Gas Shocks (Double Door)	\$ 300

AIR CONDITIONING

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO1	C	A/C	95,000 BTU Skirt Mount AC (34 Pax)	\$ 12,000
BBO2	C	A/C	110,000 BTU Skirt Mount AC (52-66 Pax)	\$ 12,500
BBO3	C	A/C	126,000 BTU Skirt Mount AC (72-75 Pax)	\$ 12,900
BBO4	C	A/C	126,000 BTU Rooftop AC (52-75 Pax)	\$ 13,900
BBO5	D	A/C	126,000 BTU Skirt Mount AC	\$ 13,500

Kentucky School Buses 2026 Bus Purchasing Guide

BBO6	D	A/C	136,000 BTU Rooftop AC	\$ 14,500
------	---	-----	------------------------	-----------

TIRES

Option Number	Bus Type Available	Option Type	Extended Description	Price
				\$ -

HORSE POWER UPGRADE

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO26	C	Horsepower	250HP Upgrade from 220HP (Allison 2500 Transmission Only)	\$ 1,750
BBO27	D	Horsepower	260HP Upgrade from 250HP (Allison 3000 Transmission Only)	\$ 750
BBO28	D	Horsepower	280HP Upgrade from 250HP	\$ 2,750
BBO29	ALL	Horsepower	Cummins VGT Engine Exhaust Brake (Diesel Only)	\$ 96

WARRANTY

Option Number	Bus Type Available	Option Type	Extended Description	Price
				\$ -

SEATING

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO46	ALL	Seating	(1) 39" CE White Child Safety Restraint Seat In lieu of Standard 39" HB Seat	\$ 800
BBO47	Lift Bus	Seating	(1) 30" CE White Child Safety Restraint Seat In lieu of Standard 30" HB Seat	\$ 800
BBO48	Lift Bus	Seating	(1) Track Mounted Barrier	\$ 350
BBO49	Lift Bus	Seating	(1) 30" Track Mounted Seat w/ Lap Shoulder Belt	\$ 900

Kentucky School Buses 2026 Bus Purchasing Guide



BBO50	Lift Bus	Seating	(1) additional Wheelchair Position	\$ 650
BBO51	Lift Bus	Seating	Delete (1) Wheelchair Position and ADD (1) Standard HB Seats	\$ 350
BBO52	Lift Bus	Seating	39" HB Seat w/ 3pt belts in lieu of 30" HB Seat w/ 3pt belts (requires wheelchair lift to be moved to rear of the	\$ 350
BBO53	Lift Bus	Seating	Relocate Wheelchair Lift to rear of school bus	\$ 1,000

OTHER OPTIONS

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO7	ALL	Disc Brakes	Air Disc Brakes	\$ 1,750
BBO20	ALL	Flooring	1 Piece Flooring (Gray Swirl)	\$ 1,200
BB021	C	Flooring	34P, 52P or 66-72P Marine Grade Subfloor	\$ 800
BB022	D	Flooring	Type D Marine Grade Subfloor	\$ 800
BBO23	C	Fuel Tank	100 Gallon Diesel Fuel Tank	\$ 675
BBO24	C	Fuel Tank	100 Gallon Propane Fuel Tank	\$ 675
BBO25	ALL	Heater	Espar Series Heater (includes 7-day timer) 17K BTU	\$ 1,995
BBO41	C	LED Mirrors	Rosco Heated and Illuminated Crossover Mirrors	\$ 500
BBO42	C	Mirrors	Rosco Breakaway Mirrors	\$ 225
BBO43	ALL	Ceiling	Full Length Perforated Ceiling	\$ 1,000

BBO54	ALL	Tinting	Tinted Windows	\$ 375
BBO55	ALL	Pedals	Adjustable Pedals	\$ 1,250
BBO56	ALL	Zonar	Zonar Factory Pre-Wire	\$ 525
BBO57	ALL	Driver Seat	Heated Drivers Seat (only available in gray upholstery)	\$ 150
BBO58	C	Axle	23.5k Rear Axle (may be required w/ 100-gallon tank or certain luggage configurations)	\$ 1,250
BB059	C	Windshield	2-Piece Windshield	\$ 175
BB060	ALL	Tailpipe	Tailpipe Through Bumper	\$ 75
BB061	ALL	Fuel Door	Locking Fuel Door	\$ 45
BB062	ALL	DEF Door	Locking DEF Door	\$ 75
BB063	ALL	Cup Holder	Cup Holder	\$ 65
BB064	ALL	Trash Can	Trash Can	\$ 85

Blue Bird Floor Plans 2026

Contact Information

		Phone	Email
Kay Penn	KY General Manager	866-376-1644	kpenn@centralstatesbus.com
Chuck Harvill	General Manager	877-307-0322	charvill@centralstatesbus.com
Jeff Reitz	President/CEO	800-825-8273	jreitz@centralstatesbus.com

Delivery Date Estimates

Bus Type	Approximate Number of Days After Receipt of Order
C	150 - 180
D - FE & RE Diesel	160 - 180
C & D Electric	180 - 210


Quote Id: 232374

Body Plan / Seat Plan Information

Body Plan: 5014601


AT A GLANCE

ENGINE- Cummins
FUEL TYPE- Diesel
HP- 220
TRANS- Allison
SIZE- 2311
CAP- 22
WHEELBASE - 189"
ITEM #BB1



Seat Plan: 27937


SP: 27937 BBCV 2311, 22 CAP



Quote Id: 232374

Seat Plan Spacing Chart

SP: 27937 BBCV 2311, 22 CAP



Quote Id: 232375 Body Plan / Seat Plan Information

Body Plan: 5014629

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 2610

CAP- 23

WHEELBASE - 217"

ITEM #BB2




Seat Plan: 27130

SP: 27130 BBCV 2610, 23 CAP



Quote Id: 232375 Seat Plan Spacing Chart

SP: 27130 BBCV 2610, 23 CAP




Quote Id: 232376

Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 220
TRANS- Allison
SIZE- 3303
CAP- 28
WHEELBASE - 273"
ITEM #BB3



Seat Plan: 29268


SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232376

Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP





Quote Id: 232377 Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 250
TRANS- Allison
SIZE- 3303
CAP- 28
WHEELBASE - 273"
ITEM #BB4




Seat Plan: 29268

SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232377 Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP




Quote Id: 232403 Body Plan / Seat Plan Information

Body Plan: 5015688

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 250
TRANS- Allison
SIZE- 4006
CAP- 63
WHEELBASE - 273"
ITEM #BB5




Seat Plan: 32079

SP: 32079 T3RE 4006, 63 CAP



Quote Id: 232403 Seat Plan Spacing Chart

SP: 32079 T3RE 4006, 63 CAP




Quote Id: 232386 Body Plan / Seat Plan Information

Body Plan: 5014601


AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2311
CAP- 22
WHEELBASE - 189"
ITEM #BB6




Seat Plan: 27937

SP: 27937 BBCV 2311, 22 CAP



Quote Id: 232386 Seat Plan Spacing Chart




Quote Id: 232387 Body Plan / Seat Plan Information

Body Plan: 5014629

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 23
WHEELBASE - 217"
ITEM #BB7




Seat Plan: 27130

SP: 27130 BBCV 2610, 23 CAP



Quote Id: 232387 Seat Plan Spacing Chart

SP: 27130 BBCV 2610, 23 CAP




Quote Id: 232389

Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3303
CAP- 28 EXT
WHEELBASE - 273"
ITEM #BB8



Seat Plan: 29268


SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232389

Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232378 Body Plan / Seat Plan Information

Body Plan: 5014365

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 1910

CAP- 34


WHEELBASE - 169"

ITEM #BB9




Seat Plan: 23136

SP: 23136 BBCV 1910, 34 CAP



Quote Id: 232378 Seat Plan Spacing Chart

SP: 23136 BBCV 1910, 34 CAP



Quote Id: 232379 Body Plan / Seat Plan Information

Body Plan: 5014346

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 2311

CAP- 34


WHEELBASE - 189"

ITEM #BB10




Seat Plan: 23137

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232379 Seat Plan Spacing Chart

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232380

Body Plan / Seat Plan Information

Body Plan: 5014494

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 2610

CAP- 52


WHEELBASE - 217"

ITEM #BB11



Seat Plan: 23138


SP: 23138 BBCV 2610, 52 CAP



Quote Id: 232380

Seat Plan Spacing Chart

SP: 23138 BBCV 2610, 52 CAP



Quote 232380 - 217" WB

Quote Id: 232381 Body Plan / Seat Plan Information

Body Plan: 5014345

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220



TRANS- Allison

SIZE- 3201

CAP- 66

WHEELBASE - 273"

ITEM #BB12




Seat Plan: 25141

SP: 25141 BBCV 3201, 66 CAP



Quote Id: 232381 Seat Plan Spacing Chart

SP: 25141 BBCV 3201, 66 CAP



BBCV3201 SEDSL NEXTGEN LBR

DO NOT SCALE

BBCV 3201


Capacity	66
Seat Plan #	25141
Wheelbase	273.0

Quote Id: 244678	Body Plan / Seat Plan Information
------------------	-----------------------------------

Body Plan: 5014345

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 250
TRANS- Allison
SIZE- 3201
CAP- 66
WHEELBASE - 273"
ITEM #BB13




Seat Plan: 25141

SP: 25141 BBCV 3201, 66 CAP



Quote Id: 244678	Seat Plan Spacing Chart
------------------	-------------------------

SP: 25141 BBCV 3201, 66 CAP





BLUE BIRD

Quote Id: 232383

Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 3310

CAP- 72

WHEELBASE - 273"

ITEM #BB14



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232383

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP




Quote Id: 244680

Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 250
TRANS- Allison
SIZE- 3310
CAP- 72
WHEELBASE - 273"
ITEM #BB15



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 244680

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39CHVLBR	39CHVLBR
2	39CHVLBR	39CHVLBR
3	39CHVLBR	39CHVLBR
4	39CHVLBR	39CHVLBR
5	39CHVLBR	39CHVLBR
6	39CHVLBR	39CHVLBR
7	39CHVLBR	39CHVLBR
8	39CHVLBR	39CHVLBR
9	39CHVLBR	39CHVLBR
10	39CHVLBR	39CHVLBR
11	39CHVLBR	39CHVLBR
12	39CHVLBR	39CHVLBR
13	39CHVLBR	39CHVLBR

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 26.50
 LH Knee Clearance: 25.24, 24.74

RH Seat Spacing: 26.75
 RH Knee Clearance: 24.99

BBCV3310 273WB SED5L NEXTGEN LBR

DO NOT SCALE

BBCV 3310	
Capacity	72
Seat Plan #	30325
Wheelbase	273.0

Quote Id: 232385

Body Plan / Seat Plan Information

Body Plan: 5014550

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250



TRANS- Allison

SIZE- 3507

CAP- 75

WHEELBASE - 280"

ITEM #BB16



Seat Plan: 27624


SP: 27624 BBCV 3507, 75 CAP



Quote Id: 232385

Seat Plan Spacing Chart

SP: 27624 BBCV 3507, 75 CAP



Row	RH Seats	LH Seats
1	39CHVLBR	39CHVLBR
2	39CHVLBR	39CHVLBR
3	39CHVLBR	39CHVLBR
4	39CHVLBR	39CHVLBR
5	39CHVLBR	39CHVLBR
6	39CHVLBR	39CHVLBR
7	39CHVLBR	39CHVLBR
8	39CHVLBR	39CHVLBR
9	39CHVLBR	39CHVLBR
10	39CHVLBR	39CHVLBR
11	39CHVLBR	39CHVLBR
12	39CHVLBR	
13	39CHVLBR	
14	39CHVLBR	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.50
 LH Knee Clearance: 26.24, 25.74

RH Seat Spacing: 26.25
 RH Knee Clearance: 24.49

DO NOT SCALE

BBCV 3507

Capacity	75
Seat Plan #	27624
Wheelbase	280.0


BBCV3507 SED&L HG LBR#REL BAR#SPCL RR#

Quote Id: 232390 Body Plan / Seat Plan Information

Body Plan: 5014346


AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2311
CAP- 34
WHEELBASE - 189"
ITEM #BB17




Seat Plan: 23137

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232390 Seat Plan Spacing Chart

SP: 23137 BBCV 2311, 34 CAP




Quote 232390 - 189" WB

Quote Id: 232391 Body Plan / Seat Plan Information

Body Plan: 5014494


AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 52
WHEELBASE - 217"
ITEM #BB18




Seat Plan: 23138

SP: 23138 BBCV 2610, 52 CAP



Quote Id: 232391 Seat Plan Spacing Chart

SP: 23138 BBCV 2610, 52 CAP




Quote Id: 232392

Body Plan / Seat Plan Information

Body Plan: 5014345


AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3201
CAP- 66
WHEELBASE - 273"
ITEM #BB19



Seat Plan: 25141


SP: 25141 BBCV 3201, 66 CAP



Quote Id: 232392

Seat Plan Spacing Chart

SP: 25141 BBCV 3201, 66 CAP



Row	RH Seats	LH Seats
1	39CNVLR	39CNVLR
2	39CNVLR	39CNVLR
3	39CNVLR	39CNVLR
4	39CNVLR	39CNVLR
5	39CNVLR	39CNVLR
6	39CNVLR	39CNVLR
7	39CNVLR	39CNVLR
8	39CNVLR	39CNVLR
9	39CNVLR	39CNVLR
10	39CNVLR	39CNVLR
11	39CNVLR	
12	39CNVLR	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50

LH Knee Clearance: 25.24, 25.74

RH Seat Spacing: 26.50

RH Knee Clearance: 24.74

BBCV3201 SEDSL NEXTGEN LBR

DO NOT SCALE

BBCV 3201	
Capacity	66
Seat Plan #	25141
Wheelbase	273.0


Quote Id: 232394 Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3310
CAP- 72 EXT
WHEELBASE - 273"
ITEM #BB20

Seat Plan: 30325




SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232394 Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP




Quote Id: 232395 Body Plan / Seat Plan Information

Body Plan: 5014550

AT A GLANCE

ENGINE- Ford
 FUEL TYPE- Propane
 HP- 320
 TRANS- Ford
 SIZE- 3507
 CAP- 75 EXT
 WHEELBASE - 280"
 ITEM #BB21




Seat Plan: 27624

SP: 27624 BBCV 3507, 75 CAP



Quote Id: 232395 Seat Plan Spacing Chart

SP: 27624 BBCV 3507, 75 CAP



Quote 232395 - 280" WB



BLUE BIRD



Quote Id: 232396

Body Plan / Seat Plan Information

Body Plan: 5015525

AT A GLANCE

ENGINE- Cummins
FUEL TYPE- Electric
HP- Electric
TRANS- Electric
SIZE- 3310
CAP- 72
WHEELBASE - 273"
ITEM #BB22



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232396

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP



Quote 232396 - 273" WB

Quote Id: 232399

Body Plan / Seat Plan Information

Body Plan: 5011609

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250



TRANS- Allison

SIZE- 4004

CAP- 78


WHEELBASE - 232"

ITEM #BB23



Seat Plan: 23143


SP: 23143 T3FE 4004, 78 CAP



Quote Id: 232399

Seat Plan Spacing Chart

SP: 23143 T3FE 4004, 78 CAP






BLUE BIRD

Quote Id: 232401 Body Plan / Seat Plan Information

Body Plan: 5013675

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 250
TRANS- Allison
SIZE- 4006
CAP- 78
WHEELBASE - 273"
ITEM #BB24




Seat Plan: 25142

SP: 25142 T3RE 4006, 78 CAP



Quote Id: 232401 Seat Plan Spacing Chart

SP: 25142 T3RE 4006, 78 CAP



Row	RH Seats	LH Seats
1	39CNVLBR	39CNVLBR
2	39CNVLBR	39CNVLBR
3	39CNVLBR	39CNVLBR
4	39CNVLBR	39CNVLBR
5	39CNVLBR	39CNVLBR
6	39CNVLBR	39CNVLBR
7	39CNVLBR	39CNVLBR
8	39CNVLBR	39CNVLBR
9	39CNVLBR	39CNVLBR
10	39CNVLBR	39CNVLBR
11	39CNVLBR	39CNVLBR
12	39CNVLBR	39CNVLBRDAV
13	39CNVLBR	
14	39CNVLBRDAV	

T3RE4006 SED7L NEXTGEN LBR

DO NOT SCALE

T3RE 4006


Capacity	78
Seat Plan #	25142
Wheelbase	273.0

Quote Id: 232402 Body Plan / Seat Plan Information

Body Plan: 5013682

AT A GLANCE

ENGINE- Cummins
FUEL TYPE- Electric
HP- Electric
TRANS- Electric
SIZE- 4006
CAP- 78
WHEELBASE - 273"
ITEM #BB25




Seat Plan: 25142

SP: 25142 T3RE 4006, 78 CAP



Quote Id: 232402 Seat Plan Spacing Chart

SP: 25142 T3RE 4006, 78 CAP



Row	RH Seats	LH Seats
1	39CHVLBR	39CHVLBR
2	39CHVLBR	39CHVLBR
3	39CHVLBR	39CHVLBR
4	39CHVLBR	39CHVLBR
5	39CHVLBR	39CHVLBR
6	39CHVLBR	39CHVLBR
7	39CHVLBR	39CHVLBR
8	39CHVLBR	39CHVLBR
9	39CHVLBR	39CHVLBR
10	39CHVLBR	39CHVLBR
11	39CHVLBR	39CHVLBR
12	39CHVLBR	39CHVLBR
13	39CHVLBR	39CHVLBR
14	39CHVLBR	39CHVLBR

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.25, 28.00
 LH Knee Clearance: 25.49, 26.24

RH Seat Spacing: 27.50
 RH Knee Clearance: 25.74

T3RE4006 SED7L NEXTGEN LBR

DO NOT SCALE

T3RE 4006

Capacity	78
Seat Plan #	25142
Wheelbase	273.0



Quote Id: 232387

Body Plan / Seat Plan Information

Body Plan: 5014629

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 23
WHEELBASE - 217"
ITEM #BB8



Seat Plan: 27130


SP: 27130 BBCV 2610, 23 CAP



Quote Id: 232387

Seat Plan Spacing Chart

SP: 27130 BBCV 2610, 23 CAP




Quote Id: 232389

Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3303
CAP- 28 EXT
WHEELBASE - 273"
ITEM #BB9



Seat Plan: 29268


SP: 29268 BBCV 3303, 28 CAP




Quote Id: 232389

Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP





AT A GLANCE

BODY- MicroBird
ENGINE- Borg-Warner Remy
FUEL TYPE- Electric
HP- Electric
TRANS- Electric
CAP- 8+2
WHEELBASE - 158"
ITEM #BB10

SEAT	DIM.	SIDE	QTY
S3	39	RH	2
S3	30	RH	1

Seat spacing = See drawing

D.O.D.: 32"

APPROVED CONFIGURATIONS

Total ambulatory passengers : 8

Total wheel chair passengers : 2

Load cap. (pass. + cargo) :

**kg

**lbs

REV.	2021/05/27	LR	CREATION DRAWING
Number:	YYYY/MM/DD	BY	DESCRIPTION
Stock			
Customer Approval:			
Date:			

Drawn by : LINE ROY	 MICRO BIRD * GIRARDIN
MODEL: UFH5 CRH WSS	
UNIT = INCHES	Drawing no.
SCALE = DO NOT SCALE	053359
NOTE: Any option added to this floorplan shall be approved by the Corporation Micro Bird Inc. technical department.	

Quote Id: 232378 Body Plan / Seat Plan Information

Body Plan: 5014365

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 1910

CAP- 34


WHEELBASE - 169"

ITEM #BB11




Seat Plan: 23136

SP: 23136 BBCV 1910, 34 CAP



Quote Id: 232378 Seat Plan Spacing Chart

SP: 23136 BBCV 1910, 34 CAP



Quote Id: 232384

Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 3310

CAP- 72

WHEELBASE - 273"

ITEM #BB17



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232384

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP




Quote Id: 232390 Body Plan / Seat Plan Information

Body Plan: 5014346


AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2311
CAP- 34
WHEELBASE - 189"
ITEM #BB20




Seat Plan: 23137

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232390 Seat Plan Spacing Chart

SP: 23137 BBCV 2311, 34 CAP



Quote 232390 - 189" WB




BLUE BIRD

Quote Id: 232391	Body Plan / Seat Plan Information
------------------	-----------------------------------

Body Plan: 5014494


AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 52
WHEELBASE - 217"
ITEM #BB21




Seat Plan: 23138

SP: 23138 BBCV 2610, 52 CAP



Quote Id: 232391	Seat Plan Spacing Chart
------------------	-------------------------

SP: 23138 BBCV 2610, 52 CAP





Kentucky Department of
EDUCATION

2026 IC Bus School Bus Purchase Authorization

The _____ Board of Education, located in _____ Kentucky, on the ____ day of _____, 20____, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.

Signed

_____, Secretary

_____, Superintendent

of the _____ Board of Education

On the ____ day of _____, 20____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

Current lead times for bus completion is 270 days.

Kentucky School Buses 2026 Bus Purchasing Guide



Instructions: Please number items in numerical order that coincide with the floor plans. Include an "O" for the optional items. You may add or delete rows as needed for each section. Sample numbering started below and can be updated as items are added or removed.

All Type A are Hydraulic Brakes and have a left side center fuel tank. All Type C have Center Rear fuel tanks.

Special Needs Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
IC-01		C	14 (34 shell)	Cummins	International	220	Allison 2500PTS	170	93	\$147,699
IC-02		C	20 (52 shell)	Cummins	International	220	Allison 2500PTS	218	127	\$152,999
IC-03		C	20 (52 shell)	Cummins	International	250	Allison 2500PTS	218	127	\$154,000
IC-04		C	30 (66 shell)	Cummins	International	220	Allison 2500PTS	276	140	\$159,399
IC-05		C	30 (66 shell)	Cummins	International	250	Allison 2500PTS	276	140	\$160,400
IC-06		C	30 (66 shell)	Cummins	International	220	Allison 3000PTS	276	140	\$164,299
IC-07		C	30 (66 shell)	Cummins	International	250	Allison 3000PTS	276	140	\$165,300

Type A/C – Diesel (Type A diesel has a left side middle fuel tank. All others have center rear fuel tank.)

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
IC-08		C	34	Cummins	International	220	Allison 2500PTS	170	93	\$138,699
IC-09		C	52	Cummins	International	220	Allison 2500PTS	218	127	\$142,399
IC-10		C	52	Cummins	International	250	Allison 2500PTS	218	127	\$143,400
IC-11		C	66	Cummins	International	220	Allison 2500PTS	276	140	\$146,799
IC-12		C	66	Cummins	International	250	Allison 2500PTS	276	140	\$147,800
IC-13		C	72	Cummins	International	220	Allison 2500PTS	276	158	\$147,399
IC-14		C	72	Cummins	International	250	Allison 2500PTS	276	158	\$148,400
IC-15		C	66	Cummins	International	220	Allison 3000PTS	276	140	\$152,899
IC-16		C	66	Cummins	International	250	Allison 3000PTS	276	140	\$153,900
IC-17		C	72	Cummins	International	220	Allison 3000PTS	276	158	\$153,799
IC-18		C	72	Cummins	International	250	Allison 3000PTS	276	158	\$154,800

Type A/C Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
IC-19		C	52	255 KW	International	342	210 KWh	218	127	\$408,599
IC-20		C	72	255 KW	International	342	210 KWh	276	158	\$414,799





OPTIONS

RADIO

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-01	C-34/52 pass	Radio	AM/FM/P.A. with four interior speakers and outside speaker	\$ 522.00
ICO-02	C -66/72 pass	Radio	AM/FM/P.A. with eight interior speakers and outside speaker	\$ 591.00

CAMERA'S

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-03	C	Video System	Seon DH6H500G 6 channel video system with 1 camera head and 500 GB hard drive	\$ 2,736.00
ICO-04	C	Video System	Seon Stop Arm Camera (installed with system above)	\$ 637.00
ICO-05	C	Video System	Seon Additional camera head (installed with system above)	\$ 482.00
ICO-06	C	Video System	Seon Pedestal for Forward facing (windshield) camera	\$ 134.00
ICO-07	C	Video System	Seon Sensor Harness, Event Marker, GPS Antenna	\$ 345.00
ICO-08	C	Video System	Seon DH8H1T0 - M 8 channel video system with 1 camera head and 1 TB hard drive	\$ 3,466.00
ICO-09	C	Video System	Seon Wi-Fi Antenna for video download	\$ 268.00
ICO-10	C	Video System	REI HD6 6 channel video system with 1 camera head and 500 GB hard drive	\$ 2,705.00
ICO-11	C	Video System	REI Additional camera head (installed with system above)	\$ 337.00
ICO-12	C	Video System	REI Event Marker installed with a new video system	\$ 161.00
ICO-13	C	Video System	REI Sensor Harness installed with a new video system	\$ 225.00
ICO-14	C	Video System	REI - Add Stop Arm camera to a new HD6 video system with 4 camera heads	\$ 776.00



CAMERA'S (Continued)				
ICO-16	C	Video System	REI HD5 12 channel video system with 1 camera head and 500 GB hard drive	\$ 3,588.00
ICO-17	C	Video System	REI Pedestal mount for forward-facing (windshield) camera	\$ 134.00

LUGGAGE - Luggage Boxes will be limited to RH side with Air Conditioning and availability will be limited on Special Needs buses due to wheelchair track!


Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-18	C - 52 PASS	Luggage	Left Center 91" x 24" x 18" (47EVB)	\$ 1,430.00
ICO-19	C - 52 PASS	Luggage	Right Center 66" x 24" x 18" (47ESX)	\$ 1,178.00
ICO-20	C - 66 PASS	Luggage	Left Center 114" x 24" x 18" (47EVT)	\$ 1,575.00

LUGGAGE - Luggage Boxes will be limited to RH side with Air Conditioning and availability will be limited on Special Needs buses due to wheelchair track!

ICO-21	C - 66 PASS	Luggage	Right Center 114" x 24" x 18" (47EVV)	\$ 1,575.00
ICO-22	C - 66 PASS	Luggage	Right Rear 36" x 20" x 18" (47GAG)	\$ 771.00
ICO-23	C - 72 PASS	Luggage	Left Center 114" x 24" x 18" (47EVT)	\$ 1,575.00
ICO-24	C - 72 PASS	Luggage	Right Center 114" x 24" x 18" (47EVV)	\$ 1,575.00
ICO-25	C - 72 PASS	Luggage	Right Rear 44" x 20" x 18" (47GAH)	\$ 840.00

AIR CONDITIONING

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-26	C - Diesel	A/C	78,000 BTU for 34 pass size (48DNV)	\$ 10,284.00
ICO-27	C - Diesel	A/C	120,000 BTU for 52 thru 72 pass size (48GZW)	\$ 11,631.00
ICO-28	C - Electric	A/C	120,000 BTU for 52 thru 72 pass size (48HEP)	\$ 26,090.00
ICO-29	C - Diesel	A/C	Roof Monted A/C Condensers (add to price above) (48CXJ)	\$ 2,133.00




--	--	--	--	--

TIRES

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-30	C	Tires	Michelin 14 ply	Standard
ICO-31	C	Tires	Goodyear 14 ply	\$ 99.00
ICO-32	C	Tires	Michelin 16 ply	\$ 750.00
ICO-33	C	Tires	Goodyear 16 ply	\$ 223.00
ICO-34	C	Tires	Continental 16 ply	\$ 97.00

FUEL TANK

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-35	C Diesel - (66 or 72 pass)	Fuel Tank	100 gallon diesel fuel tank instead of 65 gallon tank (15TAM)	\$705



WARRANTY


Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-36	C	Warranty	Extended Tow Warranty - 5 yrs/unlimited miles (\$550 max per incident) - N/A for ELECTRIC BUS (40RAM)	\$ 2,000.00
ICO-37	C	Warranty	Extended Tow Warranty - 5 yrs/unlimited miles (\$1100 max per incident) - N/A for ELECTRIC BUS (40YEW)	\$ 2,500.00
ICO-38	C	Warranty	5 year/unlimited miles Cummins Engine + Aftertreatment (40ZBP)	\$ 4,000.00
ICO-39	C	Warranty	10 year/unlimited miles Cummins Engine + Aftertreatment (40ZBY)	\$ 9,975.00

SEATING

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-40	C	Seats	U.C.R.A. added to seat (per seat)	\$ 86.00
ICO-41	C	Seats	39" IMMI Child Restraint Seat instead of 39" regular seat (per seat)	\$ 878.00
ICO-42	C	Seats	39" seat with 3-point seatbelts (per seat)	\$ 610.00
ICO-43	C	S/N	30" Track-mounted seat with 3 point belts (per seat)	\$ 1,255.00
ICO-44	C	S/N	Rear Lift for 52 pass shell instead of front lift (36 + 2 W/C capacity) - add to base 52 Special Needs bus	\$ 2,544.00
ICO-45	C	S/N	Delete one Wheelchair Position	\$ 394.00
ICO-46	C	S/N	Add One Wheelchair Position	\$ 734.00
ICO-47	C	S/N	Rear Lift for 66 pass shell instead of front lift (45 + 3 W/C capacity) - add to base 66 Special Needs bus	\$ 1,378.00
ICO-48	C	S/N	30" IMMI Child Rfstraint seat with 3 pt belts instead of 30" with 3 pt belts only	\$ 1,329.00
ICO-49	C	S/N	30" Track Mounted Barrier	\$ 447.00

OTHER OPTIONS

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-50	C	Adjustable Pedals	Adjustable Pedals (includes tilt/tele steering column) (16HLH)	\$975
ICO-51	C	Brakes	Air Disc Brakes instead of Air Drum Brakes	\$1933
ICO-52	C	Collision Mitigation	Bendix Fusion 3.0 (includes camera and front sensor)	\$3,702
ICO-53	C	Engine Brake	Engine Brake for Cummins B6.7	\$148




OTHER OPTIONS

ICO-54	C - 34 pass	Floor	5/8" Marine Grade plywood subfloor with sealed edges (47SCK)	\$1031
ICO-55	C - 52 pass	Floor	5/8" Marine Grade plywood subfloor with sealed edges (47ANW)	\$1144
ICO-56	C - 66/72	Floor	5/8" Marine Grade plywood subfloor with sealed edges (47SUB)	\$1281
ICO-57	C	Floor	One-piece floor covering material (48UWV)	\$701
ICO-58	C	Interior	Barrier Cover with Pouch (48BDG)	Standard
ICO-59	C	Interior	Trash Can in Driver Area (47BMA)	\$142
ICO-60	C	Interior	Driver's Dome Light with separate switch (49ESC)	\$64
ICO-61	C	Interior	Gray Floor Rubber (48PEW)	\$299
ICO-62	C	Mirrors	Rosco Accustyle Mirrors instead of Open View ES (49DNB)	\$347
ICO-63	C	Mirrors	Downlit + Heated Crossview Mirrors (49NBM)	\$425
ICO-64	C	Special Needs	Sure-Lok GO-2 Oxygen Cylinder Holder	\$427
ICO-65	C	Steering Column	Tilt/Telescopic Steering Column (005710)	\$477
ICO-66	C	Tow Hooks	Front Tow Hooks, Two (001570)	\$125
ICO-67	C	Tow Hooks	Rear Tow Hooks, Two (01WRP)	\$127
ICO-68	C - 34 pass	Windows	Tinted Windows (non-special needs) (48BTV)	\$546
ICO-69	C - 52 pass	Windows	Tinted Windows (non-special needs) (48BTX)	\$661
ICO-70	C - 66/72 pass	Windows	Tinted Windows (non-special needs) (48BUB)	\$767
ICO-71	C	Dash Cluster	Premium Dash Cluster with 5" color display (16GEG)	\$488
ICO-72	C	Park Brake	Bendix IntelliPark (04GBL,04WJP)	\$500
ICO-73	C	Engine Controls	Cruise Control (12VVN)	\$51
ICO-74	C	Air Brake System	Schrader Valve to air up brake system for towing purposes (04WGU)	\$69
ICO-75	C	Driver Seat	Sears Atlas II air-ride/heated Premium Driver's Seat (48HDN)	\$735
ICO-76	C	Wheelchair Lift	Braun 1000 lb. Capacity Wheelchair Lift (49NAJ)	\$311


Standard Items for 2026

	C	Headlights	LED Headlights	Standard
	C	Mirrors	Heated Crossover Mirrors	Standard
	C	Interior	Power Outlet in Driver's Area	Standard

Contact Name	Title	Mobile Number	Email Address
Mark Cahill	Bus Sales Director	502-370-1275	mcahill@bluegrasstrucks.com
Sam Vinroe	Bus Sales - Account Mgr - West KY	859-983-6015	svinroe@bluegrasstrucks.com
Gary King	Bus Sales - Account Mgr - East KY	502-642-0516	gking@bluegrasstrucks.com



PB11000, 19 FT. 11 IN., CAP 14



* 100":TOTAL TRACK
LENGTH (APPROXIMATELY)

* NOTE: IT IS THE SELLING DEALER'S RESPONSIBILITY TO ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM SPECIFIED AND PICTURED ON THIS DRAWING MEETS ALL DESIGN CRITERIA. SPECIFIC INFORMATION AND INSTRUCTIONS TO ENSURE THAT THE WHEELCHAIRS CAN BE PLACED AND REMOVED WITH RESPECT TO SEATS, K/0'S, SIDE EMERG DOORS, HEATERS, LIFTS, WHEELHOUSES, ETC.


ON THE BOTTOM OF THIS PRINT DOES NOT IN ANY WAY OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN. WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

Engine - Cummins
Fuel Type- Diesel
HP-220
Trans - 2500 PTS.
Size - 19'11"
Capacity - 14
Wheelbase - 170
Item # - IC - 01

5000/49000 REVISE ONLY ON <i>GRAPH</i> SYSTEM			INTERNATIONAL TRUCK AND ENGINE CORPORATION			
			INTERNATIONAL CONFIDENTIAL PROPRIETARY			
	NO. 0000		000			
	LINEAR MEASURE: ☐ IN ☒ FT		APPROX. MASS WEIGHT:			
	UNITS OF MEASURE: ☐ IN ☒ FT		FINISH PART			
	THE PLACE: ☐ C ☒ S ☐ N		NOT A PART OF			
	TWO PLACE: ☐ N ☒ S ☐ E		FINISH PART			
	THREE PLACE: ☐ N ☒ S ☐ E		FINISH PART			
	FOUR PLACE: ☐ N ☒ S ☐ E		FINISH PART			
	BODY PLAN P811000					EXTERNAL CORD
TIME (HOURS)					SERIAL: E 50	
DATE: 12/28/73					MODEL:	
DRAWN BY:					APPROVED:	
CHECKED BY:					SIZE:	
DATE:					COLOR:	
APPROVED:					PART TYPE:	
DATE:					SCALE:	
DRAWN BY:					SHEET:	
CHECKED BY:					TOTAL:	
DATE:					COLOR:	

PB11000, 26 FT. 8 IN., CAP 20



* 200": TOTAL TRACK
LENGTH (APPROXIMATELY)


Engine - Cummins
Fuel Type - Diesel
HP - 220 or 250
Trans - 2500 PTS
Size 26' 8"
Capacity- 20
Wheelbase- 218
Item # IC-02, IC-03

* NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO
ENSURE THAT ANY WHEELCHAIR TIE-DOWN SYSTEM
SPECIFIED AND DEPICTED ON THIS DRAWING MEETS
ALL DESTINATION STATE SPECIFICATIONS AND TO
ALSO ASSURE THAT THE WHEELCHAIR IS NOT
PLACED AND REMOVED WITH RESPECT TO: SEATS,
E/E'S, SIDE EMERGENCY DOORS, HEATERS, LIFTS,
WHEELHOUSES, ETC.
IF THIS PRINT DOES NOT IN ANY WAY
OBLIGATE ICN TO BUILD THE UNIT SHOWN,
WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH AEC T19-52-10
AS ARRANGED BY THE INTERNATIONAL TRUCK DIVISION
CLASSIFICATION AND TO COUNTRIES 1970-2000


[illegible]



Engine - Cummins
Fuel Type - Diesel
HP- 220
Trans - 2500 PTS
Size 19' 11"
Capacity - 34
Wheelbase - 170
Item # - IC-08

WHEELBASE 170"

PB11000, 19 FT. 11 IN., CAP 34




REAR
EMERG
DOOR

[illegible]

THIS UNIT CONFORMS TO APPLICABLE FMVSS

PB11000, 26 FT. 8 IN., CAP 52

Engine - Cummins
Fuel Type- Diesel
HP 220 or 250
Trans - 2500 PTS
Size 26'8"
Capacity -52
Wheelbase- 218
Item # IC-09 or IC-10



BODY PLAN

WHEELBASE 276"

PB11000, 32 FT. 8 IN., PLUS 9 RR., CAP 66

AT A GLANCE

Engine - Cummins
 Fuel Type - Diesel
 HP - 220 or 250
 Trans - 2500 PTS or 3000 PTS
 Size 32' 8"
 Capacity - 66
 Wheelbase 276
 Item # IC-11, IC-12, IC-15,
 IC-16

REAR
 EMERG
 DOOR

SIDE DOOR LOCATION DETAIL

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.100-1995
 AS ADOPTED BY THE INTERNATIONAL PRACTICE DEVELOPMENT
 COMMITTEE AND TELEGRAPHIC ADOPTION-2002

50000/49000		 INTERNATIONAL TRUCK AND ENGINE CORPORATION INTERNATIONAL CONFIDENTIAL PROPRIETARY	
REFERENCE: DX0028A000-DX0111A000 LINEAR MEASUREMENT: ☐ IN ☒ INCHES APPROX. MASS (WEIGHT): UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES		FINISH PART INTERNAL CONTROL 	
ONE PLACE (1.00) TWO PLACE (1.00) THREE PLACE (1.000) FRACTIONS		DIM. (IN) +1.5 4.00 +0.8 4.00 +0.25 4.010 +/-	
BODY PLAN PB11000 REAR ELEVATION		REAR E 50	
REVISIONS 1. 000MACH 2. 000FILLER 3. 000FILLER		APPROVED DATE	
APPROVED DATE		PART TYPE, DATE DATE	
RELEASE NO.		BLUE-193	

P811000, 34 FT. 2 IN., CAP 72



Engine - Cummins
Fuel Type Diesel
HP - 220 or 250
Trans- 2500 PTS or 3000PTS Size
34 2"
Capacity - 72
Wheelbase 276
Item # IC-13, IC-14, IC-17, IC-18

[illegible]

THIS UNIT CONFORMS TO APPLICABLE FMVSS


THIS DOCUMENT IS IN ACCORDANCE WITH AEC T19.24-1
AS AMENDED BY THE INTERNATIONAL TRADE DEVELOPMENT

BLUE-189

Engine - Electric
Fuel Type - Battery
HP - 342
Size 26' 8"
Capacity - 52
Wheelbase 218
Item # IC-19

WHEELBASE 218"

PB10E00, 26 FT. 8 IN., CAP 52



* 500": TOTAL TRACK
LENGTH (APPROXIMATELY)

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH AEC Y4-54-1004
AS ADOPTED BY THE INTERNATIONAL TRADE DIVISION
DISCUSSING AND REFINANCING APPROXIMATELY

[illegible]

BODY PLAN

WHEELBASE 276"

PB10E00, 34 FT. 2 IN., CAP 72

AT A GLANCE

Engine - Electric
Fuel Type - Battery
HP - 342
Size 34 2"
Capacity - 72
Wheelbase 276
Item # IC-20

TRACK LENGTH
355.00
APPROX.


360.9

REAR
EMERG
DOOR

REAR AXLE

203.38

TRACK LENGTH
355.00
APPROX.



* 670" : TOTAL TRACK
LENGTH (APPROXIMATELY)

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DECLARATION IS IN ACCORDANCE WITH THE REQUIREMENTS
AS IMPOSED BY THE INTERNATIONAL TRADE DIVISION
OF THE U.S. DEPARTMENT OF COMMERCE

INTERNATIONAL TRUCK AND ENGINE CORPORATION	
INTERNATIONAL CONFIDENTIAL PROPRIETARY	
REFERENCE	000
LINEAR MEASURE	INCHES
APPROX. MASS (WEIGHT)	POUNDS PART
FINISH PART	
ONE PLACE	ONE PLACE
TWO PLACE	TWO PLACE
THREE PLACE	THREE PLACE
NAME	BODY PLAN PB10E00
DATE	24 MAY 23
REVISION	BLUE-205



2026 Thomas Built Buses School Bus Purchase Authorization

The _____ Board of Education, located in _____ Kentucky, on the ____ day of _____, 20____, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.

Signed

_____, Secretary

_____, Superintendent

of the _____ Board of Education

On the ____ day of _____, 20____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

Current lead times for bus completion is 270 days.

Kentucky School Buses 2026 Bus Purchasing Guide

Instructions: Please number items in numerical order that coincide with the floor plans. Include an "O" for the optional items. You may add or delete rows as needed for each section. Sample numbering started below and can be updated as items are added or removed.

All Type A are Hydraulic Brakes and have a left side center fuel tank. All Type C have Center Rear fuel tanks.

Special Needs Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH1		C	21	CUMMINS	FREIGHTLIN	200	ALLISON	219	129	\$140,855
TH2		C	20	CUMMINS	FREIGHTLIN	200	ALLISON	219	129	\$147,514
TH3		C	34	CUMMINS	FREIGHTLIN	220	ALLISON	279	159	\$157,932

Special Needs Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH4		C	24	PROTERRA	FREIGHTLIN	161	EATON	279	159	\$427,304

Type A/C – Diesel

Type A diesel has a left side middle fuel tank. All others have center rear fuel tank.

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH5		C	34	CUMMINS	FREIGHTLIN	200	ALLISON	159	99	\$129,413
TH6		C	52	CUMMINS	FREIGHTLIN	200	ALLISON	219	129	\$138,421
TH7		C	66	CUMMINS	FREIGHTLIN	220	ALLISON	279	149	\$142,832
TH8		C	72	CUMMINS	FREIGHTLIN	220	ALLISON	279	149	\$143,246

Type A/C Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH9		C	66	VOLVO/PROT	FREIGHTLIN	161	EATON	279	149	\$422,771
TH10		C	72	VOLVO/PROT	FREIGHTLIN	161	EATON	279	149	\$423,922

Type D Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH11		D/FC	78	CUMMINS	FREIGHTLIN	260	ALLISON	231	155	\$176,743
TH12		D/RE	78	CUMMINS	FREIGHTLIN	240	ALLISON	267	115	\$189,737
TH13		D/RE	84	CUMMINS	FREIGHTLIN	280	ALLISON	267	115	\$191,813

OPTIONS

RADIO

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO1	C & D	RADIO	PAGE SYSTEM ONLY - NO RADIO	\$ 740.00
THO2	C	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS (NO PAGE)	\$ 770.00
THO3	C	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS, OUTSIDE SPEAKER W/ PAGE, CHASSIS	\$ 865.00
THO4	D	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS (TYPE D ER/FORWARD CONTROL 70 - 84) (NO	\$ 865.00
THO5	D	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS, OUTSIDE SPEAKER, CHASSIS MOUNTED (TYPE	\$ 990.00
				\$ -

CAMERA'S

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO6	ALL BUSES	PROVISION CAMERA	DVR-908LP1-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,550.00
THO7	ALL BUSES	PROVISION CAMERA	DVR-908LP1-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,650.00
THO8	ALL BUSES	PROVISION CAMERA	DVR-908LP2-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,775.00
THO9	ALL BUSES	PROVISION CAMERA	DVR-908LP2-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,875.00
THO10	ALL BUSES	PROVISION CAMERA	DVR-908LP3-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,000.00
THO11	ALL BUSES	PROVISION CAMERA	DVR-908LP3-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,100.00
THO12	ALL BUSES	PROVISION CAMERA	DVR-908LP4-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,225.00
THO13	ALL BUSES	PROVISION CAMERA	DVR-908LP4-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,325.00
THO14	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-912 - Pro-Vision AHD Low Profile Waterproof Camera Kit - EXTERIOR CAMERA	\$ 295.00
THO15	ALL BUSES	PROVISION CAMERA	PRO- VISION DVR-920 - Pro-Vision AHD Waterproof Side Camera - Exterior Camera	\$ 295.00
THO16	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-921 - Pro-Vision AHD Mini Dome Camcra Kit	\$ 295.00
THO17	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-922 -Pro-Vision AHD Dash Camera - (windshield mounting)	\$ 395.00
THO18	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-923 -Pro-Vision AHD Ultra Wide Low Profile Camera	\$ 295.00
THO19	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-824 - Pro-Vision 1080P High Definition Dual Facing Stop Arm Camera	\$ 1,155.00
THO20	ALL BUSES	PROVISION CAMERA	PRO-VISION PX-1943 - 30' Camera Cable / 10m	\$ 40.00
THO21	ALL BUSES	PROVISION CAMERA	ECB-1YR -PROVISION WIRELESS TRANSFER KIT - 1 YEAR	\$ 100.00
THO22	ALL BUSES	PROVISION CAMERA	ECB-3YR -PROVISION WIRELESS TRANSFER KIT - 3 YEAR	\$ 280.00
THO23	ALL BUSES	PROVISION CAMERA	ECB-5YR -PROVISION WIRELESS TRANSFER KIT - 5 YEAR	\$ 420.00
THO24	ALL BUSES	PROVISION CAMERA	PROVISION 256GB CARD - PD-1738	\$ 180.00
THO25	ALL BUSES	PROVISION CAMERA	PROVISION 512GB CARD - PD-1748	\$ 320.00
THO26	ALL BUSES	PROVISION CAMERA	PROVISION 1 TB CARD - PD-1758	\$ 500.00
THO27	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-830 - 500GB Solid State Drive, Compatible with Pro-Vision System	\$ 450.00
THO28	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-831 - 1 TB Solid State Drive, Compatible with Pro-Vision System	\$ 550.00
THO29	ALL BUSES	PROVISION CAMERA	PRO-VISION - DVR-802 - Solid State Drive Reader	\$ 55.00
THO30	ALL BUSES	PROVISION CAMERA	PRO-VISION - DR-200-1TB - 2 VIEW DRIVE RECORDER 1 TB OF STORAGE	\$ 895.00
THO31	ALL BUSES	PROVISION CAMERA	PRO-VISION - PX-1210 - ANALOG CAMERA ADAPTOR	\$ 175.00
THO32	ALL BUSES	PROVISION CAMERA	INSTALLATION FOR BASIC SYSTEM AT BOYD FACILITY (INCLUDES 1 CAMERA HEAD)	\$ 495.00
THO33	ALL BUSES	PROVISION CAMERA	INSTALLATION FOR EACH ADDITIONAL CAMERA HEAD	\$ 150.00
THO34	ALL BUSES	SEON CAMERA - SD CARD SYSTEM	DH4C 128 - SEON SOLID STATE DVR, 4 HD CHANNELS, AUDIO, WIFI, G SENSOR, MOUTNING PLATE, POWER	\$ 950.00
THO35	ALL BUSES	SEON CAMERA - HARD DRIVE SYSTEM	DH4 - SEON DVR, 4 HD CHANNELS, AUDIO, WIFI, SECURITY FRONT LOCKING COVER,MNT PLATE, POWER	\$ 1,150.00
THO36	ALL BUSES	SEON CAMERA - HARD DRIVE SYSTEM	DH6- SEON DVR, 6 HD CHANNELS, AUDIO, GPS + ANTENNA, WIFI, 6 CH BREAKOUT HARNESS WITH 2X3	\$ 1,600.00
THO37	ALL BUSES	SEON CAMERA - HARD DRIVE SYSTEM	DH8 - SEON DH8 DVR, 8 HD CHANNEL, AUDIO, GPS + ANNTENA, WIFI, 8CH BREAKOUT HARNESS WITH 2X3	\$ 2,200.00
THO38	ALL BUSES	SEON CAMERA	WT2E20S20G6 - WIRE BUNDLE W. HARNESS, RGY BUTTON AND 20 FT CABLE, 5 SIGNAL INPUTS 20 FT, GPS ANTENNA	\$ 160.00
THO39	ALL BUSES	SEON CAMERA	WT2E20S20G0 - WIRE BUNDLE W. HARNESS, RGY BUTTON AND 20 FT CABLE, 5 SIGNAL INPUTS 20 FT, NO GPS	\$ 160.00
THO40	ALL BUSES	SEON CAMERA	HD1QXXAI20 - HD 720P CAMERA, DOME, pick a LENS SIZE 2.6, 3.6 OR 6.0mm, 20' harness - FOR USE WITH DH OR OLDER	\$ 310.00
THO41	ALL BUSES	SEON CAMERA	HD1QXXAI50 - HD 720P CAMERA, DOME, pick a LENS SIZE 2.6, 3.6 OR 6.0mm, 50' harness - FOR USE WITH DH OR OLDER	\$ 325.00
THO42	ALL BUSES	SEON CAMERA	HD1QXXAI75 - HD 720P CAMERA, DOME, pick a LENS SIZE 2.6, 3.6 OR 6.0mm, 75' harness - FOR USE WITH DH OR OLDER	\$ 350.00

THO43	ALL BUSES	SEON CAMERA	HD3U01N20 180 degree head -- WITH 20' HARNESS - for all DH systems and TH6	\$ 390.00
THO44	ALL BUSES	SEON CAMERA	HD3U01N50 180 degree head -- WITH 50' HARNESS - for all DH systems and TH6	\$ 425.00
THO45	ALL BUSES	SEON CAMERA	HD3U01N75 180 degree head -- WITH 75' HARNESS - for all DH systems and TH6	\$ 445.00
THO46	ALL BUSES	SEON CAMERA	HD3516EI20 - HD STOP ARM CAMERAS, 16mm EXTRENAL, 20' HARNESS	\$ 575.00
THO47	ALL BUSES	SEON CAMERA	CHQ-MP6A30 - MOUNTING POST. 6" , 30%	\$ 85.00
THO48	ALL BUSES	SEON CAMERA	TH-HK500G - H SERIES 500GB HARD DRIVE - FOR DH4/DH6	\$ 275.00
THO49	ALL BUSES	SEON CAMERA	TH8-HK1T0 - H SERIES - 1TB HARD DRIVE, DOUBLE WIDE - FOR DH8	\$ 400.00
THO50	ALL BUSES	SEON CAMERA	HDIA20 - EVENT BUTTON , 5' WITH 20 ' EXT	\$ 95.00
THO51	ALL BUSES	SEON CAMERA	HDD3-STB - READER DOCK WITH TRACKBALL SOFTWARE (NEW CUSTOMER ONLY)	\$ 395.00
THO52	ALL BUSES	SEON CAMERA	HDD-DOCK3 - READER DOCK ONLY , NO SOFTWARE , NO MOUSE	\$ 310.00
THO53	ALL BUSES	SEON CAMERA	SRLA07 - SMART REACH LITE , 2.4 GHz, STAND ANTENNA CABLE & POE ADAPTOR	\$ 595.00
THO54	ALL BUSES	SEON CAMERA	LMK - LCD MONITOR	\$ 390.00
THO55	ALL BUSES	SEON CAMERA	INSTALLATION FOR BASIC SYSTEM AT BOYD FACILITY (INCLUDES 1 CAMERA HEAD)	\$ 495.00
THO56	ALL BUSES	SEON CAMERA	INSTALLATION FOR EACH ADDITIONAL CAMERA HEAD	\$ 150.00
				\$ -
				\$ -

LUGGAGE

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO57	C	LUGGAGE BOXES	STORAGE BOXES (TYPE C) - 34 Passenger - 72 Passenger - 30 INCHES WIDE (LS or RS)	\$ 730.00
THO58	C	LUGGAGE BOXES	STORAGE BOXES (TYPE C) - 52 Passenger - 72 Passenger - 60 INCHES WIDE (LS or RS)	\$ 1,270.00
THO59	C	LUGGAGE BOXES	STORAGE BOXES (TYPE C) - 66 Passenger - 72 Passenger - 100 INCHES WIDE (LS or RS)	\$ 1,525.00
THO60	D/FC	LUGGAGE BOXES	STORAGE BOXES (TYPE D FC) 70-78 PASSENGER - 60" (LS or RS)	\$ 1,425.00
THO61	D/FC	LUGGAGE BOXES	STORAGE BOXES (TYPE D FC 78 PASSENGER - 100" (LS or RS)	\$ 1,665.00
THO62	D/RE	LUGGAGE BOXES	STORAGE BOXES (TYPE D RE) 78-84 PASSENGER - 60" (LS or RS)	\$ 1,425.00
THO63	D/RE	LUGGAGE BOXES	STORAGE BOXES (TYPE D RE 84 PASSENGER - 100" (LS or RS)	\$ 1,885.00
THO64	D/RE	LUGGAGE BOXES	STORAGE BOXES (TYPE D RE) 78-84 PASSENGER - CENTER PASS THRU - INCLUDES GAS SPRINGS	\$ 5,735.00
				\$ -

AIR CONDITIONING

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO65	C - 161 & 191 SHELL	A/C	Type C AIR CONDITIONING SYSTEM, 161 & 191 SHELL SIZE 85,000 BTU SYSTEM (C2)	\$ 9,950.00
THO66	C	A/C	Type C AIR CONDITIONING SYSTEM, 52-72 PASSENGER SHELL SIZE, 126,000 BTU SYSTEM (C2) - WITH DASH AIR - SKIRT CONDENSOR	\$ 13,400.00
THO67	C	A/C	Type C - DASH AIR ONLY (EXCEPT 34 SHELL) (EV JOULEY BUS - DASH AIR IS STANDARD)	\$ 2,875.00
THO68	D	A/C	A/C SYSTEM, 70-84 PASSENGER SHELL SIZE, 120,000 BTU SYSTEM.	\$ 13,400.00
THO69	ALL BUSES - EXCEPT	A/C	FULL AIR CONDITIONING SYSTEM WITH ROOF CONDENSER INSTEAD OF SKIRT CONDENSER	\$ 17,000.00
				\$ -

TIRES

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO70	C	TIRES	14 PLY TO 16 PLY - (THOMAS BUS COMES STANDARD WITH MICHELIN TIRES)	\$ 900.00

THO71	C & D	TIRES	SUBSTITUTE STANDARD MICHELIN TIRES FOR HANKOOK TIRES - DEDUCT	\$ (1,000.00)
-------	-------	-------	--	---------------

HORSE POWER UPGRADE

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO72	C	HP UPGRADE	HP UPGRADE - 200 TO 220HP	\$ 650.00
THO73	C	HP UPGRADE	HP UPGRADE - 220 TO 250HP	\$ 1,500.00
THO74	D/RE	HP UPGRADE	HP UPGRADE - 240 TO 260HP	\$ 1,500.00
THO75	D/RE & FC	HP UPGRADE	HP UPGRADE - 260 TO 280HP	\$ 1,650.00
THO76	C	HP UPGRADE	DD5 DETROIT 240 HP ENGINE	\$ 2,450.00
THO77	D	HP UPGRADE	DD8 DETROIT 280 HP ENGINE	\$ 5,900.00
				\$ -

WARRANTY

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO78	ALL BUSES	TOW WARRANTY	TOW WARRANTY - 5 year / unlimited miles - \$750 max - (N/A FOR EV BUSES)	\$ 2,450.00
				\$ -

SEATING

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO79	C	SEATS	ADD 1 30" SBR LAP/SHOULDER TRACK MOUNTED SEAT TO A W/C POSITION TO LIFT BUS.	\$ 980.00
THO80	ALL BUSES	SEATS	EXCHANGE - 30 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT IN LIEU OF STANDARD 30 INCH SEAT	\$ 855.00
THO81	ALL BUSES	SEATS	EXCHANGE - 30 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT w/ shoulder belts - IN LIEU OF STANDARD	\$ 1,050.00
THO82	ALL BUSES	SEATS	EXCHANGE - 39 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT IN LIEU OF STANDARD 39 INCH SEAT	\$ 855.00
THO83	ALL BUSES	SEATS	EXCHANGE - 39 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT IN LIEU OF STANDARD 39 INCH SEAT	\$ 1,050.00
THO84	C	SEATS	ADD ONE ADDITIONAL W/C POSITION - ADD 1 FF630-4C TO LIFT BUS.	\$ 1,325.00
				\$ -

OTHER OPTIONS

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO85	C	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - 34 PASS	\$ 475.00
THO86	C	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - 52 PASS	\$ 670.00
THO87	C	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - 66-72 PASS	\$ 850.00
THO88	D	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - TYPE D	\$ 1,050.00
THO89	C	BRAKES	ADJUSTABLE PEDALS - C2	\$ 1,200.00
THO90	D	BRAKES	ADJUSTABLE PEDALS - D	\$ 2,200.00
THO91	ALL BUSES	BRAKES	AIR DISC BRAKES - ALL BUSES	\$ 1,950.00
THO92	C	BRAKES	BENDIX INTELLIPARK - PARKING BRAKE SYSTEM	\$ 900.00
THO93	C	FLOOR	ONE PIECE FLOOR - 161 OR 191 SHELL BUS (C2 ONLY)	\$ 1,000.00
THO94	C	FLOOR	ONE PIECE FLOOR - 20 OR 52 PASS SHELL BUS (C2 ONLY)	\$ 1,200.00
THO95	C	FLOOR	ONE PIECE FLOOR - 66 OR 72 PASS SHELL BUS (C2 ONLY)	\$ 1,500.00
THO96	C	TINT	TINTED WINDOWS - 161 & 191 (NON LIFT)	\$ 600.00
THO97	C	TINT	TINTED WINDOWS - 52 PASS (NON LIFT)	\$ 860.00
THO98	C	TINT	TINTED WINDOWS - 66-72 PASS (NON LIFT)	\$ 1,000.00

THO99	D	TINT	TINTED WINDOWS - ALL TYPE D	\$ 1,250.00
THO100	C	TOUGH COAT	FLEETSHIELD TOUGHTCOAT CORROSION PROTECTION PROVIDES HIGH PERFORMANCE COATING ON FRONT	\$ 600.00
THO101	ALL BUSES	TRASH CAN	TRASH CAN (NO LID)	\$ 50.00
THO102	C	UNDERGUARD	UNDERGUARD - 161 & 191 SHELL - CORROSION PROTECTION - HIGH PERFORMANCE UNDERCOATING	\$ 700.00
THO103	C	UNDERGUARD	UNDERGUARD - 52-72 PASS SHELL - CORROSION PROTECTION - HIGH PERFORMANCE UNDERCOATING	\$ 825.00
THO104	D	UNDERGUARD	UNDERGUARD - TYPE D - CORROSION PROTECTION - HIGH PERFORMANCE UNDERCOATING APPLIED TO UNDERSIDE	\$ 950.00
THO105	C	UNDERGUARD	CORROSION EDGECOVER	\$ 200.00
THO106	C	HEATER	WEBASTO HEATER AND 7 DAY TIMER FOR C2 BUSES	\$ 1,975.00
THO107	D	HEATER	WEBASTO HEATER AND 7 DAY TIMER FOR TYPE D BUSES	\$ 2,700.00
THO108	C - EV JOLEY	CHARGE PORT	REMOVE FRONT RS CHARGE PORT AND ADD REAR RS CHARGE PORT ON EV JOULEY BUS	\$ 2,500.00
THO109	C	FUEL TANK	FUEL TANK UPGRADE - 35 TO 60 GALLON TANK - 161 & 191 SIZE BUS	\$ 675.00
THO110	C	FUEL TANK	FUEL TANK UPGRADE - 60 TO 100 GALLON TANK - 52 TO 72 PASS (C2)	\$ 875.00
THO111	ALL BUSES	ZONAR	ADD ZONAR BOX AND WIRING TO BUS	\$ 500.00
THO112	C	COLLISION	Meritor- Wabco ONGuard Active Collision Avoidance System Allows collision warning active braking and	\$ 2,500.00
THO113	ALL BUSES	CAMERA	BACKUP CAMERA - INTERIOR MIRROR	\$ 1,325.00
THO114	C	CAMERA	BUS WISE - PERIMETER VIEW 360 CAMERA - C2 BUSES	\$ 2,995.00
THO115	D	CAMERA	BUS WISE - PERIMETER VIEW 360 CAMERA - EFX & HDX BUSES	\$ 2,995.00
THO116	ALL BUSES	WIFI	BUS WISE WIFI ROUTER - Wireless networking hardware. Expands capacity of customer supplied wireless hotspot	\$ 465.00
THO117	C	TOW BAR	TOW BAR	\$ 200.00
THO118	C	TRANSMISSION UPGRADE	UPGRADE TO 3000 PTS TRANSMISSION - C2 (66 & 72 SHELL ONLY)	\$ 3,950.00



Item #	Bus Type	Description	Price
THO-59	C	Storage Boxes (Type C) - 66 Passenger - 72 Passenger - 100 Inches Wide (LS or RS)	\$1,625.00
THO-60	D/FC	Storage Boxes (Type D FC) 70-78 Passenger - 60" (LS or RS)	\$1,425.00
THO-61	D/FC	Storage Boxes (Type D FC) 78 Passenger - 100" (LS or RS)	\$1,665.00
THO-62	D/RE	Storage Boxes (Type D RE) 78-84 Passenger - 60" (LS or RS)	\$1,425.00
THO-63	D/RE	Storage Boxes (Type D RE) 84 Passenger - 100" (LS or RS)	\$1,885.00
THO-64	D/RE	Storage Boxes (Type D RE) 78-84 Passenger - Center Pass Thru - Includes Gas Springs	\$5,735.00

Air Conditioning Options

Item #	Bus Type	Description	Price
THO-65	C	161 & 191 Shell Size Only, 85,000 BTU System (C2)	\$9,800.00
THO-66	C	52-72 Passenger Shell Size, 126,000 BTU System (C2) - With Dash Air - Skirt Condensor	\$13,400.00
THO-67	C	Dash Air Only (Except 34 Shell) (EV Jouley Bus - Dash Air is Standard)	\$2,875.00
THO-68	D	70-84 Passenger Shell Size, 120,000 BTU System.	\$13,400.00
THO-69	All Buses	Except 161 & 191 Shell - Full Air Conditioning System with Roof Condenser Instead of Skirt Condenser	\$17,000.00

Tire Options

Item #	Bus Type	Description	Price
THO-70	C	14 Ply To 16 Ply - (Thomas Bus Comes Standard with Michelin Tires)	\$600.00

Horsepower Upgrade Options

Item #	Bus Type	Description	Price
THO-71	C	HP Upgrade - 200 TO 220HP	\$650.00
THO-72	C	HP Upgrade - 220 TO 250HP	\$1,500.00
THO-73	D/RE	HP Upgrade - 240 TO 260HP	\$1,500.00
THO-74	D/RE & FC	HP Upgrade - 260 TO 280HP	\$1,650.00
THO-75	C	DD5 Detroit 240 HP Engine	\$2,450.00
THO-76	NA	This line is intentionally missing	NA

Warranty Options

Item #	Bus Type	Description	Price
THO-77	All Buses	Tow Warranty - 5 year / unlimited miles - \$750 max - (N/A For Ev Buses)	\$2,450.00



Seating Options

Item #	Bus Type	Description	Price
THO-78	C	Add 1 30" SBR Lap/Shoulder Track Mounted Seat to A W/C Position To Lift Bus.	\$980.00
THO-79	All Buses	Exchange - 30 INCH Integrated Child Safety Restraint Seat In Lieu Of Standard 30 Inch Seat (All Bodies) Suitable For 22lb to 85lb Children (Restraint Ready)	\$855.00
THO-80	All Buses	Exchange - 30 Inch Integrated Child Safety Restraint Seat W/ Shoulder Belts - In Lieu of Standard 30 Inch Seat (All Bodies) Suitable For 22lb to 85lb Children (Shoulder Belts)	\$1,050.00
THO-81	All Buses	Exchange - 39 Inch Integrated Child Safety Restraint Seat In Lieu Of Standard 39 Inch Seat (All Bodies) Suitable For 22lb to 85lb Children (Restraint Ready)	\$855.00
THO-82	All Buses	Exchange - 39 Inch Integrated Child Safety Restraint Seat In Lieu Of Standard 39 Inch Seat (All Bodies) Suitable For 22lb to 85lb Children (With Shoulder Belts)	\$1,050.00
THO-83	All Buses	Add One Additional W/C Position - Add 1 FF630-4C To Lift Bus.	\$1,325.00

Noise Abatement Options

Item #	Bus Type	Description	Price
THO-84	C	Acoustic Noise Abatement - Full Body Length - 34 Pass	\$475.00
THO-85	C	Acoustic Noise Abatement - Full Body Length - 52 Pass	\$670.00
THO-86	C	Acoustic Noise Abatement - Full Body Length - 66-72 Pass	\$850.00
THO-87	D	Acoustic Noise Abatement - Full Body Length - Type D	\$1,050.00

Brakes Options

Item #	Bus Type	Description	Price
THO-88	C	Adjustable Pedals - C2	\$1,500.00
THO-89	D	Adjustable Pedals - D	\$2,200.00
THO-90	ALL BUSES	Air Disc Brakes - All Buses	\$1,750.00
THO-91	C	Bendix Intellipark - Parking Brake System	\$900.00

Flooring Options

Item #	Bus Type	Description	Price
THO-92	C	One Piece Floor - 161 Or 191 Shell Bus (C2 Only)	\$1,000.00
THO-93	C	One Piece Floor - 20 Or 52 Pass Shell Bus (C2 Only)	\$1,200.00
THO-94	C	One Piece Floor - 66 Or 72 Pass Shell Bus (C2 Only)	\$1,500.00



Tinting Options

Item #	Bus Type	Description	Price
THO-95	C	Tinted Windows - 161 & 191 (Non-Lift)	\$600.00
THO-96	C	Tinted Windows - 52 Pass (Non-Lift)	\$860.00
THO-97	C	Tinted Windows - 66-72 Pass (Non-Lift)	\$1,000.00
THO-98	D	Tinted Windows - All Type D	\$1,250.00

Tough Coat Options

Item #	Bus Type	Description	Price
THO-99	C	Fleetshield Tough Coat Corrosion Protection Provides High Performance Coating on Front Bumper	\$600.00

Trash Can Options

Item #	Bus Type	Description	Price
THO-100	All Buses	Trash Can (No Lid)	\$50.00

Underguard

Item #	Bus Type	Description	Price
THO-101	C	Underguard - 161 & 191 Shell - Corrosion Protection - High Performance Undercoating Applied to Underside of Body	\$700.00
THO-102	C	Underguard - 52-72 Pass Shell - Corrosion Protection - High Performance Undercoating Applied to Underside of Body	\$825.00
THO-103	D	Underguard - Type D - Corrosion Protection - High Performance Undercoating Applied to Underside of Body	\$950.00
THO-104	C	Corrosion Edgecover	\$200.00

Heater Options

Item #	Bus Type	Description	Price
THO-105	C	WEBASTO Heater And 7 Day Timer For C2 Buses	\$1,975.00
THO-106	D	WEBASTO Heater And 7 Day Timer For Type D Buses	\$2,700.00

Charge Port Options

Item #	Bus Type	Description	Price
THO-107	C - EV	EV Jouley Only-Remove Front RS Charge Port and Add Rear RS Charge Port on ES Jouley Bus	\$2500



Fuel Tank Options

Item #	Bus Type	Description	Price
THO-108	C	Fuel Tank Upgrade - 35 to 60 Gallon Tank - 161 & 191 Size Bus	\$675.00
THO-109	C	Fuel Tank Upgrade - 60 to 100 Gallon Tank - 52 to 72 Pass (C2)	\$875.00

Zonar Options

Item #	Bus Type	Description	Price
THO-110	All Buses	Add Zonar Box and Wiring to Bus	\$500.00

Collision Avoidance Options

Item #	Bus Type	Description	Price
THO-111	C	Meritor- Wabco ONGuard Active Collision Avoidance System Allows collision warning, active braking and adaptive cruise control at forward speeds 15 MPH and above. System provides audible, haptic and visual warnings to alert drivers to possible traffic obstructions. Radar technology provides the ability to detect potential collision conditions up to 650 feet forward of the vehicle. Avoidance system allows intervention including active braking and throttle reduction to reduce chance of impending collisions. Adaptive cruise control feature utilizes radar to assist with safe following distances from other vehicles. The system maintains set speed when lane is clear and automatically adjusts vehicle speed to maintain a set time interval between the system vehicle and vehicles ahead.	\$2,500.00

Miscellaneous Options


Item #	Bus Type	Description	Price
THO-112	All Buses	Backup Camera - Interior Mirror	\$1,325.00
THO-113	C	Bus Wise - Perimeter View 360 Camera - C2 Buses	\$2,995.00
THO-114	D	Bus Wise - Perimeter View 360 Camera - EFX & HDX Buses	\$2,995.00
THO-115	All Buses	BUS WISE WIFI ROUTER - Wireless Networking Hardware. Expands Capacity Of Customer Supplied Wireless Hotspot	\$465.00
THO-116	C	Tow Bar	\$200.00
THO-117	C	Upgrade to 3000 Pts Transmission - C2 (66 & 72 Shell Only)	\$3,950.00
THO-118	All Buses	Cummins Insite Lite Software - Recurring Annual Fee	\$720.00
THO-119	All Buses	Cummins Insite Pro Software - Recurring Annual Fee	\$770.00
THO-120	All Buses	Cummins Quickserve Fleet Software - Recurring Annual Fee	\$750.00
THO-121	All Buses	Diagnostic Link 8 - Detroit - Recurring Annual Fee	\$500.00



Item #	Bus Type	Description	Price
THO-122	All Buses	CAT ET - Recurring Annual Fee	\$650.00
THO-123	All Buses	Allison Doc Software - Recurring Annual Fee	\$360.00
THO-124	All Buses	Meritiot / Wabco Abs Software - Recurring Annual Fee	\$300.00
THO-125	All Buses	PSI Propane Software - Recurring Annual Fee	\$1,300.00

Boyd Truck Centers Contact Information

Name	Position	Telephone Number	Email Address
Barry Zink	General Manager	502-445-1409	barryzink@boydtruckcenters.com
Hudson Heidbreder	Machine Order Specialist	502-664-5719	hudsonheidbreder@boydtruckcenters.com
David Harroff	Technical Support – Bus	502-396-5957	davidharroff@boydtruckcenters.com





THOMAS BUILT BUSES FLOOR PLAN 2026

		PHONE	EMAIL
MARK PINCZEWSKI	SALES REPRESENTATIVE ON HIGHWAY	(859) 554-1328	MarkPinczewski@BoydTruckCenters.com
MARK THOMPSON	SALES REPRESENTATIVE ON HIGHWAY	(270) 495-2108	MarkThompson@BoydTruckCenters.com
NICK COUCH	SALES REPRESENTATIVE ON HIGHWAY	(606) 620-4300	NickCouch@BoydTruckCenters.com



BOYDTRUCKCENTERS.COM

SEATING CAPACITY: 21 + 2 WC + DRIVER

ITEM # **TH1**
 CUMMINS
 DIESEL
 200 HP
 2500 PTS
 CAPACITY 21 + 2
 WHEEL BASE - 159
 FLAT FLOOR BUS



CAUTION: LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.
 CAUTION: RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES:
 UNIT IS CONFIGURED WITH A FLAT FLOOR
 UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT

ALL DIMENSIONS ARE FOR REFERENCE ONLY

Model: Saf-T-Liner C2
 Quote Number: 398138
 Locality: KY

GENERAL NOTES

1. DIMENSIONS FROM EXTERIOR SURFACES UNLESS OTHERWISE NOTED.
2. DIMENSIONS FROM INTERIOR SURFACES UNLESS OTHERWISE NOTED.
3. DIMENSIONS FROM CENTERLINE UNLESS OTHERWISE NOTED.
4. DIMENSIONS FROM TOP OF CHASSIS UNLESS OTHERWISE NOTED.
5. DIMENSIONS FROM BOTTOM OF CHASSIS UNLESS OTHERWISE NOTED.
6. DIMENSIONS FROM TOP OF FLOOR UNLESS OTHERWISE NOTED.
7. DIMENSIONS FROM TOP OF ROOF UNLESS OTHERWISE NOTED.
8. DIMENSIONS FROM TOP OF SIDE PANEL UNLESS OTHERWISE NOTED.
9. DIMENSIONS FROM TOP OF FRONT PANEL UNLESS OTHERWISE NOTED.
10. DIMENSIONS FROM TOP OF REAR PANEL UNLESS OTHERWISE NOTED.
11. DIMENSIONS FROM TOP OF ENGINE COMPARTMENT UNLESS OTHERWISE NOTED.
12. DIMENSIONS FROM TOP OF FUEL TANK UNLESS OTHERWISE NOTED.
13. DIMENSIONS FROM TOP OF WATER TANK UNLESS OTHERWISE NOTED.
14. DIMENSIONS FROM TOP OF AIR FILTER UNLESS OTHERWISE NOTED.
15. DIMENSIONS FROM TOP OF BATTERY UNLESS OTHERWISE NOTED.
16. DIMENSIONS FROM TOP OF WHEEL UNLESS OTHERWISE NOTED.
17. DIMENSIONS FROM TOP OF SUSPENSION UNLESS OTHERWISE NOTED.
18. DIMENSIONS FROM TOP OF DRIVE SHAFT UNLESS OTHERWISE NOTED.
19. DIMENSIONS FROM TOP OF TRANSMISSION UNLESS OTHERWISE NOTED.
20. DIMENSIONS FROM TOP OF ENGINE UNLESS OTHERWISE NOTED.



THOMAS BUILT BUSES, INC.

PLAN AND ELEVATION
 BODY 191TS

DATE: 3/8/12 BY: S 877314



ITEM # ~~100~~ TH
CUMMINS
DIESEL
200 HP
2500 PTS
CAPACITY 16 + 4
WHEEL BASE - 219

SEATING CAPACITY: 16 + 4 WC + DRIVER



CADUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



13.0.	MAXIMUM HEIGHT (SEE NOTE 6)
12.0.	


NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- [illegible]





Model: Saf-T-Liner C2
Quote Number: 398101
Locality: KY



WCS		WCS		THOMAS BUILT BUSES, INC.	
LEFT	31.1	25.0	LOCAL POINT NO.		
RIGHT	25.2	27.5	Title		
		PLAN AND ELEVATION			
		BODY 251TS			
		3/16" = 12"		Scale	
		3/16" = 12"		S 877284	
		NOTES			


ITEM # TH3
CUMMINS
DIESEL
220 HP
2500 PTS
CAPACITY 30 + 4
WHEEL BASE - 279
FLAT FLOOR BUS

SEATING CAPACITY: 30 + 4 WC + DRIVER



CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES
 RAFTER CONFIG D2000-00-716 (120312)
 UNIT IS CONFIGURED WITH A FLAT ROOF

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- [illegible]



Model: Saf-T-Liner C2
Quote Number: 398103
Locality: KY

THOMAS BUILT BUSES, INC.

PLAN AND ELEVATION
BODY 311TS



DATE	TIME	STATUS	REMARKS
5-11-11	10:15	S	877287

ITEM # TH5
CUMMINS
DIESEL
200 HP
2500 PTS
CAPACITY 34
WHEEL BASE - 159



CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



12

MAXIMUM HEIGHT (SEE NOTE 9)


ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- ### GENERAL NOTES
1. READ THESE INSTRUCTIONS CAREFULLY BEFORE STARTING ANY WORK. ALL WORK MUST BE DONE IN ACCORDANCE WITH THE CITY OF LOS ANGELES SPECIFICATIONS FOR THE CONSTRUCTION OF SEWERAGE AND SANITATION SYSTEMS.
 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.
 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.
 4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.
 5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.
 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.
 7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.
 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF LOS ANGELES DEPARTMENT OF PUBLIC WORKS, DIVISION OF SANITATION.

THE DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THE BUREAU OF LAND MANAGEMENT AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.





Model: Saf-T-Liner C2
Quote Number: 398102
Locality: US KY




NO.	PLAN	DATE	BY	THOMAS BUILT BUSES, INC.
LEFT	25	20	20	Title
RIGHT	26	27	27	
				PLAN AND ELEVATION
				BODY 161TS
				SCALE: 3/8"=1'-0"
				S 877285

ITEM # TH6
CUMMINS
DIESEL
200 HP
2500 PTS
CAPACITY 52
WHEEL BASE - 219

SEATING CAPACITY: 52 + DRIVER



CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN
CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN



ALL DIMENSIONS ARE FOR REFERENCE ONLY



GENERAL NOTES

1. SEE ITEM 1 FOR ALL DIMENSIONS. SEE SEATING PLAN FOR SEATING CAPACITY AND SEATING PLAN FOR SEATING PLAN.
2. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
3. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
4. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
5. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
6. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
7. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
8. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
9. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
10. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.



Model: Saf-T-Liner C2
Quote Number: 368100
Locality: KY

THOMAS BUILT BUSES, INC.			
HONOLULU, HI			
PLAN AND ELEVATION			
BODY 251TS			
DATE	BY	CHKD	APPD
01/11/11	J. J. J.	J. J. J.	J. J. J.
SCALE	3/8"=1'	S	877282

SEATING CAPACITY: 72 + DRIVER



CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN



NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES


- [illegible]

THIS QUALITY AND ALL INFORMATION PROVIDED WITH
IT IS THE PROPERTY OF THE U.S. GOVERNMENT AND
ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL
WITHOUT THE EXPRESS WRITTEN PERMISSION OF THE
U.S. GOVERNMENT IS PROHIBITED.

THOMAS BUILT BUSES, INC.


PLAN AND ELEVATION BODY 340TS

DATE: 2023-07-28	TIME: 12:00	877280
SCALE: 3/8"=12"	S	





width	height	length	weight	THOMAS BUILT BUSES, INC.	
15'6"	28'9"	27'0"	21,000	HIGH POINT, NC	
15'6"	28'6"	25'1"		FILE	PLAN AND ELEVATION
15'6"	26'4"	23'9"			BODY 340TS
DIM. 340TS SCALE: 3/8" = 1'-0" S 877280					

SEATING CAPACITY: 72 + DRIVER




EV UNIT: NOTE S.T.A.R.S. LOCATIONS




CAUTION: LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION: RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES:
D2000000805 - LS DOOR LOC. NO 5 (10" REAR)



ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- [illegible]

THE DRAWING AND ALL INFORMATION PROVIDED WITH
IT ARE THE PROPERTY OF THE EASTMAN KODAK CO.
AND ARE NOT TO BE REPRODUCED OR TRANSMITTED IN ANY MANNER
OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING
PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE
AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING
FROM THE EASTMAN KODAK CO.

THOMAS BUILT BUSES, INC.

PLAN AND ELEVATION
BODY 340TS


3-1/2" x 3-1/2" x 1/2" 401 1000	1000	1000
3-1/2" x 3-1/2" x 1/2" 401 1000	S	877265

S 877265


1970-1971

ITEM # TH11
CUMMINS
DIESEL
260 HP
3000 PTS
CAPACITY 78
WHEEL BASE


SEATING CAPACITY: 78 + DRIVER




EQUIPPED WITH 23K SUSPENSION



COLORADO RACKING UNIT




NO UNDERBODY BOXES ALLOWED



CAUTION - LEFT SIDE BARRIER IS NOT IN
STANDARD LOCATION - SEE SEATING PLAN

CAUTION! - RIGHT SIDE BARRIER IS NOT IN
STANDARD LOCATION SEE SEATING PLAN



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR
---EFX UNIT---
---23K REAR SUSPENSION---

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- [illegible]

Model: MVP-EF
Quote Number: 398077
Locality: KY



THOMAS BUILT BUSES, INC.

PLAN AND ELEVATION BODY 1408S	
----------------------------------	--

DATE: 12-10-01 BY: [illegible]	S	877253
10241 1/8" x 12"		



ITEM # TH15
CUMMINS
DIESEL
260 HP
3000 PTS
CAPACITY 78
WHEEL BASE - 212

SEATING CAPACITY: 78 + DRIVER




CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.
CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

EQUIPPED WITH 23K SUSPENSION



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR
23K REAR SUSPENSION

COLORADO RACKING UNIT



ALL DIMENSIONS ARE FOR REFERENCE ONLY

GENERAL NOTES

- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY AND MAY NOT BE REQUIRED.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
- PLEASE REFER TO ORDER FOR SPECIFICATIONS AND REQUIREMENTS.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIDE VIEW.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AC UNITS, STROBE LIGHT, AND SUSPENSION TYPE.
- OVER BUMPERS DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

THOMAS BUILT BUSES, INC.
HIGH POINT, NC


TITLE PLAN AND ELEVATION
BODY 1408S

DRN-07-19-23 BY: T. Dean
SCALE 3/8"=12"
SIZE S 877253

Model: MVP-EF
Quote Number: 398077
Locality: KY



SIDE	ROW	SPACING	SEAT ROW
LEFT	29.5	28.0	
LEFT	28.4	26.9	
RIGHT	26.7	25.2	

SEATING CAPACITY: 78 + DRIVER




CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

EQUIPPED
WITH ALLISON
TRANSMISSION

Z 137.0±
MAXIMUM HEIGHT (SEE NOTE 6)

NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR



NO UNDERBODY
BOXES ALLOWED

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- 1. SOME ITEMS, SUCH AS DV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
- 2. DIMENSIONS ARE GIVEN AS REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
- 3. DIMENSIONS ARE GIVEN AS REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
- 4. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF TRUCK BODY AND GROUND WILL VARY.
- 5. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF TRUCK BODY AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SURFACE TYPE.
- 6. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAIL.
- 7. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRE.
- 8. THE MAXIMUM SHOWN IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, "OVER BUMPER" DIMENSION SHOULD NOT TAKE INTO ACCOUNT OPTIONS.
- 9. THE MAXIMUM SHOWN IS BASED ON BODY WITH LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

THOMAS BUILT BUSES, INC
HIGH POINT, NC

TITLE	PLAN AND ELEVATION BODY 140YS
-------	----------------------------------

DRN:05-24-23 BY:T. Dean	SIZE	DWG. NO
SCALE 3/8"=12"	S	877252

SIDE	ROW	SPACING	KNIFE ROW
LEFT		29.8	28.3
LEFT		26.3	24.6
RIGHT		27.7	26.2