



# Every Child Every Day

**SUPERINTENDENT**  
TONYA HORNE-WILLIAMS

**BOARD CHAIR DISTRICT 1**  
LINDA GEARHEART

**VICE CHAIR DISTRICT 4**  
KEITH SMALLWOOD

**MEMBER DISTRICT 2**  
DR. CHANDRA VARIA

**MEMBER DISTRICT 3**  
WILLIAM NEWSOME, JR

**MEMBER DISTRICT 5**  
STEVE SLOANE

**Consent Agenda Item (Action Item):** Consider/Approve construction documents and request advertisement for bids for the Central Office Track Renovations, pending KDE approval.

**Applicable State or Regulations:** General Powers and Duties of Board/Capital Construction Process 702 KAR 4:180.

**Fiscal/Budgetary Impact:** The initial BG-1 cost is \$943,000 which will be paid from General Funds.

**History/Background:**

Initial BG-1 approved September 22, 2025 (Order #20739)

This project will include the replacement of the existing six-lane track, jump events, and throwing events. The existing premier fence will be replaced with new chain-link fencing and gates. The project also provides new loose track equipment, including pole vault, high jump, and hurdles. In addition, a new asphalt lot and a concrete plaza will be constructed between the restrooms and the grandstands.

**Recommended Actions:** To approve construction documents and request advertisement for bids for the Central Office Track Renovations

**Contact Person(s):**

Kevin O'Quinn, Director of Facilities

606-874-9569

**Director**

**Superintendent**

**Date:** February 12, 2026

The Floyd County Board of Education does not discriminate on the basis of race, color, national origin, age, religion, marital status, sex, or disability in employment, educational programs, or activities as set forth in Title IX & VI, and in Section 504.

442 KY ROUTE 550, EASTERN KY, 41622  
TEL: 606.886.2354 FAX: 606.886.4550

# Central Office Track Renovation

## Eastern, Kentucky

for the

### Floyd County Board of Education

442 KY-550 Eastern, Kentucky 41622

p 606.886.2354

BG 26-084

RTA # 22034

**rosstarrant** | a **MORE** group brand

101 Old Lafayette Avenue  
Lexington, Kentucky 40502  
p. 859.254.4018

enhancing education through great design

STRUCTURAL ENGINEER:

Shroul Tate Wilson  
628 Winchester Rd  
p 859.277.6177

Lexington, Kentucky 40505

Project Site Address

442 KY-550  
Eastern, Kentucky  
41622

Vicinity Map



Project Vicinity Map



INDEX OF DRAWINGS

01.0	COVER SHEET
01.1	NOTICE
01.2	GENERAL NOTES
02.0	GENERAL NOTES
02.1	GENERAL NOTES
02.2	GENERAL NOTES
02.3	GENERAL NOTES
02.4	GENERAL NOTES
02.5	GENERAL NOTES
02.6	GENERAL NOTES
02.7	GENERAL NOTES
02.8	GENERAL NOTES
02.9	GENERAL NOTES
02.10	GENERAL NOTES
02.11	GENERAL NOTES
02.12	GENERAL NOTES
02.13	GENERAL NOTES
02.14	GENERAL NOTES
02.15	GENERAL NOTES
02.16	GENERAL NOTES
02.17	GENERAL NOTES
02.18	GENERAL NOTES
02.19	GENERAL NOTES
02.20	GENERAL NOTES
02.21	GENERAL NOTES
02.22	GENERAL NOTES
02.23	GENERAL NOTES
02.24	GENERAL NOTES
02.25	GENERAL NOTES
02.26	GENERAL NOTES
02.27	GENERAL NOTES
02.28	GENERAL NOTES
02.29	GENERAL NOTES
02.30	GENERAL NOTES
02.31	GENERAL NOTES
02.32	GENERAL NOTES
02.33	GENERAL NOTES
02.34	GENERAL NOTES
02.35	GENERAL NOTES
02.36	GENERAL NOTES
02.37	GENERAL NOTES
02.38	GENERAL NOTES
02.39	GENERAL NOTES
02.40	GENERAL NOTES
02.41	GENERAL NOTES
02.42	GENERAL NOTES
02.43	GENERAL NOTES
02.44	GENERAL NOTES
02.45	GENERAL NOTES
02.46	GENERAL NOTES
02.47	GENERAL NOTES
02.48	GENERAL NOTES
02.49	GENERAL NOTES
02.50	GENERAL NOTES
02.51	GENERAL NOTES
02.52	GENERAL NOTES
02.53	GENERAL NOTES
02.54	GENERAL NOTES
02.55	GENERAL NOTES
02.56	GENERAL NOTES
02.57	GENERAL NOTES
02.58	GENERAL NOTES
02.59	GENERAL NOTES
02.60	GENERAL NOTES
02.61	GENERAL NOTES
02.62	GENERAL NOTES
02.63	GENERAL NOTES
02.64	GENERAL NOTES
02.65	GENERAL NOTES
02.66	GENERAL NOTES
02.67	GENERAL NOTES
02.68	GENERAL NOTES
02.69	GENERAL NOTES
02.70	GENERAL NOTES
02.71	GENERAL NOTES
02.72	GENERAL NOTES
02.73	GENERAL NOTES
02.74	GENERAL NOTES
02.75	GENERAL NOTES
02.76	GENERAL NOTES
02.77	GENERAL NOTES
02.78	GENERAL NOTES
02.79	GENERAL NOTES
02.80	GENERAL NOTES
02.81	GENERAL NOTES
02.82	GENERAL NOTES
02.83	GENERAL NOTES
02.84	GENERAL NOTES
02.85	GENERAL NOTES
02.86	GENERAL NOTES
02.87	GENERAL NOTES
02.88	GENERAL NOTES
02.89	GENERAL NOTES
02.90	GENERAL NOTES
02.91	GENERAL NOTES
02.92	GENERAL NOTES
02.93	GENERAL NOTES
02.94	GENERAL NOTES
02.95	GENERAL NOTES
02.96	GENERAL NOTES
02.97	GENERAL NOTES
02.98	GENERAL NOTES
02.99	GENERAL NOTES
03.0	GENERAL NOTES



COVER SHEET  
Central Office Track Renovation  
FOR:  
Floyd County  
442 KY-550, Eastern, KY 41622

DATE: 08/20/2009  
TIME: 10:00 AM  
BY: JTW

BG 26-084	
Project No.	22034
Revision	0
Rev. Desc.	3.15.09.MJ
SHEET RELEASE	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	


**GO.0**  
LAYOUT SHEET  
DATE: 08/20/2009











**GENERAL SITE NOTES**

1. THE SITE PLANS WERE PREPARED BASED UPON TOPOGRAPHIC SURVEYS BY ENGINEER ROBERT T. DENTON, INC. (FLOYD COUNTY, KY 0510). REFER TO THE SURVEY NOTES.
2. THE CONTRACTOR SHALL VERIFY ALL METERS, SET POINTS AND CONDITIONS BEFORE ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE START OF CONSTRUCTION.
3. THE ARCHITECT AND ARCHITECTS CONSULTANTS SHALL HAVE NO RESPONSIBILITY FOR THE CONTRACTOR'S METHODS, HANDLING, REMOVAL OR DISPOSAL OF OR EMPLOYERS OF PERSONS TO HAZARDOUS MATERIALS OR ANY OTHER HAZARDOUS MATERIALS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES AND STRUCTURES NOT SHOWN TO BE REMOVED OR TO BE REMOVED.
4. THE CONTRACTOR SHALL USE EXTREME CARE IN WORKING AREAS. EXISTING UTILITIES AND UNDERGROUNDS SHALL BE MAINTAINED AND TAKEN TO PROTECT ALL UTILITIES FROM DAMAGE DURING CONSTRUCTION.
5. SEE EROSION CONTROL AND RETENTION CONTROL PLAN FOR EROSION CONTROL AND BEST MANAGEMENT PRACTICES (BMP) AND BEST MANAGEMENT PRACTICES (BMP) AND BEST MANAGEMENT PRACTICES (BMP).

**SITE DEVELOPMENT TAGS**

1. PAVING TO REMAIN: PAVED THROUGHOUT CONSTRUCTION OF BUILDING TO REMAIN. NO UTILITY TO BE MAINTAINED ARE TO BE REMOVED UNLESS NEW PERMANENT UTILITY PROVIDED PER ALL REQUIREMENTS.
2. PAVEMENT TO REMAIN: PAVEMENT AREAS DAMAGED BY CONSTRUCTION SHALL BE REPAIRED TO ORIGINAL CONDITION. CONCRETE PAVING TO BE MATCHED BACK TO NEAREST UNDAUNTED CORNER OR BOUNDARY FROM MATCH LINE TO MATCH LINE TO REMAIN.
3. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
4. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
5. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
6. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
7. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
8. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
9. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
10. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
11. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
12. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
13. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
14. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
15. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
16. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
17. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
18. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
19. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
20. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
21. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
22. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
23. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
24. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
25. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
26. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
27. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
28. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
29. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
30. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
31. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
32. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
33. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
34. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
35. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
36. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
37. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
38. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
39. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
40. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
41. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
42. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
43. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
44. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
45. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
46. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
47. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
48. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
49. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
50. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
51. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
52. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
53. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
54. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
55. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
56. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
57. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
58. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
59. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
60. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
61. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
62. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
63. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
64. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
65. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
66. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
67. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
68. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
69. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
70. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
71. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
72. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
73. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
74. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
75. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
76. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
77. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
78. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
79. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
80. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
81. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
82. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
83. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
84. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
85. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
86. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
87. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
88. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
89. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
90. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
91. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
92. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
93. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
94. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
95. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
96. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
97. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
98. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
99. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.
100. ASPHALT PAVEMENT TO REMAIN: ASPHALT PAVEMENT TO REMAIN.

**LANDSCAPE TAGS**

1. SOO ENTER AREA BETWEEN PAVEMENTS AND/OR BUILDING (S000)
2. SEE ALL OTHER CHARACTERISTICS FOR SPECIFIC AND PROVIDE PROTECTIVE CONTROL MEASURES FOR SPECIFIC AREAS.

**LEGEND**



**SITE LAYOUT & DEVELOPMENT PLAN**  
SCALE: 1"=40'

rostarant architects  
1000 N. 10th Street  
Floyd County, KY 41324  
Tel: 606.338.1111  
Fax: 606.338.1112

NOT FOR CONSTRUCTION

**SITE LAYOUT & DEVELOPMENT PLAN**  
Central Office Track Renovation  
FOR:  
Floyd County  
442 KY-550, Eastern, KY 41622

BG# 26-084

Project No. 2204  
Drawn by: BIP  
Reviewed by: SUZUKAWA  
DATE PLOTTED:

LEGEND

DATE PLOTTED: 2/1/2024  
CONSTRUCTION DOCUMENTS  
**SD1.1**  
SEE LAYOUT & DEVELOPMENT PLAN  
DATE ISSUED:  
2/1/2024











NO.	DATE	DESCRIPTION
1	05-18-2011	ISSUED FOR PERMITS
2		
3		
4		
5		
6		
7		
8		
9		
10		

**GENERAL NOTES:**

A. REFER TO SHEETS 1 FOR GENERAL NOTES.

**SHEET KEYNOTES:**

1. PROVIDE NEW LIGHTING CONTROL PANELS FOR FIELD LIGHT FIXTURES.

**SHROUT  
TATE  
WILSON**  
ARCHITECTURAL AND  
ELECTRICAL ENGINEERS  
Lexington • Louisville • Charlotte  
www.stwinc.com

MATERIAL REFERENCE


**rossi** architects  
3700 Ashland Avenue, Lexington, Kentucky 40504-0401  
402.274.4444

NOT FOR CONSTRUCTION

**SITE PLAN - ELECTRICAL NEW WORK**  
Central Office Track Renovation  
for  
Royd County  
442 KY-550, Eastern, KY 41422

Client #	
Project #	2010
Drawn by	STW
Checked by	STW
Project Manager	STW
Scale	AS SHOWN
Sheet No.	1
Total Sheets	1
Project Name	Central Office Track Renovation
Project Location	Royd County, KY
Project Date	05-18-2011

**U3.0**  
1 HOUR PLANNED  
DATE: 05/18/11  
SCALE: AS SHOWN



**SITE PLAN - ELECTRICAL NEW WORK**  
SCALE: 1"=20'

REVISIONS


NO.	DATE	DESCRIPTION

**SHROUT  
TATE  
WILSON**  
ARCHITECTURAL AND  
ELECTRICAL ENGINEERS  
Lexington - Louisville - Durham  
www.stwinc.com


MATERIAL REFERENCE

rostrant  
architects


NOT FOR CONSTRUCTION




**TRENCH DETAIL FOR NEW SLAB/PAVEMENT**  
NOT TO SCALE



**TRENCH DETAIL FOR EARTH COVER**  
NOT TO SCALE



**TALL POLE BASE DETAIL**  
NOT TO SCALE



**UNI-STRUT EQUIPMENT MOUNTING DETAIL**  
NOT TO SCALE

ELECTRICAL LEGEND AND GENERAL NOTES  
Central Office Track Renovation  
for:  
Royd County  
442 KY-550, Eastern, KY 41622

Client #	
Project No.	3378
Drawn by	
Checked by	
Scale	
Sheet No.	


Project No.  
**E5.1**  
FLOOR PLANS  
DATE PLANNED  
DATE DRAWN